TECHNICAL AUDIO PLAYBOOK

# Engineering Crystal-Clear Audio for Code & Tech Tutorials

A zero-to-production blueprint covering room physics, microphone chains, vocal delivery, and digital post-processing.

---

> **The Golden Standard:** Listeners evaluate technical competence not just by code correctness, but by auditory authority. In tech screencasts, harsh keyboard clatter, echo, low hums, and muddy vocal tracks fatigue listeners rapidly. Clear audio increases viewer retention, course completion, and trust.

## Pillar 1: Acoustic Environment & Room Physics

90% of poor tutorial audio stems from reflective physical environments, not cheap equipment. A $50 microphone in a treated room outperforms an $800 microphone in an untreated, echoey bedroom office.

### Addressing Flutter Echo

Hard parallel surfaces (drywall, wood flooring, windows) bounce high frequencies, creating tinny hollow reflections. Use moving blankets, area rugs, and dense foam strategically placed behind your monitor and directly behind your head.

### Managing Ambient Mechanical Noise

Eliminate continuous noise before hitting record: turn off ceiling fans, position loud PC workstation exhaust fans under desk baffles, and close HVAC vents directly above your recording desk during takes.

## Pillar 2: Gear Selection & Mic Architecture

For tutorial creators simultaneously typing and speaking, **dynamic microphones** with cardioid rejection are vastly superior to sensitive condenser mics that capture unwanted room echo and mechanical keyboard switches.

| TIER | MICROPHONE / INTERFACE | KEY ADVANTAGE | ESTIMATED BUDGET |
|---|---|---|---|
| **Starter (USB)** | Røde PodMic USB / Audio-Technica ATR2100x | Direct plug-and-play USB-C, built-in headphone jack, solid cardioid rejection. | $79 – $149 |
| **Prosumer (XLR)** | Shure MV7X or SE Electronics Dynacaster DCM6 + Focusrite Scarlett Solo 4th Gen | Pristine clean analog preamps, analog gain staging control, warm vocal presence. | $250 – $340 |
| **Broadcast (Industry)** | Shure SM7B + Elgato Wave XLR / Motu M2 | Broadcast-standard internal air suspension shockmount and electromagnetic hum shielding. | $450 – $550 |
| **Essential Rig** | Elgato Wave Mic Arm LP + Dual-layer Pop Shield | Low-profile desk arm keeps sightlines to screen clear without blocking camera views. | $99 – $130 |

## Pillar 3: Mic Technique & Spatial Geometry

Even with a world-class microphone, incorrect positioning ruins clarity through plosives ("p", "b" wind pops) and uneven signal-to-noise ratios.

### The "Hang Loose" Rule

Maintain 4 to 6 inches (thumb to pinky distance) between mouth and capsule. Too close creates muddy proximity bass; too far lets ambient room echo dominate.

### Off-Axis 45° Angle

Do not speak directly into the capsule center. Angle the capsule 30°–45° toward the corner of your mouth. Exhaled plosive air bursts bypass the diaphragm safely.

### Typing Decoupling

Clamp the boom arm to a sturdy shelf or separate surface rather than directly on the typing desk. Desk vibrations from typing resonate up rigid metal arms as low thuds.

## Pillar 4: Vocal Articulation & Delivery for Tech

Technical tutorials require cognitive focus from the viewer. Flat, rapid-fire, or breathy monologues cause immediate drop-off.

### Pacing & The "Syntax Pause"

Speak at 135–150 WPM. In coding videos, pause deliberately after completing a thought or function snippet. This gives viewers time to absorb the logic and creates natural, seamless edit points for trimming errors.

### Diaphragmatic Breath Control

Chest breathing causes rapid exhaustion and loud gasping between sentences. Inhale into your lower abdomen to maintain consistent vocal resonance and volume from start to finish of long walkthroughs.

### Hydration & Anti-Click Protocol

Mouth clicks and saliva sounds ruin high-frequency clarity. Drink room-temperature water continuously. Avoid dairy, coffee, and sugary energy drinks 1 hour prior to recording. Green apples naturally neutralize oral acidity.

### Micro-Scripting & Vocal Pitch

Avoid monotone droning. Speak with smiling facial muscles; it naturally elevates vocal formant frequencies (1.5 kHz – 4 kHz), making speech sound clearer, warmer, and more engaging through laptop speakers.

## Pillar 5: Gain Staging (Input Calibration)

**The Dynamic Range Target:** Set your interface/software input gain so normal speaking voice sits steadily between **-18 dB to -12 dB**. Occasional energetic peaks should NEVER exceed **-6 dB**. Leaving at least 6 dB to 10 dB of headroom guarantees your audio never digitally clips or distorts, preserving raw fidelity for post-processing.

## Pillar 6: The Digital Signal Chain (DSP)

Apply these 5 digital effects in strict serial order inside your DAW (Reaper, Audacity, Premiere Pro, or DaVinci Resolve Fairlight) to achieve a modern, punchy broadcast voice.

**STEP 1 • SURGICAL CLEAN** — **Noise Reduction & High-Pass Filter** — Clarity

Cut all sub-frequencies below **80 Hz** using an 18 dB/octave high-pass filter to instantly remove air-conditioner rumble and desk bumps. Apply gentle spectral de-noise (e.g., iZotope RX or ReaFIR) at no more than 6 dB reduction to avoid robotic phasing.

**STEP 2 • DYNAMICS CONTROL** — **Parametric EQ (Sculpting Tone)** — Intelligibility

Dip **250 Hz – 450 Hz** by -2 dB to eliminate muddy "cardboard box" frequency buildup. Boost smoothly around **3 kHz – 5 kHz** (+1.5 dB) for technical term diction, and add an airy high-shelf boost above **10 kHz** for a crisp sheen.

**STEP 3 • SIBILANCE TAMING** — **De-Esser** — Ear Comfort

Harsh "S", "T", and "SH" sounds fatigue headphone listeners quickly. Set your De-Esser between **5.5 kHz – 7.5 kHz** with a gentle threshold to compress piercing peaks without lisping.

**STEP 4 • VOLUME LEVELING** — **Vocal Compression** — Consistency

Use a **3:1 or 4:1 ratio**, medium attack (15 ms), and smooth release (70 ms). Aim for 3 dB to 5 dB of gain reduction on loud words. This pulls quiet whispers and excited explanations into a consistent, easily audible volume window.

**STEP 5 • DELIVERY TARGET** — **Limiter & YouTube Loudness Standard** — Export

Set a brickwall true-peak ceiling at **-1.0 dBTP**. Normalize the full tutorial to **-14 LUFS integrated** (YouTube's standard broadcast target). This prevents YouTube's audio engine from compressing or dampening your file upon upload.

## 4-Week Implementation Roadmap

| PHASE | ACTION ITEMS | DELIVERABLE |
|---|---|---|
| **Week 1: Physical Setup** | Dampen room reflections, mount dynamic mic on boom arm, configure 45° off-axis angle. | Sub- -50 dB baseline silence with PC running. |
| **Week 2: Gain & Skills** | Calibrate interface to -18 dBFS, run 5-minute typing drill to test keyboard rejection. | Clean raw audio with zero digital clipping. |
| **Week 3: DSP Preset** | Build and save an FX chain rack (EQ + De-esser + Compressor + Limiter) in DAW. | One-click audio processing template. |
| **Week 4: Full Workflow** | Record a sample 5-minute code review, export at -14 LUFS, verify on phones & headphones. | Repeatable, broadcast-ready tutorial pipeline. |