

Intelligent Traffic Monitoring System using Deep Learning and YOLOv8

Abhishek Kyasti

*Department of Computer Science
and Engineering
School of Engineering, Dayananda
Sagar University
Bengaluru, India*

Patan Lihaaz Khan

*Department of Computer Science
and Engineering
School of Engineering, Dayananda
Sagar University
Bengaluru, India*

Penukonda Sai Kushal

*Department of Computer Science
and Engineering
School of Engineering, Dayananda
Sagar University
Bengaluru, India*

Raunit Maurya

*Department of Computer Science
and Engineering
School of Engineering, Dayananda
Sagar University
Bengaluru, India*

Abstract—The previous ten years have seen cities experience two major challenges which include traffic congestion and road safety issues. The traditional traffic monitoring systems relied on human observers together with road sensors which did not provide reliable performance tracking. We present an intelligent traffic monitoring system which uses the latest YOLOv8 object detection algorithm to monitor traffic.

The system enables users to achieve precise vehicle classification determination and mass counting through video analysis with exceptional speed which makes it suitable for practical use. The system demonstrates the crucial need for intelligent solutions which enhance present-day traffic management and control solutions. The system developed by the team enables traffic control through its ability to operate across multiple traffic conditions which include different lighting environments and various road conditions.

The system enables traffic analysis to achieve improved efficiency and accuracy during real-time operations. The system provides cities with scalable solutions which enable traffic administrators to obtain essential information for operational management. The proposed solution delivers better performance and cost savings when compared to current methods. **Index Terms**—Traffic Monitoring, YOLOv8, Deep Learning, Computer Vision, Vehicle Detection, Smart Cities.

Traffic congestion not only causes delays but also leads to increased fuel consumption and environmental pollution. It affects the overall productivity of a city and creates inconvenience for commuters. Therefore, there is a growing need for intelligent systems that can analyze traffic conditions in real time.

In recent years, advancements in deep learning and computer vision have opened new possibilities for intelligent traffic systems. Object detection models can analyze video feeds and extract meaningful information such as vehicle count, type, and movement patterns. These technologies provide automated solutions that are more accurate and efficient compared to traditional approaches.

Among these models, YOLO (You Only Look Once) has gained popularity due to its real-time performance and high accuracy. YOLOv8, the latest version, introduces improvements in detection accuracy, speed, and model efficiency. It is capable of detecting multiple objects in complex environments.

This paper proposes an intelligent traffic monitoring system using YOLOv8. The system processes live or recorded video feeds to detect vehicles, count them, and analyze traffic conditions. By automating traffic monitoring, the system reduces human effort and provides reliable data for decisionmaking.

I. INTRODUCTION

With the rapid increase in urban population, traffic congestion has become a serious issue in modern cities. Efficient traffic monitoring is essential for managing road usage, reducing accidents, and improving transportation systems. Traditional methods such as manual traffic counting and basic sensorbased systems are often inefficient and lack scalability.

II. LITERATURE REVIEW

The researchers have produced multiple studies which investigate how machine learning and computer vision technologies function within traffic monitoring systems. At first, approaches based on methods of background subtraction and motion detection have been employed. The

models maintained their basic operation features but became more difficult to use because outside elements like lighting and weather changes affected their function.

The researchers identified SVM and Random Forest as more precise machine learning methods for vehicle identification after testing different approaches. The system required users to select specific characteristics because its automatic feature detection function could not handle more complex traffic analysis operations.

Recent technological progress has enabled researchers to create deep learning methods which use CNN architecture. The most widely used models include Fast R-CNN and SSD as two of their major examples. The system shows deficiencies because it cannot balance its performance with its operational speed.

The developers created a YOLO model which detects objects via a single processing step. The researchers developed YOLOv8 as the latest version which enables users to extract features with high accuracy while keeping low calculation requirements. Recent studies demonstrate that systems using YOLO technology achieve effective results when they monitor traffic conditions, computational cost, and higher accuracy. Recent research shows that YOLO-based systems are highly effective for real-time traffic monitoring applications.

III. METHODOLOGY

The system which is currently being developed uses video input together with deep learning models to retrieve essential traffic data from video footage.

A. Data Collection

The research team utilizes multiple video datasets which monitor traffic to evaluate their performance during training and testing phases. The datasets include various road environments which range from highways to intersections and urban streets. The data set contains multiple vehicle types which include cars and buses and trucks and motorcycles. The system will benefit from training on various datasets which will enhance its performance.

B. Preprocessing

The process begins with the extraction of video frames from the input file. The extracted frames undergo dimension conversion to achieve a standard size. The research team implements various data augmentation techniques which include flips and scales and rotations and brightness variations.

C. YOLOv8 Model

The process begins with the extraction of video frames from the input file. The extracted frames undergo dimension conversion to achieve a standard size. The research team implements various data augmentation techniques which include flips and scales and rotations and brightness variations.

D. Vehicle Detection and Counting

The YOLOv8 neural network system identifies vehicles on the road. The model proceeds to forecast bounding boxes which it then displays for all detected objects. The system counts vehicles which travel through designated areas to study their movement patterns.

E. Traffic Density Estimation

Traffic density is calculated based on the number of vehicles detected in a frame. Higher counts indicate congestion, while lower counts indicate free-flowing traffic. This information is useful for traffic management systems.

F. Speed Estimation

Vehicle speed can be estimated by tracking object movement across frames and calculating displacement over time. This feature can be used for detecting over-speeding vehicles.

G. System Architecture

The architecture of the proposed intelligent traffic monitoring system consists of multiple stages that work together to process video data and generate useful traffic insights. Initially, video input is captured through surveillance cameras or datasets. The captured video is then converted into frames for processing.

Each frame is passed through the YOLOv8 model, which detects and classifies vehicles present in the scene. The detected objects are then tracked across consecutive frames to maintain consistency. A counting mechanism is applied to count vehicles crossing a predefined region.

Finally, the system estimates traffic density and displays the results in real time. The architecture ensures efficient processing and accurate analysis of traffic conditions.




Fig. 1. System Architecture of Intelligent Traffic Monitoring System

IV. IMPLEMENTATION

The proposed system is implemented using Python and the Ultralytics YOLOv8 library. OpenCV is used for video processing and visualization.

The YOLOv8 model is loaded using pretrained weights and applied to input images or video streams. The system detects vehicles and draws bounding boxes with labels and confidence scores.

```
from ultralytics import YOLO

model = YOLO("yolov8n.pt")
results = model("traffic.jpg")
results[0].plot()
```

V. WORKING OF YOLOV8 (DETAILED)

The object detection system YOLOv8 uses a single-stage detection system to perform both object location and object identification functions. Unlike previous systems, YOLOv8 executes its entire region proposal and classification process through a single network operation.

The YOLOv8 system consists of three components which include the backbone module, neck module, and detection head modules. The model begins its first stage by using convolutional layers to derive features from the input image. The backbone of the system extracts both semantic information and spatial details from the data.

The neck layer improves existing features through a crossscale feature fusion process that operates at multiple scale levels. The system needs this capability because it must identify objects which vary in size from small to large. The system can achieve this function through the implementation of Feature Pyramid Network (FPN) and Path Aggregation Network (PAN) technologies.

The detection head works as the final part of the model system to create bounding boxes and determine object confidence levels and class predictions. The anchor-free detection system used by YOLOv8 delivers better performance through its straightforward design and improved operational efficiency.

The advanced loss functions which YOLOv8 uses represent an important feature that demands close examination. The training process needs these functions to deliver high-quality learning results.

The system of YOLOv8 achieves an effective combination of fast operation and precise results which makes it suitable for multiple real-world uses such as traffic monitoring.

VI. PERFORMANCE ANALYSIS

The proposed system evaluation process uses three main assessment criteria, which include detection accuracy and processing speed and system performance across various environmental conditions.

The system demonstrates high accuracy in detecting vehicles across various scenarios such as highways, urban roads, and intersections. The YOLOv8 model is capable of identifying multiple vehicle types including cars, buses, trucks, and motorcycles with minimal errors.

Processing speed is another critical factor in real-time systems. The proposed system achieves near real-time performance, making it suitable for live traffic monitoring applications. The optimized architecture of YOLOv8 ensures fast inference without compromising accuracy.

The robustness of the system is evaluated under different lighting conditions such as daytime, nighttime, and low-light environments. The model performs consistently well, although slight performance degradation may occur under extreme conditions such as heavy rain or fog.

The tracking mechanism further enhances system performance by maintaining object identity across frames. This reduces duplicate counting and improves overall accuracy.

The results indicate that the proposed system is reliable, efficient, and suitable for large-scale deployment in smart city environments.

VII. APPLICATIONS OF THE PROPOSED SYSTEM

The intelligent traffic monitoring system has a wide range of applications in modern transportation systems.

One of the primary applications is traffic management in urban areas. The system can be used to monitor traffic flow and identify congestion in real time. This information can help authorities take necessary actions such as adjusting traffic signals or rerouting vehicles.

Another important application is road safety. The system can detect abnormal traffic behavior such as sudden stops, illegal turns, and over-speeding. This helps in preventing accidents and improving overall road safety.

The system can also be used in smart city infrastructure. By integrating with IoT devices, the system can provide realtime data to central monitoring systems. This enables better decision-making and efficient resource management.

Parking management is another area where the system can be applied. It can monitor parking spaces and provide information about available slots.

In addition, the system can be used for law enforcement by detecting traffic violations and providing evidence for further action.

VIII. CHALLENGES AND ISSUES

Despite its advantages, the proposed system faces several challenges.

One of the major challenges is handling occlusion in dense traffic scenarios. When multiple vehicles overlap, it becomes difficult for the model to detect each vehicle accurately.

Another challenge is varying environmental conditions. Factors such as lighting, shadows, rain, and fog can affect detection accuracy.

High computational requirements are also a concern. Realtime processing requires powerful hardware, which may increase the cost of implementation.

Data quality plays a crucial role in system performance. Poor quality video input can lead to incorrect detection and analysis.

Addressing these challenges is essential for improving the reliability and efficiency of the system.

IX. SYSTEM WORKFLOW

The complete workflow of the system is as follows:

- 1) Capture video input from camera or dataset
- 2) Convert video into frames
- 3) Apply YOLOv8 model for object detection
- 4) Identify and classify vehicles
- 5) Track vehicles across frames

- 6) Count vehicles in each frame
- 7) Estimate traffic density
- 8) Display results with bounding boxes and statistics

The proposed system follows a sequential pipeline for traffic analysis. Video input is captured from cameras or datasets and processed frame by frame using the YOLOv8 model. Vehicles such as cars, buses, trucks, and motorcycles are detected, classified, and tracked across frames for accurate counting. Finally, real-time results are displayed with bounding boxes and statistical information for effective traffic management




Fig. 2. Workflow of Intelligent Traffic Monitoring System

X. EVALUATION METRICS

Accuracy, Precision, Recall, and F1 Score are used to evaluate performance.

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN}$$

$$Precision = \frac{TP}{TP + FP}$$

$$Recall = \frac{TP}{TP + FN}$$

$$F1 = 2 \times \frac{Precision \times Recall}{Precision + Recall}$$

XI. RESULTS AND DISCUSSION

The system underwent testing across multiple traffic video databases. The YOLOv8-based model achieved successful identification of target objects under varying light conditions and different levels of traffic congestion.

The system successfully managed vehicle counting together with real-time vehicle updates. The model delivers outstanding performance results because it maintains high accuracy despite operating under heavy traffic conditions which lead to few misclassifications. The vehicle tracking system enables precise vehicle counting which eliminates all instances of duplicate counts.

The new approach provides faster and more dependable video processing capabilities when compared to traditional video processing methods. The system functions as an ideal solution for smart city development because it processes video streams in real time.

The algorithm's efficiency assessment considered both its accuracy performance and its precision recall and F1 score metrics. The results show that YOLOv8 achieves balanced performance across all evaluated criteria. The system achieves high precision to avoid false detections while its good recall capability allows it to identify almost all targeted objects.

The system maintains high efficiency because it operates effectively with basic computational resources which enables its use in real-time applications. The system will experience a slight reduction in efficiency when it operates during extreme weather events that include heavy rainfall and fog conditions.

Performance Metrics of YOLOv8 Deep Learning Model




Fig. 3. Performance Metrics of YOLOv8 Model




Fig. 4. YOLOv8 Object Detection Results on Traffic Scene

XII. CONCLUSION

The paper presents an intelligent traffic monitoring system based on YOLOv8 technology and deep learning methods. The system performs real-time vehicle detection and classification while counting vehicles. The system provides essential traffic information which helps users understand existing traffic problems.

The system uses advanced object detection techniques to improve both accuracy and speed of traffic monitoring operations. The combination of computer vision technologies with deep learning creates a fully automated traffic management system. The system maintains its operational efficiency during complex traffic situations which involve heavy vehicle movement and different types of vehicles.

The proposed solution provides an efficient and easy method for solving traffic challenges. The solution helps

control vehicle movement while it decreases traffic congestion and enhances road safety.

XIII. FUTURE SCOPE

The proposed solution requires additional enhancements together with technological advancements to provide effective results. The development process needs to begin with the establishment of an adaptive traffic signal system as its next development milestone. Adaptive traffic signal systems enable traffic signal systems to change their operational times based on actual traffic flow and vehicle concentration levels. The result will be reduced waiting periods.

The system needs enhancement through the implementation of more advanced traffic monitoring technology which will enable the system to identify drivers who break traffic regulations. The unit has the ability to detect all three violations which include speed limit violations and red light violations and unauthorized parking violations. The system will achieve better communication between its different components through the implementation of IoT devices. The implementation of cloud technology will improve how data storage and monitoring and processing tasks are handled.

Cloud technology enables simultaneous traffic volume monitoring across various locations. The advanced traffic tracking algorithms can process extensive datasets to deliver precise outcomes.

The system will develop its capabilities to work together with self-driving vehicles and navigation systems which will improve decision-making processes and route planning efficiency. The development of artificial intelligence and deep learning technologies will establish intelligent traffic surveillance systems as the essential component for building effective smart transportation networks.

REFERENCES

- 1) J. Redmon et al., "You Only Look Once: Unified, Real-Time Object Detection," 2016.
- 2) A. Bochkovskiy et al., "YOLOv4: Optimal Speed and Accuracy of Object Detection," 2020.
- 3) Ultralytics, "YOLOv8 Documentation," 2023.
- 4) S. Ren et al., "Faster R-CNN: Towards Real-Time Object Detection," 2015.
- 5) W. Liu et al., "SSD: Single Shot MultiBox Detector," 2016.
- 6) N. Wojke et al., "Simple Online and Realtime Tracking (SORT)," 2017. [7] A. Bewley et al., "Deep SORT: Simple Online and Realtime Tracking with a Deep Association Metric," 2016.
- 7) K. He et al., "Mask R-CNN," 2017.

- [8] M. Tan et al., "EfficientDet: Scalable and Efficient Object Detection," 2020. [10] J. Redmon and A. Farhadi, "YOLOv3: An Incremental Improvement," 2018.