COMPREHENSIVE STUDY GUIDE

Network Protocols Architecture

A Overview of Host Protocols vs. Routing Protocols: Frameworks, Operations, and Key Concepts

AUTHOR & NETWORK ARCHITECT

Prabu Thiagamani

Networking Fundamentals Series

1. Fundamentals of Network Protocols

A **Network Protocol** is a standardized set of rules, conventions, and data structures that govern how computers and network devices exchange information across a shared communication medium. Without protocols, hardware devices cannot interpret the raw signals transmitted across local or wide-area networks.

Key Functions of Network Protocols:

- **Encapsulation & Formatting:** Structuring data payloads into standardized packets, frames, or segments.
- **Addressing:** Uniquely identifying source and destination end-hosts as well as intermediate devices.
- **Error Detection & Flow Control:** Ensuring reliable delivery, packet sequence verification, and congestion management.
- **Routing & Forwarding:** Determining optimal paths across multi-hop inter-networks.

2. Host Protocols vs. Routing Protocols

In network architecture, protocols are broadly categorized based on where they operate and their core functional responsibility:



Figure 1: Conceptual difference between End-to-End Host Protocols and Router-to-Router Routing Protocols.

Key Architectural Differences

Feature / Dimension	Host Protocols (Routable / Transport)	Routing Protocols
Primary Objective	Facilitate end-to-end data communication between application endpoints on computer hosts.	Discover network topology, dynamically build routing tables, and select best paths.
Operating Location	Runs primarily on end-user hosts, servers, and applications (OSI Layers 3 to 7).	Runs natively on intermediate network devices like Routers and Layer-3 Switches.
Communication Scope	End-to-End (Host-to-Host or Application-to-Application).	Hop-by-Hop / Neighbor-to-Neighbor among infrastructure devices.

Feature / Dimension	Host Protocols (Routable / Transport)	Routing Protocols
Data Carried	Actual user application data payloads (web pages, files, emails, voice).	Control plane messages (routing updates, link states, metric updates).
OSI Layer Alignment	Network, Transport, Session, Presentation, Application (Layers 3–7).	Control Plane operating alongside Network/ Transport Layers (Layer 3/4).

3. Deep Dive: Host Protocols

Host protocols (often referred to as *Routable Protocols* or *Host-to-Host Protocols*) provide the addressing structures and transport mechanisms required for end-system applications to communicate across network fabrics.

TCP / IP Suite

Global Standard

Transmission Control Protocol / Internet Protocol: The universal standard protocol suite powering the global Internet and modern private enterprise networks.

- **IP (Layer 3):** Provides logical hierarchical addressing (IPv4/IPv6) and packet routing across networks.
- **TCP (Layer 4):** Connection-oriented, reliable transport with sequence numbers, flow control, and retransmissions.
- **UDP (Layer 4):** Connectionless, lightweight transport for real-time applications (DNS, VoIP, video streaming).

IPX / SPX

Legacy Novell

Internetwork Packet Exchange / Sequenced Packet Exchange: Novell NetWare's proprietary protocol suite dominant in the 1980s–1990s.

- **IPX (Layer 3):** Connectionless datagram protocol utilizing node MAC addresses combined with network numbers.
- **SPX (Layer 4):** Connection-oriented protocol providing guaranteed delivery and windowing for client-server NetWare systems.
- Replaced globally by native TCP/IP in late 1990s.

AppleTalk

Legacy Apple

Apple System Networking Suite: Proprietary networking protocol suite developed by Apple Computer in 1984 for Macintosh computers.

- **DDP (Datagram Delivery Protocol):** Core socket-to-socket Layer 3 delivery protocol.
- **Dynamic Addressing:** Automated node ID assignment upon boot without DHCP servers.
- Phased out by Apple starting in Mac OS X (10.6) in favor of standard TCP/IP.

NetBEUI

Non-Routable

NetBIOS Extended User Interface: Enhanced version of NetBIOS protocol developed by IBM and Microsoft for small local networks.

- **Non-Routable:** Lacks a network-layer IP-like addressing scheme; relies strictly on NetBIOS names and MAC addresses.
- **Performance:** Extremely fast for tiny single-segment LANs (up to 20-50 computers).
- Cannot cross routers; completely obsolete today.

Comparison Matrix: Host Protocols

Protocol	Developer	Routable?	Primary Usage Era	Addressing Mechanism
TCP/IP	DARPA / IETF	Yes	1980s – Present	IP Address (32-bit IPv4 / 128-bit IPv6) + Port
IPX/SPX	Novell	Yes	1980s – 1990s	32-bit Net Number + 48-bit MAC Address
AppleTalk	Apple	Yes	1984 – 2009	16-bit Network Number + 8-bit Node ID
NetBEUI	IBM / Microsoft	No	1985 – 2000s	NetBIOS Name (16-char) / MAC Address

4. Routing Protocols Overview

Routing Protocols operate on the network control plane. Routers use these protocols to dynamically discover paths, share route information, and maintain optimal data paths across inter-networks.

Overview of Core Routing Protocols

- **RIP (Routing Information Protocol):** A basic Distance-Vector IGP that selects paths based solely on hop count (maximum 15 hops).
- **IGRP (Interior Gateway Routing Protocol):** A legacy Cisco Distance-Vector IGP that calculates routes using bandwidth and delay metrics.
- **OSPF (Open Shortest Path First):** A popular Link-State IGP that uses Dijkstra's algorithm for fast path selection and high network scalability.
- **EIGRP (Enhanced Interior Gateway Routing Protocol):** An advanced hybrid routing protocol developed by Cisco that delivers very fast network convergence.
- **BGP (Border Gateway Protocol):** A Path-Vector EGP used across the Internet to exchange routing information between different Autonomous Systems.

Basic Routing Protocols Summary Table

Protocol	Category	Primary Metric
RIP	Distance-Vector IGP	Hop Count
IGRP	Distance-Vector IGP	Bandwidth & Delay
OSPF	Link-State IGP	Cost (Bandwidth)
EIGRP	Advanced Distance-Vector IGP	Composite (Bandwidth/Delay)
BGP	Path-Vector EGP	Path Attributes & Policy Rules

Summary Checklist for Exams & Interviews

- **Host Protocols** carry application payload between computers (e.g., TCP/IP, IPX/SPX).
- **Routing Protocols** carry network control state between routers (e.g., OSPF, BGP).
- **NetBEUI** is the only non-routable host protocol listed (cannot pass through routers).
- **BGP** is the only Exterior Gateway Protocol (EGP); RIP, IGRP, OSPF, and EIGRP are IGPs.