Definition 1.8.1 (Application of Matrices in Cryptography)

In this section you will learn to

- encode a message using matrix multiplication.
- decode a coded message using the matrix inverse and matrix multiplication.

Α	В	С	D	Е	F	G	Н	I	J	K	L	M
1	2	3	4	5	6	7	8	9	10	11	12	13
N	О	P	Q	R	S	T	U	V	W	X	Y	Z
14	15	16	17	18	19	20	21	22	23	24	25	26



Use matrix
$$A = \begin{bmatrix} 1 & 1 \\ 2 & 3 \end{bmatrix}$$
 to encode the message: ATTACK NOW.

We divide the letters of the message into groups of two.

$$AT$$
 TA CK $-N$ OW

We assign the numbers to these letters from the above table, and convert each pair of numbers into 2×1 matrices. In the case where a single letter is left over on the end, a space is added to make it into a pair.

$$\begin{bmatrix} A \\ T \end{bmatrix} = \begin{bmatrix} 1 \\ 20 \end{bmatrix}; \begin{bmatrix} T \\ A \end{bmatrix} = \begin{bmatrix} 20 \\ 1 \end{bmatrix}; \begin{bmatrix} C \\ K \end{bmatrix} = \begin{bmatrix} 3 \\ 11 \end{bmatrix}; \begin{bmatrix} -1 \\ N \end{bmatrix} = \begin{bmatrix} 27 \\ 14 \end{bmatrix}; \begin{bmatrix} O \\ W \end{bmatrix} = \begin{bmatrix} 15 \\ 23 \end{bmatrix}$$

So at this stage, our message expressed as 2×1 matrices is as follows.

$$\begin{bmatrix} 1 \\ 20 \end{bmatrix}; \begin{bmatrix} 20 \\ 1 \end{bmatrix} \begin{bmatrix} 3 \\ 11 \end{bmatrix} \begin{bmatrix} 27 \\ 14 \end{bmatrix} \begin{bmatrix} 15 \\ 23 \end{bmatrix}$$



Now to encode, we multiply, on the left, each matrix of our message by the matrix A. For example, the product of A with our first matrix is:

$$\begin{bmatrix} 1 & 2 \\ 1 & 3 \end{bmatrix} \begin{bmatrix} 1 \\ 20 \end{bmatrix} = \begin{bmatrix} 41 \\ 61 \end{bmatrix}$$

And the product of A with our second matrix is:

$$\begin{bmatrix} 1 & 2 \\ 1 & 3 \end{bmatrix} \begin{bmatrix} 20 \\ 1 \end{bmatrix} = \begin{bmatrix} 22 \\ 23 \end{bmatrix}$$

Multiplying each matrix in (5) by matrix A, in turn, gives the desired coded message:

$$\begin{bmatrix} 41 \\ 66 \end{bmatrix} \begin{bmatrix} 22 \\ 23 \end{bmatrix} \begin{bmatrix} 25 \\ 36 \end{bmatrix} \begin{bmatrix} 55 \\ 69 \end{bmatrix} \begin{bmatrix} 61 \\ 84 \end{bmatrix}$$



Decode the following message that was encoded using matrix $A = \begin{bmatrix} 1 & 1 \\ 2 & 3 \end{bmatrix}$.

$$\begin{bmatrix} 21\\26 \end{bmatrix} \begin{bmatrix} 37\\53 \end{bmatrix} \begin{bmatrix} 45\\54 \end{bmatrix} \begin{bmatrix} 74\\101 \end{bmatrix} \begin{bmatrix} 53\\69 \end{bmatrix} \tag{6}$$

We decode this message by first multiplying each matrix, on the left, by the inverse of matrix A given below.

$$A^{-1} = \begin{bmatrix} 3 & -2 \\ -1 & 1 \end{bmatrix}$$

For example:

$$\begin{bmatrix} 3 & -2 \\ -1 & 1 \end{bmatrix} \begin{bmatrix} 21 \\ 26 \end{bmatrix} = \begin{bmatrix} 11 \\ 5 \end{bmatrix}$$



By multiplying each of the matrices in (6) by the matrix A^{-1} , we get the following.

$$\begin{bmatrix} 11 \\ 5 \end{bmatrix} \begin{bmatrix} 5 \\ 16 \end{bmatrix} \begin{bmatrix} 27 \\ 9 \end{bmatrix} \begin{bmatrix} 20 \\ 27 \end{bmatrix} \begin{bmatrix} 21 \\ 16 \end{bmatrix}$$

Finally, by associating the numbers with their corresponding letters, we obtain:

$$\begin{bmatrix} K \\ E \end{bmatrix} \begin{bmatrix} E \\ P \end{bmatrix} \begin{bmatrix} - \\ I \end{bmatrix} \begin{bmatrix} T \\ - \end{bmatrix} \begin{bmatrix} U \\ P \end{bmatrix}$$

And the message reads: **KEEP IT UP**.



49/54

Using the matrix
$$B = \begin{bmatrix} 1 & 1 & -1 \\ 1 & 0 & 1 \\ 2 & 1 & 1 \end{bmatrix}$$
, encode the message: ATTACK NOW.

We divide the letters of the message into groups of three.

$$ATT$$
 ACK $-NO$ $W--$

Note that since the single letter W was left over on the end, we added two spaces to make it into a triplet.

Now we assign the numbers their corresponding letters from the table, and convert each triplet of numbers into 3×1 matrices. We get

$$\begin{bmatrix} A \\ T \\ T \end{bmatrix} = \begin{bmatrix} 1 \\ 20 \\ 20 \end{bmatrix} \begin{bmatrix} A \\ C \\ K \end{bmatrix} = \begin{bmatrix} 1 \\ 3 \\ 11 \end{bmatrix} \begin{bmatrix} - \\ N \\ O \end{bmatrix} = \begin{bmatrix} 27 \\ 14 \\ 15 \end{bmatrix} \begin{bmatrix} W \\ - \\ - \end{bmatrix} = \begin{bmatrix} 23 \\ 27 \\ 27 \end{bmatrix}$$

$$VIT^*$$
SHOPLI



So far we have,

$$\begin{bmatrix} 1 \\ 20 \\ 20 \end{bmatrix} \begin{bmatrix} 1 \\ 3 \\ 11 \end{bmatrix} \begin{bmatrix} 27 \\ 14 \\ 15 \end{bmatrix} \begin{bmatrix} 23 \\ 27 \\ 27 \end{bmatrix}$$
 (7)

We multiply, on the left, each matrix of our message by the matrix B. For example,

$$\begin{bmatrix} 1 & 1 & -1 \\ 1 & 0 & 1 \\ 2 & 1 & 1 \end{bmatrix} \begin{bmatrix} 1 \\ 20 \\ 20 \end{bmatrix} = \begin{bmatrix} 1 \\ 21 \\ 42 \end{bmatrix}$$

By multiplying each of the matrices in (7) by the matrix B, we get the desired coded message as follows:

$$\begin{bmatrix} 1 \\ 21 \\ 42 \end{bmatrix} \begin{bmatrix} -7 \\ 12 \\ 16 \end{bmatrix} \begin{bmatrix} 26 \\ 42 \\ 83 \end{bmatrix} \begin{bmatrix} 23 \\ 50 \\ 100 \end{bmatrix}$$



Decode the following message

$$\begin{bmatrix} 11 \\ 20 \\ 43 \end{bmatrix} \begin{bmatrix} 25 \\ 10 \\ 41 \end{bmatrix} \begin{bmatrix} 22 \\ 14 \\ 41 \end{bmatrix}$$

(8)

that was encoded using matrix

$$B = \begin{bmatrix} 1 & 1 & -1 \\ 1 & 0 & 1 \\ 2 & 1 & 1 \end{bmatrix}.$$



Since this message was encoded by multiplying by the matrix B. We first determine inverse of B.

$$B^{-1} = \begin{bmatrix} 1 & 2 & -1 \\ -1 & -3 & 2 \\ -1 & -1 & 1 \end{bmatrix}$$

To decode the message, we multiply each matrix, on the left, by B^{-1} . For example,

$$\begin{bmatrix} 1 & 2 & -1 \\ -1 & -3 & 2 \\ -1 & -1 & 1 \end{bmatrix} \begin{bmatrix} 11 \\ 20 \\ 43 \end{bmatrix} = \begin{bmatrix} 8 \\ 15 \\ 12 \end{bmatrix}$$

Multiplying each of the matrices in (8) by the matrix B^{-1} gives the following.

$$\begin{bmatrix} 8 \\ 15 \\ 12 \end{bmatrix} \begin{bmatrix} 4 \\ 27 \\ 6 \end{bmatrix} \begin{bmatrix} 9 \\ 18 \\ 5 \end{bmatrix}$$



Finally, by associating the numbers with their corresponding letters, we obtain

$$\begin{bmatrix} H \\ O \\ L \end{bmatrix} \begin{bmatrix} D \\ - \\ F \end{bmatrix} \begin{bmatrix} I \\ R \\ E \end{bmatrix}$$

The message reads: **HOLD FIRE**.

