

8/5/20 ⇒ if-else

It is a Conditional statement which executes one block if the condition is true and another block if condition is False.


Syntax

if Condition :

statement

else :

statement



① check a given number is 10 or Not

input: take any number.

Process: $n \geq 10$

Output: True

True → Print (n is equal to 10)

False → Print (n is Not equal to 10)

Algorithm

① Start

② take a number


③ Check whether given number is equal to 10

④ if equal Print true : n is equal to 10

⑤ if not equal Print False : n is not equal to 10.

⑥ end.

Flow



Q. write a Program to check given number is Positive or not.

input: number


Process: check number is greater than zero
 (1) if greater than zero Print Positive
 (2) if less than zero Print negative.

Output: positive or negative.

Algorithm

1. Start
2. take a number
3. check given number is positive or negative
4. if Number is greater than zero print Positive
5. if Number is less than zero print negative
6. end.

Flowchart



2. write a Program to check biggest number among two values.

input: take 2 numbers n_1, n_2

Process: compare 2 numbers

if n_1 is greater

Print n_1 is bigger number

if n_2 is greater


Print n_2 is bigger number.

Output: Bigger number

Algorithm

1. Start.
2. Take two numbers. n_1, n_2
3. check if $n_1 > n_2$
Print n_1 is bigger number.
4. if else n_2 is bigger number.
5. Print bigger number
6. end.

Flowchart



3. Program to check even or not.

input: ~~enter~~ Any Number

Process: check if the number is divided by 2 and giving

remainder 0

→ if True Print even


→ else Print odd.

output: even or odd.

Algorithm

1. Start
2. Take a number.
3. check if the number is divided by 2 and gives remainder 0.
4. Print even if it is divide by 2 and gives remainder 0.
5. else Print odd.
6. end

Flowchart



4. Program to check given value is vowel or not.

input: enter a letter.

Process: $ch == 'A' \text{ or } ch == 'E' \text{ or } ch == 'I' \text{ or } ch == 'O' \text{ or } ch == 'U'$

True - Print vowel

False - Print not vowel.


output: vowel or Not.

Algorithm

1. Start
2. Take a letter.
3. Compare character $A \in \{O, U\}$ to entered letter.
4. Print if the letter is vowel Print it is vowel.
5. if not else Print it is not vowel. &

6. End. flowchart

traced



5. Check given value is alphabet or Not.

Input: enter a alphabet

process: compare $ch \geq 'A'$ and $ch \leq 'Z'$ or $ch \geq 'a'$ and $ch \leq 'z'$

True: ~~if~~ Print alphabet

False: Print Not alphabet

output: alphabet or Not.

background

$ch = '@'$

if $ch \geq 'A'$ and $ch \leq 'Z'$ or $ch \geq 'a'$ and $ch \leq 'z'$ then

Print ("alphabet")

else


Print ("Not alphabet")

Op: Not alphabet

Algorithm:

1. Start
2. Take a alphabet
3. Compare with $ch = A$ to Z or a to z
4. if letter is between A to Z or a to z Print alphabet
5. if it is not between then Print Not a alphabet
6. ~~end~~ display output / 2. end.

Flowchart



Flowchart

