April 11 Assignment

```
import React from 'react'; import {
StyleSheet, Text,
View, SafeAreaView, TouchableOpacity, Image,
} from 'react-native';
const Design1 = ({navigation}: any) => { return (
<SafeAreaView style={styles.Largecontainer}> <View style={styles.container}>
<lmage
style={{width: 20, height: 20}} source={require('../Asset/image/logo.png')}
<Text style={styles.text}>Your Logo</Text> </View>
<View style={styles.border} /> <Image</pre>
style={styles.centerimage}
source={require('../Asset/image/Finance.png')} />
    <Text
     style={{
color: 'black', marginTop: 60, marginHorizontal: 70, fontSize: 26, fontWeight: 'bold',
}}>
Banking Reimagined
    </Text>
    <Text
style={{
marginTop: 15,
textAlign: 'center', fontSize: 13, color: 'rgb(131,131,131)',
}}>
Save, Borrow, Spend & Grow your money, {'\n'} without leaving your bank! </Text>
<View style={styles.border2} /> <TouchableOpacity</pre>
activeOpacity={0.8}
```

```
onPress={() => { navigation.navigate('Design2');
}}>
<Text style={styles.buttontext}>Get Started</Text> </TouchableOpacity>
</SafeAreaView>);
const styles = StyleSheet.create({
Largecontainer: { flex: 1, padding: 5,
 container: {
flexDirection: 'row', alignItems: 'center', justifyContent: 'center', gap: 5,
marginTop: 10, },
color: 'rgb(0,48,128)', fontWeight: 'bold',
}, border: {
margin: 20,
marginLeft: 0, borderBottomColor: '#D9DDE7', borderBottomWidth: 1,
width: '100%',
}, border2: {
margin: 30,
marginLeft: 0,
marginTop: 60, borderBottomColor: '#D9DDE7', borderBottomWidth: 1,
width: '100%', },
centerimage: { marginTop: 65, marginLeft: 40, height: 300, width: 300,
}, buttontext: {
marginTop: -21, padding: 10, borderRadius: 100, marginLeft: 14,
height: 45,
width: 355,
backgroundColor: 'rgb(0, 53, 131)', color: 'white',
textAlign: 'center',
fontSize: 14,
}, });
export default Design1;
```

```
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
import {vh, vw} from '../constants/dimensions'; import fonts from '../constants/fonts';
const Design2 = ({navigation}: any) => {
const [mobileNumber, setMobileNumber] = useState("); const [buttonColor, setButtonColor] = useState('grey');
const mobileNumberChange = text => {
setMobileNumber(text); if (text.length === 10) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
<SafeAreaView style={styles.Largecontainer}>
<View style={styles.header}> <TouchableOpacity</pre>
onPress={() => { navigation.goBack();
style={styles.headerButton}
source={require('../Asset/image4/chevron-left.png')} />
</TouchableOpacity> < Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
<View style={styles.mainContent}>
<View style={styles.parentOfHeading}> <Text style={styles.maintextHeading}>
Hi! What's your mobile{'\n'} number? </Text>
<Text style={styles.maintextsubHeading}> We'll use this to verify your account
      </Text>
     </View>
<View style={styles.contactNo}>
<Text style={styles.mobileNo}> Mobile Number</Text> <View style={styles.inputNumber}>
<Text style={styles.countryCode}>+91 </Text> <TextInput
style={styles.inputContact} keyboardType="numeric" onChangeText={mobileNumberChange}
value={mobileNumber} maxLength={10}
 > </View>
```

```
<Text style={styles.tip}>
Pro Tip: Use the number linked with your Aadhaar Card
      </Text>
</View>
<View style={styles.buttonBox}>
<Text style={styles.conditions}>
By continuing, you agree to the given T&C and Privacy Policy
</Text> < Touchable Opacity
disabled={mobileNumber.length === 10 ? false : true} onPress={() => {
navigation.navigate('Design4'); }}>
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}> Send OTP
</Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
 padding: 5,
header: {
width: vw(360),
height: vh(60),
flexDirection: 'row',
gap: 288, borderBottomColor: 'rgb(234,234,234)',
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
}, mainContent: {
marginTop: 16, height: vh(260), width: vw(360),
}, parentOfHeading: {
marginLeft: 5,
gap: 8, },
maintextHeading: {
fontWeight: '600',
fontSize: 24,
lineHeight: 32,
color: 'black', //fontFamily: fonts.ibm_bold
```

```
}, maintextsubHeading: {
fontWeight: '400', fontSize: 12, lineHeight: 20,
}, countryCode: {
fontWeight: 'bold', color: 'black', marginTop: 6, marginLeft: 5, fontSize: 18,
}, inputContact: {
fontSize: 18, fontWeight: 'bold', marginLeft: 40, marginTop: -35,
contactNo: { marginTop: 20, marginHorizontal: 5, height: vh(152), width: vw(360),
mobileNo: {
fontWeight: '500', fontSize: 12, lineHeight: 20, color: 'black', marginBottom: 5,
}, inputNumber: {
width: vh(380),
height: 44,
borderRadius: 8,
borderWidth: 1, borderColor: 'rgb(234,234,234)',
}, tip: {
marginTop: 8,
fontWeight: '400', fontSize: 12,
lineHeight: 20,
color: 'rgba(0, 0, 0, 0.6)',
},
buttonBox: {
height: vh(129),
width: vw(360),
position: 'absolute',
bottom: 0,
borderWidth: 1,
borderTopColor: 'rgb(234,234,234)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24,
marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, //backgroundColor: 'rgb(0,53,131)', textAlign: 'center',
marginHorizontal: 15,
position: 'absolute', },
```

```
conditions: { marginTop: 8, fontSize: 10, textAlign: 'center', }, }); export default Design2;
```

```
import React, {useRef, useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design4 = ({navigation}: any) => {
const otpBoxes = Array.from({length: 6}, () => useRef()); const [buttonColor, setButtonColor] = useState('grey');
const handleChangeText = (text, index) => {
if (text.length === 1 && index < otpBoxes.length - 1) { otpBoxes[index + 1].current.focus();
if (index === otpBoxes.length - 1) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
}; return (
<SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
<TouchableOpacity onPress={() => {
navigation.goBack(); }}>
<Image
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> <Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
</View>
<View style={styles.container}>
<Text style={styles.headerText}>Enter Verification Code</Text> <Text style={styles.subtext}>
We have sent a verification code to +91 7904086979
     </Text>
```

```
</View>
<View style={styles.OTP}>
<View style={styles.EnterOTP}>
{otpBoxes.map((ref, index) => ( <TextInput
key={index}
ref={ref}
style={styles.inputOtp}
keyboardType="numeric"
maxLength={1}
onChangeText={text => handleChangeText(text, index)}
))} </View>
<Text style={styles.OTPtimer}>Didn't receive the code? 00:29</Text> </View>
<View style={styles.buttonBox}> <TouchableOpacity</pre>
onPress={() => { navigation.navigate('Design6');
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}>
Verify OTP
</Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
header: {
width: vw(360),
height: vh(60),
flexDirection: 'row',
gap: 288,
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, headerButton: {
width: 20, height: 20, marginLeft: 12,
marginTop: 20, },
container: { marginTop: 16, height: vh(60), width: vw(350),
}, headerText: {
```

```
fontWeight: '600',
fontSize: 24,
color: 'rgba(24, 25, 31, 1)', marginLeft: 12,
}, subtext: {
marginTop: 10, fontWeight: '400', fontSize: 12, marginLeft: 12,
}, OTP: {
width: vw(350), height: vh(104), marginLeft: 20, marginTop: 16,
EnterOTP: {
flexDirection: 'row', width: vw(304), height: vh(44), marginVertical: 10, marginHorizontal: 8, gap: 8,
inputOtp: {
width: vw(44),
height: vh(44),
borderRadius: 8,
borderWidth: 1,
borderBlockColor: 'rgb(234,234,234)', fontSize: 18,
fontWeight: 'bold',
textAlign: 'center', },
OTPtimer: {
fontSize: 12, fontWeight: '400', color: 'rgba(0,0,0,1)', marginHorizontal: 90,
buttonBox: {
height: vh(129),
width: vw(360),
position: 'absolute',
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, });
export default Design4;
```

```
import React, {useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions'; import Design9 from './Screen9';
const Design6 = ({navigation}: any) => {
const [email, setEmail] = useState(");
const [modalVisible, setModalVisible] = useState(false); const [buttonColor, setButtonColor] = useState('grey');
const emailChange = text => {
setEmail(text);
if (text.length > 0) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
}; return (
<SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
<TouchableOpacity onPress={() => {
navigation.goBack(); }}>
<lmage
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> <Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
</View>
<View style={styles.container}>
<Text style={styles.headerText}>What's your Email ID?</Text> <Text style={styles.subtext}>
We'll only share important financial information here
 </View>
 <View style={styles.Email}>
<View style={styles.EnterEmail}>
<Text style={styles.emailId}>Email ID</Text> <TextInput
style={styles.inputEmail} onChangeText={emailChange} value={email}
/> </View>
```

```
</View>
 <Design9
isVisible={modalVisible} setVisible={setModalVisible} navigation={navigation}
<View style={styles.buttonBox}>
<TouchableOpacity
disabled={email.length === 0 ? true : false} onPress={() => {
navigation.navigate('Design8'); }}>
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}> Confirm
</Text> </TouchableOpacity> <TouchableOpacity
// disabled={email.length === 0 ? true : false}
onPress={() => {
// navigation.navigate('Design8');
setModalVisible(true); }}>
<Text style={styles.SkipContinue}>Skip and Continue</Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
header: {
width: vw(360),
height: vh(60),
flexDirection: 'row',
gap: 288,
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
 container: {
marginTop: 16, height: vh(60), width: vw(350),
}, headerText: {
fontWeight: '600',
fontSize: 24,
color: 'rgba(24, 25, 31, 1)', marginLeft: 12,
```

```
}, subtext: {
marginTop: 10, fontWeight: '400', fontSize: 12, marginLeft: 12,
 },
buttonBox: {
height: vh(129),
width: vw(360),
position: 'absolute',
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, Email: {
height: vh(152), width: vw(350),
paddingHorizontal: 11,
paddingVertical: 16, },
EnterEmail: { height: vh(120), width: vw(328),
}, emailId: {
fontSize: 12, fontWeight: '500', marginBottom: 5,
}, inputEmail: {
width: vw(328),
height: vh(44),
borderWidth: 1, paddingHorizontal: 8, paddingVertical: 10, borderColor: 'rgba(0,0,0,0,1)', borderRadius: 8,
}, SkipContinue: {
fontWeight: '500', fontSize: 12,
color: 'rgba(0,60,146,1)', textAlign: 'center', marginVertical: 10,
}, });
export default Design6;
```

import React from 'react';

```
import { StyleSheet, Text, View, Modal, SafeAreaView, Image, TouchableOpacity,
```

```
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design9 = ({isVisible, setVisible, navigation}: any) => { return (
// <SafeAreaView style={styles.Largecontainer}>
<Modal
transparent={true}
visible={isVisible}
onRequestClose={() => setVisible(false)}> <View style={styles.container}>
<Text style={styles.text1}>Read to creating a OneStack account</Text> <View style={styles.border} />
<Text style={styles.text2}>
Access all your financial services in a few more minutes!
 </Text>
<View style={{marginTop: 28}} /> <View style={styles.ParentBottom}>
<View style={styles.bottomConatiner}> <View style={styles.container3}>
style={styles.logo1} source={require('../Asset/image5/tick.png')}
<View>
<Text style={styles.heading1}>Confirm Phone and Email</Text> <Text style={styles.subtitle1}>
Confirm your phone number and email Id to sign in {'\n'} to
your OneStack
          </Text>
        </View>
       </View>
style={styles.Connector}
source={require('../Asset/image5/Connector.png')} />
</View>
<View style={styles.bottomConatiner}>
<View style={styles.container3}> <lmage</pre>
style={styles.logo1}
source={require('../Asset/image5/2lcon.png')} />
<Text style={styles.heading1}>Verify your identity</Text> <Text style={styles.subtitle1}>
Complete KYC with PAN, Aadhar and record a quick {'\n'}
facematch video or upload your documents.
```

```
</Text>
  </View>
style={styles.Connector}
source={require('../Asset/image5/Connector.png')} />
<View style={styles.bottomConatiner}>
<View style={styles.container3}> <Image</pre>
style={styles.logo1}
source={require('../Asset/image5/3lcon.png')} />
<Text style={styles.heading1}>Tell us about yourself </Text> <Text style={styles.subtitle1}>
Verify a few personal details for us. You can also{'\n'}add a
nominee.
   </Text>
  </View>
 </View>
 <lmage
style={styles.Connector}
source={require('../Asset/image5/Connector.png')} />
</View>
<View style={styles.bottomConatiner2}>
<View style={styles.container3}> <Image</pre>
style={styles.logo1}
source={require('../Asset/image5/4lcon.png')} />
<Text style={styles.heading1}>
Secure your Onestack account
</Text>
<Text style={styles.subtitle1}>
Set a passcode and you're good to go!
   </Text>
  </View>
</View>
<View style={styles.buttonBox}> <TouchableOpacity</pre>
```

```
onPress={() => { setVisible(false); navigation.navigate('Design10');
}}>
 <Text style={styles.buttontext}>Continue</Text> </TouchableOpacity>
       </View>
     </View>
</View> </Modal>
 // </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
padding: 5,
backgroundColor: 'rgb(45, 45, 45)',
container: { borderTopLeftRadius: 16, borderTopRightRadius: 16, marginTop: 158, borderWidth: vw(1), borderColor: 'black', height: vh(620), backgroundColor: 'white',
}, text1: {
fontWeight: 'bold', color: 'black', fontSize: 16, marginTop: 15, marginLeft: 16, lineHeight: 24,
}, border: {
marginTop: 15,
borderBottomColor: 'rgb(234,234,234)', borderBottomWidth: 1,
width: '100%',
}, text2: {
fontSize: 12, lineHeight: 20, width: 328, height: 19, marginTop: 17,
marginLeft: 16, },
ParentBottom: { height: vh(378), width: vw(328),
}, bottomConatiner: {
marginLeft: 16,
height: vh(102),
width: vw(328),
// borderWidth: 1,
 // borderColor: 'black', // marginBottom: 10,
}, bottomConatiner2: {
marginLeft: 16, height: vh(48), width: vw(328),
}, container3: {
height: vh(68), width: vw(328), flexDirection: 'row', gap: 4,
```

```
borderWidth: 1,
// borderColor: 'black',
}, logo1: {
width: 40,
 height: 40,
Connector: { marginVertical: 5, height: 50, marginLeft: 20, marginTop: -23,
heading1: {
fontSize: 16, lineHeight: 24, fontWeight: '600', color: 'black',
subtitle1: {
fontWeight: '400', fontSize: 12, lineHeight: 20,
buttonBox: {
marginTop: 24, width: vw(360),
height: vh(96.49),
borderTopWidth: 1,
borderTopColor: 'rgb(234,234,234)',
}, buttontext: {
color: 'white', paddingVertical: 12, paddingHorizontal: 24, marginTop: 8,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center',
marginHorizontal: 15, },
export default Design9;
```

```
import React from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design6 = ({navigation}: any) => { return (
```

```
<SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
<TouchableOpacity onPress={() => {
navigation.goBack(); }}>
<lmage
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> < Image
style={styles.headerButton} source={require('../Asset/image6/questionMark.png')}
/> </View>
<View style={styles.container}>
<Text style={styles.headerText}>What's your Email ID?</Text> <Text style={styles.subtext}>
We'll only share important financial information here
     </Text>
    </View>
<View style={styles.Email}>
<View style={styles.EnterEmail}>
<Text style={styles.emailId}>Email ID</Text>
<TextInput style={styles.inputEmail} /> </View>
</View>
<View style={styles.buttonBox}>
<TouchableOpacity onPress={() => {
navigation.navigate('Design8'); }}>
 <Text style={styles.buttontext}>Confirm</Text> </TouchableOpacity>
<TouchableOpacity
onPress={() => { navigation.navigate('Design8');
}}>
<Text style={styles.SkipContinue}>Skip and Continue</Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
```

```
header: {
width: vw(360),
height: vh(60),
flexDirection: 'row',
gap: 288,
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
 container: {
marginTop: 16, height: vh(60), width: vw(350),
}, headerText: {
fontWeight: '600',
fontSize: 24,
color: 'rgba(24, 25, 31, 1)', marginLeft: 12,
}, subtext: {
marginTop: 10, fontWeight: '400', fontSize: 12, marginLeft: 12,
buttonBox: {
height: vh(129), width: vw(360), position: 'absolute', bottom: -20,
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, Email: {
height: vh(152), width: vw(350),
paddingHorizontal: 11,
paddingVertical: 16, },
EnterEmail: { height: vh(120), width: vw(328),
}, emailld: {
fontSize: 12, fontWeight: '500', marginBottom: 5,
}, inputEmail: {
width: vw(328),
height: vh(44),
borderWidth: 1, paddingHorizontal: 8, paddingVertical: 10, borderColor: 'rgba(0,0,0,0.1)', borderRadius: 8,
```

```
}, SkipContinue: {
fontWeight: '500', fontSize: 12,
color: 'rgba(0,60,146,1)', textAlign: 'center', marginVertical: 10,
}, });
export default Design6;
```

```
import React, {useRef, useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design8 = ({navigation}: any) => {
const otpBoxes = Array.from({length: 6}, () => useRef()); const [buttonColor, setButtonColor] = useState('grey');
const handleChangeText = (text, index) => {
if (text.length === 1 && index < otpBoxes.length - 1) { otpBoxes[index + 1].current.focus();
if (index === otpBoxes.length - 1) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
}; return (
 <SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
<TouchableOpacity onPress={() => {
navigation.goBack(); }}>
<Image
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> <Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
<View style={styles.container}>
<Text style={styles.headerText}>We have sent you an OTP</Text> <Text style={styles.subtext}>
Enter 6 digit OTP sent to mahesh.s@gmail.com
     </Text>
```

```
</View>
<View style={styles.OTP}>
<View style={styles.EnterOTP}>
{otpBoxes.map((ref, index) => ( <TextInput
key={index}
ref={ref}
style={styles.inputOtp}
keyboardType="numeric"
maxLength={1}
onChangeText={text => handleChangeText(text, index)}
))} </View>
<Text style={styles.OTPtimer}>Didn't receive the code? 00:29</Text> </View>
<View style={styles.buttonBox}> <TouchableOpacity</pre>
onPress={() => { navigation.navigate('Design10');
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}>
Verify OTP
</Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
header: {
width: vw(360),
height: vh(60),
flexDirection: 'row',
gap: 288,
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
container: {
marginTop: 16, height: vh(60), width: vw(350),
```

```
}, headerText: {
fontWeight: '600',
fontSize: 24,
color: 'rgba(24, 25, 31, 1)', marginLeft: 12,
}, subtext: {
marginTop: 10, fontWeight: '400', fontSize: 12, marginLeft: 12,
}, OTP: {
width: vw(350), height: vh(104), marginLeft: 20, marginTop: 16,
EnterOTP: {
flexDirection: 'row', width: vw(304), height: vh(44), marginVertical: 10, marginHorizontal: 8, gap: 8,
inputOtp: {
width: vw(44),
height: vh(44),
borderRadius: 8,
borderWidth: 1,
borderBlockColor: 'rgb(234,234,234)',
fontSize: 18, fontWeight: 'bold', textAlign: 'center',
 },
OTPtimer: {
fontSize: 12, fontWeight: '400', color: 'rgba(0,0,0,1)', marginHorizontal: 90,
 buttonBox: {
height: vh(129),
width: vw(360),
position: 'absolute',
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, });
export default Design8;
```

```
import React, {useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions'; import Design11 from './Screen11';
const Design10 = ({navigation}: any) => {
const [panNo, setPanNo] = useState(");
const [modalVisible, setModalVisible] = useState(false);
const [buttonColor, setButtonColor] = useState('grey'); const panChange = text => {
setPanNo(text);
if (text.length === 10) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
}; return (
<SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
<TouchableOpacity onPress={() => {
navigation.goBack(); }}>
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> < Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
<View style={styles.TopContainer}>
<View style={styles.subTopConatiner}>
<Text style={styles.step}> STEP 2 OF 4</Text>
<Text style={styles.verifyText}> Verify your identity</Text> <View style={styles.steps}>
style={styles.smallstep} /> style={styles.smallstep} /> style={styles.smallstepempty} />
style={styles.smallstepempty} />
   <View
    <View
    <View
  </View>
<View style={styles.panDetails}>
 <View style={styles.SubpanDetails}>
<Text style={styles.text}>PAN Details</Text> <Text style={styles.subtext}>
```

```
Your PAN details are required to open a bank account with {'\n'}
OneStack. We ensure that these details will remain secure!
  </Text>
 </View>
<View style={styles.PanNumber}>
<Text style={styles.pantext}>PAN Number</Text> <TextInput
style={styles.inputPanNumber} value={panNo}
onChangeText={panChange}
maxLength={10} />
<TouchableOpacity onPress={() => {
setModalVisible(true); }}>
<Text style={styles.findPanNumber}>Find PAN Number</Text> </TouchableOpacity>
    </View>
   </View>
<Design11 isVisible={modalVisible} setVisible={setModalVisible} navigation={navigation}</pre>
<View style={styles.buttonBox}>
<TouchableOpacity
disabled={panNo.length === 10 ? false : true} onPress={() => {
navigation.navigate('Design12'); }}>
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}> Confirm
</Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
header: {
width: vw(360), height: vh(60), flexDirection: 'row', gap: 288,
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
```

```
buttonBox: {
height: vh(129), width: vw(360), position: 'absolute',
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, TopContainer: {
height: vh(86),
width: vw(350),
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, subTopConatiner: {
height: vh(46), width: vw(328), marginHorizontal: 11,
}, step: {
fontWeight: '500', fontSize: 10,
height: vh(16),
color: 'rgba(0,0,0,0.6)',
}, verifyText: {
height: vh(24), fontWeight: '600', fontSize: 18, color: 'black',
}, steps: {
flexDirection: 'row', },
smallstep: {
marginTop: 15,
width: vw(82),
height: vh(4),
borderWidth: 2,
marginRight: 2,
borderColor: 'rgba(0,60,146,1)',
}, smallstepempty: {
marginTop: 15,
width: vw(82),
height: vh(4),
borderWidth: 2,
marginRight: 2,
borderColor: 'rgba(0,0,0,0.06)',
}, panDetails: {
```

```
marginTop: 15, width: vw(350), height: vh(215), //borderWidth: 1,
}, SubpanDetails: {
height: vh(68), width: vw(350), // borderWidth: 1, paddingLeft: 16,
}, text: {
fontSize: 16,
fontWeight: '600',
color: 'rgba(24,25,31,1)',
}, subtext: {
fontWeight: '400', fontSize: 12,
color: 'rgbs(0,0,0,0.6)',
},
PanNumber: {
marginHorizontal: 11, marginVertical: 20, width: vw(328), height: vh(99),
}, pantext: {
fontWeight: '600', fontSize: 16,
color: 'rgba(24,25,31,1)',
}, inputPanNumber: {
marginTop: 10, borderRadius: 8, borderWidth: 1, color: 'black',
}, findPanNumber: {
marginTop: 6,
color: 'rgba(0,60,146,1)', fontSize: 10,
fontWeight: '500',
}, });
export default Design10;
```

```
import React from 'react';
import { StyleSheet, Text,
View,
Modal, SafeAreaView, Image, TouchableOpacity,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';

const Design11 = ({isVisible, setVisible, navigation}: any) => { return (
// <SafeAreaView style={styles.Largecontainer}>
```

```
<Modal
transparent={true}
visible={isVisible}
onRequestClose={() => setVisible(false)}> <View style={styles.container}>
<View style={styles.Pan}>
<Text style={styles.findPan}>Find PAN Number</Text> <TouchableOpacity
onPress={() => { navigation.goBack();
}}> <lmage
style={styles.closeButton}
source={require('../Asset/image6/close.png')} />
</TouchableOpacity> </View>
<View style={styles.PanImage}>
<Text style={styles.text}>Refer PAN Card for your PAN Number</Text> <Image
style={styles.panimage2}
source={require('../Asset/image6/pancard.png')} />
     </View>
    </View>
</Modal>
// </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
padding: 5,
backgroundColor: 'rgb(45, 45, 45)',
container: { borderTopLeftRadius: 16, borderTopRightRadius: 16, marginTop: 394, borderWidth: vw(1),
borderColor: 'black', height: vh(350), backgroundColor: 'white',
}, Pan: {
flexDirection: 'row', gap: 200,
marginTop: 8, marginLeft: 15,
}, findPan: {
fontSize: 16, fontWeight: '600', color: 'black',
}, closeButton: {
width: 20, height: 20, marginTop: 3,
```

```
},
PanImage: {
marginTop: 20, marginLeft: 5, width: vw(350), height: vh(295),
}, text: {
marginLeft: 10, fontWeight: '400', fontSize: 12,
},
panimage2: {
marginTop: 12, height: 192, width: 360,
}, });
export default Design11;
```

```
import React, {useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions'; import Design11 from './Screen11';
const Design10 = ({navigation}: any) => {
const [panNo, setPanNo] = useState(");
const [modalVisible, setModalVisible] = useState(false); const [buttonColor, setButtonColor] = useState('grey');
const panChange = text => {
setPanNo(text);
if (text.length === 10) {
setButtonColor('grey'); }
}; return (
<SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
<TouchableOpacity onPress={() => {
navigation.goBack(); }}>
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> < Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
```

```
:/View>
<View style={styles.TopContainer}>
<View style={styles.subTopConatiner}>
<Text style={styles.step}> STEP 2 OF 4</Text>
<Text style={styles.verifyText}> Verify your identity</Text> <View style={styles.steps}>
<View style={styles.smallstep} /> <View style={styles.smallstep} />
<View style={styles.smallstepempty} />
<View style={styles.smallstepempty} /> </View>
  </View>
 </View>
<View style={styles.panDetails}> <View style={styles.SubpanDetails}>
<Text style={styles.text}>PAN Details</Text> <Text style={styles.subtext}>
Your PAN details are required to open a bank account with {'\n'}
OneStack. We ensure that these details will remain secure!
    </Text>
  </View>
<View style={styles.PanNumber}>
<Text style={styles.pantext}>PAN Number</Text> <TextInput
style={styles.inputPanNumber} value={panNo} onChangeText={panChange} maxLength={10}
/> <TouchableOpacity
onPress={() => { setModalVisible(true);
}}>
<Text style={styles.findPanNumber}>Find PAN Number</Text> </TouchableOpacity>
  </View>
 </View>
<View style={styles.outputPAN}>
<Text style={styles.belong}>This PAN Card belongs to</Text> <Text style={styles.belongName}>*ahesh *ridhar
</Text>
 </View>
 <Design11
isVisible={modalVisible} setVisible={setModalVisible} navigation={navigation}
<View style={styles.buttonBox}>
<TouchableOpacity
// disabled={panNo.length === 10 ? false : true} onPress={() => {
navigation.navigate('Design13'); }}>
```

```
<Text style={[styles.buttontext]}>Yes, this is me!</Text> </TouchableOpacity>
<TouchableOpacity>
<Text style={styles.notme}>No, this is not me. </Text> </TouchableOpacity>
</View> </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
header: {
width: vw(360), height: vh(60), flexDirection: 'row', gap: 288,
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
 }, buttonBox: {
height: vh(129),
width: vw(360),
position: 'absolute',
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, TopContainer: {
height: vh(86),
width: vw(350),
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, subTopConatiner: {
height: vh(46), width: vw(328), marginHorizontal: 11,
}, step: {
fontWeight: '500', fontSize: 10,
height: vh(16),
color: 'rgba(0,0,0,0.6)',
}, verifyText: {
```

```
height: vh(24), fontWeight: '600', fontSize: 18, color: 'black',
}, steps: {
flexDirection: 'row', },
smallstep: {
marginTop: 15, width: vw(82),
height: vh(4),
borderWidth: 2,
marginRight: 2, borderColor: 'rgba(0,60,146,1)',
}, smallstepempty: {
marginTop: 15,
width: vw(82),
height: vh(4),
borderWidth: 2,
marginRight: 2,
borderColor: 'rgba(0,0,0,0.06)',
}, panDetails: {
marginTop: 15, width: vw(350), height: vh(215), //borderWidth: 1,
}, SubpanDetails: {
height: vh(68), width: vw(350), // borderWidth: 1, paddingLeft: 16,
}, text: {
fontSize: 16,
fontWeight: '600',
color: 'rgba(24,25,31,1)',
}, subtext: {
fontWeight: '400', fontSize: 12,
color: 'rgbs(0,0,0,0.6)',
 PanNumber: {
marginHorizontal: 11, marginVertical: 20, width: vw(328), height: vh(99),
}, pantext: {
fontWeight: '500', fontSize: 12,
color: 'rgba(24,25,31,1)',
}, inputPanNumber: {
marginTop: 10, borderRadius: 8, borderWidth: 1, color: 'black',
}, findPanNumber: {
```

```
marginTop: 6, color: 'rgba(0,60,146,1)', fontSize: 10, fontWeight: '500',

}, outputPAN: {
height: vh(84), width: vw(350), padding: 16,
}, belong: {
marginLeft: -3, color: 'black', fontSize: 12, fontWeight: '500',
}, belongName: {
marginTop: 5, fontWeight: '600', fontSize: 16, color: 'black',
}, notme: {
fontWeight: '500', fontSize: 12, color: 'rgba(0,60,146,1)', textAlign: 'center', marginTop: 15,
}, });
export default Design10;
```

11

```
import React, {useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions'; import Design14 from './Screen14';
import Design15 from './Screen15';
const Design10 = ({navigation}: any) => {
const [aadharNo, setaadharNo] = useState(");
const [modalVisible, setModalVisible] = useState(false); const [Visible, setVisible] = useState(false);
const [buttonColor, setButtonColor] = useState('grey'); const aadharChange = text => {
const numericValue = text.replace(/[^0-9]/g, ");
setaadharNo(numericValue); //setaadharNo(text);
if (text.length === 12) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
}; return (
<SafeAreaView style={styles.Largecontainer}> <View style={styles.header}>
 <TouchableOpacity onPress={() => {
```

```
navigation.goBack(); }}>
<lmage
style={styles.headerButton} source={require('../Asset/image4/chevron-left.png')}
/> </TouchableOpacity> <Image
style={styles.headerButton}
source={require('../Asset/image6/questionMark.png')} />
</View>
<View style={styles.TopContainer}> <View style={styles.subTopConatiner}>
<Text style={styles.step}> STEP 2 OF 4</Text>
<Text style={styles.verifyText}> Verify your identity</Text> <View style={styles.steps}>
   <View
   <View
   <View
   <View
 </View>
</View>
<View style={styles.panDetails}>
<View style={styles.SubpanDetails}> <View style={styles.head}>
<Text style={styles.text}>Aadhaar Details</Text> <Image
style={styles.headeraadhar}
source={require('../Asset/image6/aadhar.png')} />
</View>
<Text style={styles.subtext}>
We will verify your KYC with Aadhaar and use the details to {\n'}
open your Onestack account.
  </Text>
 </View>
<View style={styles.PanNumber}>
<Text style={styles.pantext}>Aadhaar Number or Virtual ID</Text> <TextInput
style={styles.inputPanNumber} value={aadharNo} onChangeText={aadharChange} maxLength={12}
keyboardType="numeric"
/> <TouchableOpacity
onPress={() => { setModalVisible(true);
}}>
<Text style={styles.findPanNumber}>Find Aadhaar Number</Text> </TouchableOpacity>
```

```
</View>
 </View>
<Design14 isVisible1={modalVisible} setVisible1={setModalVisible} navigation={navigation}</p>
/> <Design15
isVisible2={Visible} setVisible2={setVisible}
style={styles.smallstep} /> style={styles.smallstep} /> style={styles.smallstepempty} />
style={styles.smallstepempty} />
navigation={navigation} />
<View style={styles.buttonBox}> <Text style={styles.consent}>
I hereby give my consent to obtain my Aadhaar details for{'\n'}
verification/authentication purpose with UIDAI
</Text> < Touchable Opacity
disabled={aadharNo.length === 12 ? false : true} onPress={() => {
setVisible(true); }}>
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}> Next
</Text>
</TouchableOpacity>
<Text style={styles.notlinked}>
My Aadhaar is not linked with my mobile
     </Text>
    </View>
</SafeAreaView>);
const styles = StyleSheet.create({
Largecontainer: { flex: 1, padding: 5,
}, header: {
width: vw(360), height: vh(60), flexDirection: 'row', gap: 288,
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
 },
buttonBox: {
height: vh(159),
width: vw(360),
position: 'absolute'
```

```
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white', paddingVertical: 12,
paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, TopContainer: {
height: vh(86),
width: vw(350),
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, subTopConatiner: {
height: vh(46), width: vw(328), marginHorizontal: 11,
}, step: {
fontWeight: '500', fontSize: 10,
height: vh(16),
color: 'rgba(0,0,0,0.6)',
}, verifyText: {
height: vh(24), fontWeight: '600', fontSize: 18, color: 'black',
}, steps: {
flexDirection: 'row', },
smallstep: {
marginTop: 15,
width: vw(82),
height: vh(4),
borderWidth: 2,
marginRight: 2,
borderColor: 'rgba(0,60,146,1)',
}, smallstepempty: {
marginTop: 15,
width: vw(82),
height: vh(4),
borderWidth: 2,
marginRight: 2,
borderColor: 'rgba(0,0,0,0.06)',
panDetails: { marginTop: 15, width: vw(350), height: vh(215), //borderWidth: 1,
}, SubpanDetails: {
```

```
height: vh(68), width: vw(350), // borderWidth: 1, paddingLeft: 16,
}, head: {
flexDirection: 'row', },
text: {
fontSize: 16,
fontWeight: '600',
color: 'rgba(24,25,31,1)',
}, headeraadhar: {
marginTop: -6, width: vw(40), height: vh(25), marginLeft: 180,
}, subtext: {
marginTop: 5, fontWeight: '400', fontSize: 12,
color: 'rgbs(0,0,0,0.6)',
PanNumber: {
marginHorizontal: 11, marginVertical: 20, width: vw(328), height: vh(99),
}, pantext: {
fontWeight: '500', fontSize: 12,
color: 'rgba(24,25,31,1)',
}, inputPanNumber: {
marginTop: 10, borderRadius: 8, borderWidth: 1, color: 'black',
}, findPanNumber: {
marginTop: 6,
color: 'rgba(0,60,146,1)', fontSize: 10,
fontWeight: '500',
}, consent: {
marginTop: 5,
fontSize: 8,
fontWeight: '400', textAlign: 'center', color: 'rgba(0,0,0,0.6)',
 notlinked: {
fontWeight: '500', fontSize: 12,
color: 'rgba(0,60,146,1)', textAlign: 'center', marginTop: 5,
}, });
export default Design10;
```

```
import React from 'react';
import { StyleSheet, Text,
View,
Modal.
Image, TouchableOpacity, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design15 = ((isVisible2, setVisible2, navigation): any) => { return (
// <SafeAreaView style={styles.Largecontainer}>
<Modal
transparent={true}
visible={isVisible2}
onRequestClose={() => setVisible2(false)}> <View style={styles.container}>
<View style={styles.Pan}>
<Text style={styles.findPan}>CAPTCHA Security Check</Text> <TouchableOpacity
onPress={() => { navigation.goBack();
}}> <lmage
style={styles.closeButton}
source={require('../Asset/image6/close.png')} />
</TouchableOpacity> </View>
<View style={styles.Captcha}> <Image</pre>
style={styles.CaptchaText}
source={require('../Asset/image6/captcha.png')} />
<View style={styles.subCaptcha}>
<Text style={styles.textcap}>Enter the text you see above</Text> <View style={styles.img}>
<TextInput style={styles.textInput} /> <TouchableOpacity>
style={styles.icons} source={require('../Asset/image6/reload.png')}
/> </TouchableOpacity> <TouchableOpacity>
style={styles.icons} source={require('../Asset/image6/speaker.png')}
/> </TouchableOpacity>
</View> < Touchable Opacity
```

```
onPress={() => { navigation.navigate('Design16');
}}>
 <Text style={[styles.buttontext]}>Confirm</Text> </TouchableOpacity>
       </View>
     </View>
</View> </Modal>
 // </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
padding: 5,
backgroundColor: 'rgb(45, 45, 45)',
container: { borderTopLeftRadius: 16, borderTopRightRadius: 16, marginTop: 394, borderWidth: vw(1), borderColor: 'black', height: vh(350), backgroundColor: 'white',
}, Pan: {
flexDirection: 'row', gap: 150,
marginTop: 8, marginLeft: 15,
}, findPan: {
fontSize: 16, fontWeight: '600', color: 'black',
}, closeButton: {
width: 20, height: 20, marginTop: 3,
PanImage: { marginTop: 20, marginLeft: 5, width: vw(350), height: vh(295),
}, text: {
marginLeft: 10, fontWeight: '400', fontSize: 12,
panimage2: {
marginTop: 12, height: 192, width: 360,
}, CaptchaText: {
marginHorizontal: 70, marginTop: 10, height: vh(52), width: vw(230),
}, Captcha: {
marginTop: 20, marginLeft: 4, //borderWidth: 1, height: vh(172), width: vw(350)
```

```
}, subCaptcha: {
height: vh(72), width: vw(327), //borderWidth: 1, marginHorizontal: 11, marginTop: 15,
}, textcap: {
fontWeight: '500', fontSize: 12,
color: 'rgba(0,0,0,0.6)',
textInput: {
marginTop: 5,
borderWidth: 1,
width: vw(276),
borderRadius: 8,
borderColor: 'rgba(0,0,0,0.1)',
}, img: {
alignItems: 'center', flexDirection: 'row',
gap: 5, },
icons: {
width: vw(20), height: vh(20),
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 15,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center',
}, });
export default Design15;
```

13

```
import React from 'react';
import { StyleSheet, Text,
View,
Modal, SafeAreaView, Image, TouchableOpacity,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';

const Design14 = ({isVisible1, setVisible1, navigation}: any) => { return (

// <SafeAreaView style={styles.Largecontainer}>

<Modal
transparent={true}
visible={isVisible1}
onRequestClose={() => setVisible1(false)}> <View style={styles.container}>
```

```
<View style={styles.Pan}>
<Text style={styles.findPan}>Find Aadhaar Number</Text> <TouchableOpacity
onPress={() => { navigation.goBack();
}}> <lmage
style={styles.closeButton}
source={require('../Asset/image6/close.png')} />
</TouchableOpacity> </View>
<View style={styles.PanImage}> <Text style={styles.text}>
Refer Aadhaar Card for your Aadhaar Number
      </Text>
       <lmage
style={styles.panimage2}
source={require('../Asset/image6/pancard.png')} />
     </View>
    </View>
</Modal>
// </SafeAreaView>
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
padding: 5,
backgroundColor: 'rgb(45, 45, 45)',
container: { borderTopLeftRadius: 16, borderTopRightRadius: 16, marginTop: 394, borderWidth: vw(1), borderColor: 'black', height: vh(350), backgroundColor: 'white',
}, Pan: {
flexDirection: 'row', gap: 170,
marginTop: 8, marginLeft: 15,
}, findPan: {
fontSize: 16, fontWeight: '600', color: 'black',
}, closeButton: {
width: 20, height: 20, marginTop: 3,
```

```
PanImage: {
marginTop: 20, marginLeft: 5, width: vw(350), height: vh(295),
}, text: {
marginLeft: 10, fontWeight: '400', fontSize: 12,
},
panimage2: {
marginTop: 12, height: 192, width: 360,
}, });
export default Design14;
```

14

```
import React, {useRef, useState} from 'react';
import { StyleSheet, Text,
View, TouchableOpacity, SafeAreaView, Image, TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design16 = ({navigation, route}: any) => {
const {setPin} = route.params;
const otpBoxes = Array.from({length: 4}, () => useRef()); const [buttonColor, setButtonColor] = useState('grey');
const handleChangeText = (text, index) => {
if (text.length === 1 && index < otpBoxes.length - 1) { otpBoxes[index + 1].current.focus();
} else if (text.length === 0 && index > 0) { otpBoxes[index - 1].current.focus();
if (index === otpBoxes.length - 1) {
setButtonColor('rgb(0,53,131)'); } else {
setButtonColor('grey'); }
const handleKeyPress = (e, index) => {
if (e.nativeEvent.key === 'Backspace' && index > 0) { otpBoxes[index - 1].current.focus();
} };
return (
<SafeAreaView style={styles.Largecontainer}>
<View style={styles.header}> <TouchableOpacity</pre>
onPress={() => { navigation.goBack();
```

```
}}> <lmage
style={styles.headerButton}
source={require('../Asset/image4/chevron-left.png')} />
</TouchableOpacity> < Image
style={styles.headerButton} source={require('../Asset/image6/questionMark.png')}
<View style={styles.container}> <Text style={styles.headerText}>
{setPin ? 'Set a PIN' : 'Confirm PIN'} </Text>
<Text style={styles.subtext}>Set a PIN to secure your KYC details</Text> </View>
<View style={styles.OTP}>
<View style={styles.EnterOTP}>
{otpBoxes.map((ref, index) => ( <TextInput
key={index}
ref={ref}
style={styles.inputOtp}
keyboardType="numeric"
maxLength={1}
onChangeText={text => handleChangeText(text, index)} onKeyPress={e => handleKeyPress(e, index)}
))} </View>
<View style={styles.text}> <lmage
style={styles.vector}
source={require('../Asset/image6/Vector.png')} />
<Text style={styles.OTPtimer}>
This PIN can be used if you wish to revoke your KYC later
      </Text>
     </View>
</View>
<View style={styles.buttonBox}>
<TouchableOpacity onPress={() => {
navigation.navigate('Design16A'); }}>
<Text style={[styles.buttontext, {backgroundColor: buttonColor}]}> Next
</Text> </TouchableOpacity>
 </View> </SafeAreaView>
```

```
); };
const styles = StyleSheet.create({ Largecontainer: {
flex: 1,
  padding: 5,
header: {
width: vw(360),
height: vh(60),
flexDirection: 'row',
gap: 288,
borderBottomWidth: 1,
borderBottomColor: 'rgba(234,234,234,1)',
}, headerButton: {
width: 20, height: 20, marginLeft: 12, marginTop: 20,
container: {
marginTop: 16, height: vh(60), width: vw(350),
}, headerText: {
fontWeight: '600',
fontSize: 24,
color: 'rgba(24, 25, 31, 1)', marginLeft: 12,
}, subtext: {
marginTop: 10, fontWeight: '400', fontSize: 12, marginLeft: 12,
}, OTP: {
width: vw(350), height: vh(104), marginLeft: 20, marginTop: 16,
EnterOTP: {
flexDirection: 'row', width: vw(304), height: vh(44), marginVertical: 10, marginHorizontal: 8, gap: 8,
inputOtp: {
// marginLeft: 10,
width: vw(44), height: vh(44), borderRadius: 8, borderWidth: 1,
borderBlockColor: 'rgba(0,0,0,0.1)', fontSize: 18,
fontWeight: 'bold',
textAlign: 'center',
 },
OTPtimer: {
```

```
fontSize: 12, fontWeight: '400', color: 'rgba(0,0,0,1)', //marginHorizontal: 90,
 },
buttonBox: {
height: vh(129),
width: vw(360),
position: 'absolute',
bottom: -20,
borderTopWidth: 1,
borderTopColor: 'rgba(234,234,234,1)',
}, buttontext: {
color: 'white',
paddingVertical: 12, paddingHorizontal: 24, marginTop: 10,
height: vh(44),
width: vw(328),
borderRadius: 100, backgroundColor: 'rgb(0,53,131)', textAlign: 'center', marginHorizontal: 15,
}, text: {
flexDirection: 'row', },
width: vw(13.33), height: vh(13.33), marginTop: 3, marginRight: 5,
}, });
export default Design16;
```

Output:-

Follow the Sequence








Banking Reimagined

Save, Borrow, Spend & Grow your money, without leaving your bank!

Get Started



Hi! What's your mobile number?

We'll use this to verify your account


Mobile Number

+91 6547925762

Pro Tip: Use the number linked with your Aadhaar Card

By continuing, you agree to the given T&C and Privacy Policy

Send OTP




Enter Verification Code

We have sent a verification code to +91 7904086979




Didn't receive the code? 00:29


Verify OTP





Confirm


Skip and Continue























Updations in Screens

```
import React, {useState} from 'react';
import {
     StyleSheet,
     Text,
     View,
     TouchableOpacity,
     SafeAreaView,
     Image,
     TextInput,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design6 = ({navigation}: any) => {
     const [email, setEmail] = useState(");
     const [valid, setValid] = useState(false);
     const [buttonColor, setButtonColor] = useState('grey');
     const emailValidation = /^\mathrm{h} = /^\mathrm{
     const emailChange = text => {
          setEmail(text);
          if (emailValidation.test(email)) {
              setButtonColor('rgb(0,53,131)');
               setValid(true);
               setButtonColor('grey');
               setValid(false);
          <SafeAreaView style={styles.Largecontainer}>
               <View style={styles.header}>
                     <TouchableOpacity
                           onPress={() => {
                                navigation.goBack();
                                style={styles.headerButton}
                                source={require('../Asset/image4/chevron-left.png')}
                      </TouchableOpacity>
                      <lmage
                          style={styles.headerButton}
                           source={require('../Asset/image6/questionMark.png')}
                 </View>
                 <View style={styles.container}>
```

```
<Text style={styles.headerText}>What's your Email ID?</Text>
    <Text style={styles.subtext}>
     We'll only share important financial information here
    </Text>
   </View>
   <View style={styles.Email}>
    <View style={styles.EnterEmail}>
     <Text style={styles.emailId}>Email ID</Text>
     <TextInput
       style={styles.inputEmail}
       onChangeText={emailChange}
       value={email}
    </View>
   </View>
    navigation={navigation}
   <View style={styles.buttonBox}>
    <TouchableOpacity
     disabled={valid ? false : true}
     onPress={() => {
       navigation.navigate('Design8');
     <Text style={[styles.buttontext, {backgroundColor: buttonColor}]}>
       Confirm
     </Text>
    </TouchableOpacity>
    <TouchableOpacity onPress={() => navigation.navigate('Design9')}>
     <Text style={styles.SkipContinue}>Skip and Continue</Text>
    </TouchableOpacity>
   </View>
  </SafeAreaView>
const styles = StyleSheet.create({
Largecontainer: {
  flex: 1,
  padding: 5,
header: {
  width: vw(360),
  height: vh(60),
  flexDirection: 'row',
  gap: 288,
  borderBottomWidth: 1,
  borderBottomColor: 'rgba(234,234,234,1)',
 headerButton: {
```

```
width: 20,
 height: 20,
 marginLeft: 12,
 marginTop: 20,
container: {
marginTop: 16,
 height: vh(60),
 width: vw(350),
headerText: {
fontWeight: '600',
fontSize: 24,
 color: 'rgba(24, 25, 31, 1)',
 marginLeft: 12,
subtext: {
marginTop: 10,
fontWeight: '400',
 fontSize: 12,
 marginLeft: 12,
buttonBox: {
height: vh(129),
 width: vw(360),
 position: 'absolute',
 bottom: -20,
 borderTopWidth: 1,
 borderTopColor: 'rgba(234,234,234,1)',
buttontext: {
 color: 'white',
 paddingVertical: 12,
 paddingHorizontal: 24,
 marginTop: 10,
 height: vh(44),
 width: vw(328),
 borderRadius: 100,
 backgroundColor: 'rgb(0,53,131)',
 textAlign: 'center',
 marginHorizontal: 15,
Email: {
 height: vh(152),
 width: vw(350),
 paddingHorizontal: 11,
 paddingVertical: 16,
EnterEmail: {
height: vh(120),
```

```
width: vw(328),
 emailld: {
  fontSize: 12,
  fontWeight: '500',
  marginBottom: 5,
 inputEmail: {
  width: vw(328),
  height: vh(44),
  borderWidth: 1,
  paddingHorizontal: 8,
  paddingVertical: 10,
  borderColor: 'rgba(0,0,0,0.1)',
  borderRadius: 8,
 SkipContinue: {
  fontWeight: '500',
  fontSize: 12,
  color: 'rgba(0,60,146,1)',
  textAlign: 'center',
  marginVertical: 10,
});
export default Design6;
```

```
import React from 'react';
import {
 StyleSheet,
 Text.
 View,
 SafeAreaView,
 Image,
 TouchableOpacity,
 Keyboard,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
Keyboard.dismiss();
const Design9 = ({navigation}: any) => {
  <SafeAreaView style={styles.Largecontainer}>
   <View style={styles.container}>
    <View>
      <View>
       <TouchableOpacity
        style={styles.back}
        onPress=\{() => \{
         navigation.goBack();
```

```
</View>
<Text style={styles.text1}>Read to creating a OneStack account</Text>
<View style={styles.border} />
<Text style={styles.text2}>
 Access all your financial services in a few more minutes!
</Text>
<View style={{marginTop: 28}} />
<View style={styles.ParentBottom}>
 <View style={styles.bottomConatiner}>
  <View style={styles.container3}>
   <lmage
    style={styles.logo1}
    source={require('../Asset/image5/tick.png')}
   <View>
    <Text style={styles.heading1}>Confirm Phone and Email</Text>
    <Text style={styles.subtitle1}>
     Confirm your phone number and email Id to sign in {'\n'} to
     your OneStack
    </Text>
   </View>
  <lmage
   style={styles.Connector}
   source={require('../Asset/image5/Connector.png')}
 </View>
 <View style={styles.bottomConatiner}>
  <View style={styles.container3}>
   <lmage
    style={styles.logo1}
    source={require('../Asset/image5/2lcon.png')}
   <View>
    <Text style={styles.heading1}>Verify your identity</Text>
    <Text style={styles.subtitle1}>
      Complete KYC with PAN, Aadhar and record a quick {'\n'}
      facematch video or upload your documents.
    </Text>
   </View>
  <lmage
   style={styles.Connector}
   source={require('../Asset/image5/Connector.png')}
 </View>
 <View style={styles.bottomConatiner}>
```

```
<View style={styles.container3}>
         <lmage
          style={styles.logo1}
          source={require('../Asset/image5/3lcon.png')}
         <View>
          <Text style={styles.heading1}>Tell us about yourself </Text>
          <Text style={styles.subtitle1}>
           Verify a few personal details for us. You can also{'\n'}add
           a nominee.
          </Text>
         </View>
        </View>
        <lmage
         style={styles.Connector}
         source={require('../Asset/image5/Connector.png')}
       </View>
       <View style={styles.bottomConatiner2}>
        <View style={styles.container3}>
         <lmage
          style={styles.logo1}
          source={require('../Asset/image5/4lcon.png')}
         <View>
          <Text style={styles.heading1}>
           Secure your Onestack account
          </Text>
          <Text style={styles.subtitle1}>
           Set a passcode and you're good to go!
         </View>
        </View>
       </View>
       <View style={styles.buttonBox}>
        <TouchableOpacity
         onPress={() => {
          navigation.navigate('Design10');
         <Text style={styles.buttontext}>Continue</Text>
        </TouchableOpacity>
       </View>
     </View>
    </View>
   </View>
  </SafeAreaView>
const styles = StyleSheet.create({
 Largecontainer: {
  flex: 1.
```

```
padding: 5,
 backgroundColor: 'rgba(45, 45, 45,0.4)',
container: {
 borderTopLeftRadius: 16,
 borderTopRightRadius: 16,
 marginTop: 158,
 borderWidth: vw(1),
 borderColor: 'black',
 height: vh(620),
 backgroundColor: 'white',
text1: {
 fontWeight: 'bold',
 color: 'black',
 fontSize: 16,
 marginTop: 15,
 marginLeft: 16,
 lineHeight: 24,
border: {
 marginTop: 15,
 borderBottomColor: 'rgb(234,234,234)',
 borderBottomWidth: 1,
 width: '100%',
text2: {
 fontSize: 12,
 lineHeight: 20,
 width: 328,
 height: 19,
 marginTop: 17,
 marginLeft: 16,
ParentBottom: {
 height: vh(378),
 width: vw(328),
bottomConatiner: {
 marginLeft: 16,
 height: vh(102),
 width: vw(328),
 // borderColor: 'black',
 // marginBottom: 10,
bottomConatiner2: {
 marginLeft: 16,
 height: vh(48),
 width: vw(328),
```

```
container3: {
 height: vh(68),
 width: vw(328),
 flexDirection: 'row',
 gap: 4,
 // borderWidth: 1,
logo1: {
 width: 40,
 height: 40,
Connector: {
 marginVertical: 5,
 height: 50,
 marginLeft: 20,
 marginTop: -23,
heading1: {
fontSize: 16,
 lineHeight: 24,
 fontWeight: '600',
 color: 'black',
subtitle1: {
fontWeight: '400',
 fontSize: 12,
 lineHeight: 20,
buttonBox: {
 marginTop: 24,
 width: vw(360),
 height: vh(96.49),
 borderTopWidth: 1,
 borderTopColor: 'rgb(234,234,234)',
buttontext: {
 color: 'white',
 paddingVertical: 12,
 paddingHorizontal: 24,
 marginTop: 8,
 height: vh(44),
 width: vw(328),
 borderRadius: 100,
 backgroundColor: 'rgb(0,53,131)',
 textAlign: 'center',
 marginHorizontal: 15,
back: {
```

```
height: 160,
width: 380,

marginTop: -160,
},
});
export default Design9;
```

```
import React, {useState} from 'react';
import {
 StyleSheet,
 Text,
 View,
 TouchableOpacity,
 SafeAreaView,
 Image.
 TextInput,
 Keyboard,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
const Design10 = ({navigation}: any) => {
 const [PinVal, setPinVal] = useState(true);
 const [panNo, setPanNo] = useState(");
 const [isVisible, setIsVisible] = useState(false);
 const numericValue = /^[A-Z]{5}(?!0000)\d{4}[A-Z]{1}$/;
 const [buttonColor, setButtonColor] = useState('grey');
 const panChange = (text: any) => {
  const check = text.replace(/[^a-zA-Z0-9]/g, ");
  setPanNo(check.toUpperCase());
  if (numericValue.test(text.toUpperCase())) {
   setButtonColor('rgb(0,53,131)');
   setIsVisible(true);
  } else {
   setButtonColor('grey');
   setIsVisible(false);
  <SafeAreaView style={styles.Largecontainer}>
   <View style={styles.header}>
    <TouchableOpacity
      onPress={() => {
       navigation.navigate('Design6');
      <lmage
       style={styles.headerButton}
       source={require('../Asset/image4/chevron-left.png')}
```

```
</TouchableOpacity>
 <lmage
  style={styles.headerButton}
  source={require('../Asset/image6/questionMark.png')}
</View>
<View style={styles.TopContainer}>
 <View style={styles.subTopConatiner}>
  <Text style={styles.step}> STEP 2 OF 4</Text>
  <Text style={styles.verifyText}> Verify your identity</Text>
  <View style={styles.steps}>
   <View style={styles.smallstep} />
   <View style={styles.smallstep} />
   <View style={styles.smallstepempty} />
   <View style={styles.smallstepempty} />
  </View>
 </View>
</View>
<View style={styles.panDetails}>
 <View style={styles.SubpanDetails}>
  <Text style={styles.text}>PAN Details</Text>
  <Text style={styles.subtext}>
   Your PAN details are required to open a bank account with {'\n'}
   OneStack. We ensure that these details will remain secure!
  </Text>
 </View>
 <View style={styles.PanNumber}>
   <Text style={styles.pantext}>PAN Number</Text>
   <View>
    <TextInput
     style={styles.inputPanNumber}
     value={panNo}
     onChangeText={panChange}
     maxLength={10}
     autoFocus={true}
   </View>
  </View>
  <TouchableOpacity onPress={() => navigation.navigate('Design11')}>
   <Text style={styles.findPanNumber}>Find PAN Number</Text>
  </TouchableOpacity>
 </View>
</View>
<View style={styles.outputPAN}>
 <Text style={styles.belong}>
  {PinVal ? ": 'This PAN Card belongs to'}
 </Text>
 <Text style={styles.belongName}>{PinVal?": 'Mahesh Sridhar'}</Text>
</View>
```

```
<View style={styles.buttonBox}>
    <TouchableOpacity
      disabled={isVisible ? false : true}
      onPress={() => {
       setPinVal(false);
      if (PinVal !== true) {
        navigation.navigate('Design13');
      } else {
        Keyboard.dismiss();
      <Text
      style={[
        styles.buttontext,
        {backgroundColor: PinVal ? buttonColor: 'rgb(0,53,131)'},
       {PinVal ? 'Confirm' : 'Yes, this is me!'}
      </Text>
    </TouchableOpacity>
    <TouchableOpacity
      disabled={PinVal ? true : false}
      onPress={() => {
       setPinVal(true);
      <Text style={styles.notme}>
       {PinVal ? ": 'No, this is not me.'}
      </Text>
    </TouchableOpacity>
   </View>
  </SafeAreaView>
const styles = StyleSheet.create({
Largecontainer: {
  flex: 1,
  padding: 5,
 header: {
  width: vw(360),
  height: vh(60),
  flexDirection: 'row',
  gap: 288,
headerButton: {
  width: 20,
  height: 20,
  marginLeft: 12,
  marginTop: 20,
```

```
buttonBox: {
 height: vh(129),
 width: vw(360),
 position: 'absolute',
 bottom: -20,
 borderTopWidth: 1,
 borderTopColor: 'rgba(234,234,234,1)',
buttontext: {
 color: 'white',
 paddingVertical: 12,
 paddingHorizontal: 24,
 marginTop: 10,
 height: vh(44),
 width: vw(328),
 borderRadius: 100,
 backgroundColor: 'rgb(0,53,131)',
 textAlign: 'center',
 marginHorizontal: 15,
TopContainer: {
 height: vh(86),
 width: vw(350),
 borderBottomWidth: 1,
 borderBottomColor: 'rgba(234,234,234,1)',
subTopConatiner: {
 height: vh(46),
 width: vw(328),
 marginHorizontal: 11,
step: {
fontWeight: '500',
fontSize: 10,
 height: vh(16),
 color: 'rgba(0,0,0,0.6)',
verifyText: {
height: vh(24),
 fontWeight: '600',
 fontSize: 18,
 color: 'black',
steps: {
flexDirection: 'row',
smallstep: {
 marginTop: 15,
 width: vw(82),
 height: vh(4),
 borderWidth: 2,
```

```
marginRight: 2,
 borderColor: 'rgba(0,60,146,1)',
smallstepempty: {
 marginTop: 15,
 width: vw(82),
 height: vh(4),
 borderWidth: 2,
 marginRight: 2,
 borderColor: 'rgba(0,0,0,0.06)',
panDetails: {
 marginTop: 15,
 width: vw(350),
 height: vh(215),
SubpanDetails: {
 height: vh(68),
 width: vw(350),
 // borderWidth: 1,
 paddingLeft: 16,
text: {
 fontSize: 16,
 fontWeight: '600',
 color: 'rgba(24,25,31,1)',
subtext: {
 fontWeight: '400',
 fontSize: 12,
 color: 'rgbs(0,0,0,0.6)',
PanNumber: {
 marginHorizontal: 11,
 marginVertical: 20,
 width: vw(328),
 height: vh(99),
pantext: {
 fontWeight: '600',
 fontSize: 16,
 color: 'rgba(24,25,31,1)',
 flexDirection: 'row',
inputPanNumber: {
 marginTop: 10,
 borderRadius: 8,
 borderWidth: 1,
 color: 'rgb(0,0,0)',
 fontWeight: 'bold',
```

```
showPanNumber: {
  //marginTop: -15,
  marginLeft: 20,
  marginTop: -30,
 findPanNumber: {
  marginTop: 16,
  color: 'rgba(0,60,146,1)',
  fontSize: 10,
  fontWeight: '500',
  marginLeft: 5,
 outputPAN: {
  height: vh(84),
  width: vw(350),
  padding: 10,
  marginLeft: 5,
 belong: {
  marginLeft: -3,
  color: 'black',
  fontSize: 12,
  fontWeight: '500',
 belongName: {
  marginTop: 5,
  fontWeight: '600',
  fontSize: 16,
  color: 'black',
 notme: {
  fontWeight: '500',
  fontSize: 12,
  color: 'rgba(0,60,146,1)',
  textAlign: 'center',
  marginTop: 15,
});
export default Design10;
```

```
import React from 'react';

import {
StyleSheet,
Text,
View,
Image,
SafeAreaView,
```

```
Keyboard,
 TouchableOpacity,
} from 'react-native';
import {vh, vw} from '../constants/dimensions';
Keyboard.dismiss();
const Design11 = ({navigation}: any) => {
  <SafeAreaView style={styles.Largecontainer}>
   <View style={styles.container}>
      <TouchableOpacity
       style={styles.back}
       onPress={() => {
        navigation.goBack();
     </View>
     <View style={styles.Pan}>
      <Text style={styles.findPan}>Find PAN Number</Text>
      <TouchableOpacity
       onPress={() => {
        navigation.goBack();
       <lmage
        style={styles.closeButton}
        source={require('../Asset/image6/close.png')}
      </TouchableOpacity>
     </View>
     < View style={styles.PanImage}>
      <Text style={styles.text}>Refer PAN Card for your PAN Number</Text>
      <lmage
       style={styles.panimage2}
       source={require('../Asset/image6/pancard.png')}
    </View>
    </View>
  </SafeAreaView>
const styles = StyleSheet.create({
 Largecontainer: {
  flex: 1,
  padding: 5,
  backgroundColor: 'rgba(45, 45, 45,0.4)',
 container: {
  borderTopLeftRadius: 16,
  borderTopRightRadius: 16,
  marginTop: 394,
```

```
borderWidth: vw(1),
  borderColor: 'black',
  height: vh(350),
  backgroundColor: 'white',
 Pan: {
  flexDirection: 'row',
  gap: 200,
  marginTop: 8,
  marginLeft: 15,
 findPan: {
  fontSize: 16,
  fontWeight: '600',
  color: 'black',
 closeButton: {
  width: 20,
  height: 20,
  marginTop: 3,
 Panlmage: {
  marginTop: 20,
  marginLeft: 5,
  width: vw(350),
  height: vh(295),
 text: {
  marginLeft: 10,
  fontWeight: '400',
  fontSize: 12,
 panimage2: {
  marginTop: 12,
  height: 192,
  width: 360,
 back: {
  height: 390,
  width: 380,
  marginTop: -390,
export default Design11;
```