```
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
from sklearn.naive_bayes import BernoulliNB
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.metrics import confusion_matrix
from sklearn import metrics
from sklearn import datasets
dataset = datasets.load_iris()
X = dataset.data[:, :2]
y = dataset.target
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.20, random_state=0)
sc = StandardScaler()
X_train = sc.fit_transform(X_train)
X_test = sc.transform(X_test)
classifier = BernoulliNB()
classifier.fit(X_train, y_train)
     BernoulliNB()
y_pred = classifier.predict(X_test)
cm = confusion_matrix(y_test, y_pred)
confusion matrix=cm
FP = confusion_matrix.sum(axis=0) - np.diag(confusion_matrix)
FN = confusion_matrix.sum(axis=1) - np.diag(confusion_matrix)
TP = np.diag(confusion matrix)
TN = confusion_matrix.sum() - (FP + FN + TP)
ACC = (TP+TN)/(TP+FP+FN+TN)
ERR = 1- ACC
PRC = TP/(TP+FP)
RCL = TP/(TP+FN)
print('True Positives (TP): ', TP[0])
nrint('False Positives (FD). ' FD[0])
```

```
print('True Negatives (TN): ', TN[0])
print('False Negatives (FN): ', FN[0])
print('Accuracy: ', ACC[0])
print('Error Rate: ', ERR[0])
print('Precision: ', PRC[0])
print('Recall: ', RCL[0])
```

Precision: 1.0

Recall: 0.81818181818182

X