

```

import numpy as np
import pandas as pd
from sklearn import preprocessing
#from sklearn.neighbors import KNeighborsClassifier
from sklearn.naive_bayes import GaussianNB
from sklearn.model_selection import train_test_split
import requests
import io
#from google.colab import drive
#drive.mount('/content')
#from google.colab import files
#uploaded = files.upload()

#url = "https://www.kaggle.com/xwolf12/datasetandroidpermissions/download/b3nIEWm6zcroShVi"
#s = requests.get(url).content
#df = pd.read_csv(io.StringIO(s.decode('utf-8')), error_bad_lines=False)

df = pd.read_csv('/Testing_sample10mb')
df.describe()
df.info()

```

```

↳ /usr/local/lib/python3.6/dist-packages/IPython/core/interactiveshell.py:2718: DtypeWarning:
  interactivity=interactivity, compiler=compiler, result=result)

```

```

    <actionandroid:name="android.intent.action.FILEEXPLORER"/>\n  <actionandroid:n

```

<b>count</b>	634.0
<b>mean</b>	0.0
<b>std</b>	0.0
<b>min</b>	0.0
<b>25%</b>	0.0
<b>50%</b>	0.0
<b>75%</b>	0.0
<b>max</b>	0.0

8 rows × 8112 columns

```

X = np.array(df.drop(columns=[ '<family>', '<category>', '<MD5>', 'Binary_Type' ]))
Y = np.array(df['Binary_Type'])

```

```

X_train, X_test, Y_train, Y_test = train_test_split(X,Y,test_size=0.2)
clf = GaussianNB()
clf.fit(X_train, Y_train)

```

```

accuracy = clf.score(X_test, Y_test)
print(accuracy)

```

```

↳ 0.7559055118110236

```