

ABHISHEK D. DESHMUKH
BATCH :- F1
ROLL NO :- 612
PRN NO. :- 202201090086.

In [1]: `import numpy as np`

In [2]: `array1=np.array([[1,2,3],[4,5,6],[7,8,9]])`
`array1`

Out[2]: `array([[1, 2, 3],
 [4, 5, 6],
 [7, 8, 9]])`

In [4]: `array2=np.array([[11,12,13],[14,15,16],[17,18,19]])`
`array2`

Out[4]: `array([[11, 12, 13],
 [14, 15, 16],
 [17, 18, 19]])`

1. Matrix Operation

1.1 Addition

In [10]: `resultarray=array1+array2`
`print("\nUsing Operator:\n",resultarray)`
`resultarray=np.add(array1,array2)`
`print("\nUsing Numpy Function:\n",resultarray)`

Using Operator:
`[[12 14 16]
 [18 20 22]
 [24 26 28]]`

Using Numpy Function:
`[[12 14 16]
 [18 20 22]
 [24 26 28]]`

1.2. Subtraction

```
In [11]: resultarray=array1-array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.subtract(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
```

```
Using Operator:
[[-10 -10 -10]
 [-10 -10 -10]
 [-10 -10 -10]]
```

```
Using Numpy Function:
[[-10 -10 -10]
 [-10 -10 -10]
 [-10 -10 -10]]
```

1.3. Multiplication

```
In [12]: resultarray=array1*array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.multiply(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
```

```
Using Operator:
[[ 11  24  39]
 [ 56  75  96]
 [119 144 171]]
```

```
Using Numpy Function:
[[ 11  24  39]
 [ 56  75  96]
 [119 144 171]]
```

1.4. Division

```
In [13]: resultarray=array1/array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.divide(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
```

```
Using Operator:
[[0.09090909 0.16666667 0.23076923]
 [0.28571429 0.33333333 0.375      ]
 [0.41176471 0.44444444 0.47368421]]
```

```
Using Numpy Function:
[[0.09090909 0.16666667 0.23076923]
 [0.28571429 0.33333333 0.375      ]
 [0.41176471 0.44444444 0.47368421]]
```

1.5. Mod

```
In [14]: resultarray=array1%array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.mod(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
```

```
Using Operator:
[[1 2 3]
 [4 5 6]
 [7 8 9]]
```

```
Using Numpy Function:
[[1 2 3]
 [4 5 6]
 [7 8 9]]
```

1.6. dot Product

```
In [16]: resultarray=np.dot(array1,array2)
print("",resultarray)
```

```
[[ 90  96 102]
 [216 231 246]
 [342 366 390]]
```

1.7. Transpose

```
In [19]: resultarray=np.transpose(array1)
print(resultarray)
#Or
resultarray=array1.transpose()
print(resultarray)

[[1 4 7]
 [2 5 8]
 [3 6 9]]
[[1 4 7]
 [2 5 8]
 [3 6 9]]
```

2. Horizontal and vertical stacking of Numpy Arrays

2.1. Horizontal Stacking

```
In [27]: resultarray=np.hstack((array1,array2))
resultarray

Out[27]: array([[ 1,  2,  3, 11, 12, 13],
                [ 4,  5,  6, 14, 15, 16],
                [ 7,  8,  9, 17, 18, 19]])
```

2.2. Vertical Stacking

```
In [29]: resultarray=np.vstack((array1,array2))
resultarray

Out[29]: array([[ 1,  2,  3],
                [ 4,  5,  6],
                [ 7,  8,  9],
                [11, 12, 13],
                [14, 15, 16],
                [17, 18, 19]])
```

3.Custom sequence generation

3.1. Range

```
In [33]: nparray=np.arange(0,12,1).reshape(3,4)
nparray
```

```
Out[33]: array([[ 0,  1,  2,  3],
                [ 4,  5,  6,  7],
                [ 8,  9, 10, 11]])
```

3.2. Linearly Separable

```
In [39]: nparray=np.linspace(start=0,stop=24,num=12).reshape(3,4)
nparray
```

```
Out[39]: array([[ 0.          ,  2.18181818,  4.36363636,  6.54545455],
                [ 8.72727273, 10.90909091, 13.09090909, 15.27272727],
                [17.45454545, 19.63636364, 21.81818182, 24.          ]])
```

3.3. Empty Array

```
In [41]: nparray=np.empty((3,3),int)
nparray
```

```
Out[41]: array([[ 11,  24,  39],
                [ 56,  75,  96],
                [119, 144, 171]])
```

3.4. Empty Like Some other array

```
In [42]: nparray=np.empty_like(array1)
nparray
```

```
Out[42]: array([[ 90,  96, 102],
                [216, 231, 246],
                [342, 366, 390]])
```

3.5. Identity Matrix

```
In [44]: nparray=np.identity(3)
nparray
```

```
Out[44]: array([[1., 0., 0.],
                [0., 1., 0.],
                [0., 0., 1.]])
```

4. Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators

4.1. Arithmetic Operation

```
In [51]: array1=np.array([1,2,3,4,5])
         array2=np.array([11,12,13,14,15])
         print(array1)
         print(array2)
```

```
[1 2 3 4 5]
[11 12 13 14 15]
```

```
In [52]: # Addition
         print(np.add(array1,array2))
         # Subtraction
         print(np.subtract(array1,array2))
         # Multiplication
         print(np.multiply(array1,array2))
         # Division
         print(np.divide(array1,array2))
```

```
[12 14 16 18 20]
[-10 -10 -10 -10 -10]
[11 24 39 56 75]
[0.09090909 0.16666667 0.23076923 0.28571429 0.33333333]
```

4.2. Statistical and Mathematical Operations

```
In [65]: array1=np.array([1,2,3,4,5,9,6,7,8,9,9])
# Standard Deviation
print(np.std(array1))
#Minimum
print(np.min(array1))
#Summation
print(np.sum(array1))
#Median
print(np.median(array1))
#Mean
print(np.mean(array1))
#Mode
from scipy import stats
print("Most Frequent element=",stats.mode(array1)[0])
print("Number of Occarances=",stats.mode(array1)[1])
# Variance
print(np.var(array1))

2.7990553306073913
1
63
6.0
5.7272727272727275
Most Frequent element= [9]
Number of Occarances= [3]
7.834710743801653
```

4.3. Bitwise Operations

```
In [89]: array1=np.array([1,2,3],dtype=np.uint8)
array2=np.array([4,5,6])
# AND
resultarray=np.bitwise_and(array1,array2)
print(resultarray)
# OR
resultarray=np.bitwise_or(array1,array2)
print(resultarray)
#LeftShift
resultarray=np.left_shift(array1,2)
print(resultarray)
#RightShift
resultarray=np.right_shift(array1,2)
print(resultarray)

[0 0 2]
[5 7 7]
[ 4  8 12]
[0 0 0]
```

```
In [94]: ### You can get Binary Representation of Number #####
print(np.binary_repr(10,8))
resultarray=np.left_shift(10,2)
print(resultarray)
print(np.binary_repr(np.left_shift(10,2),8))

00001010
40
00101000
```

5.Copying and viewing arrays

5.1 Copy

```
In [101]: array1=np.arange(1,10)
print(array1)
newarray=array1.copy()
print(newarray)
##modification in Original Array
array1[0]=100
print(array1)
print(newarray)

[1 2 3 4 5 6 7 8 9]
[1 2 3 4 5 6 7 8 9]
[100  2  3  4  5  6  7  8  9]
[1 2 3 4 5 6 7 8 9]
```

5.2 View

```
In [102]: array1=np.arange(1,10)
print(array1)
newarray=array1.view()
print(newarray)
##modification in Original Array
array1[0]=100
print(array1)
print(newarray)

[1 2 3 4 5 6 7 8 9]
[1 2 3 4 5 6 7 8 9]
[100  2  3  4  5  6  7  8  9]
[100  2  3  4  5  6  7  8  9]
```

6. Searching


```
In [104]: array1=np.array([[1,2,3,12,5,7],[94,5,6,7,89,44],[7,8,9,11,13,14]])
          print(array1)

[[ 1  2  3 12  5  7]
 [94  5  6  7 89 44]
 [ 7  8  9 11 13 14]]
```

```
In [105]: np.sort(array1,axis=0)#Horizontally Sort
```

```
Out[105]: array([[ 1,  2,  3,  7,  5,  7],
                 [ 7,  5,  6, 11, 13, 14],
                 [94,  8,  9, 12, 89, 44]])
```

```
In [107]: np.sort(array1,axis=1)# Vertically Sort
```

```
Out[107]: array([[ 1,  2,  3,  5,  7, 12],
                 [ 5,  6,  7, 44, 89, 94],
                 [ 7,  8,  9, 11, 13, 14]])
```

7. Searching

```
In [115]: array1=np.array([1,2,3,12,5,7])
          np.searchsorted(array1,7,side="left")#Perform Search After sorting
```

```
Out[115]: 3
```

8. Counting

```
In [120]: array1=np.array([1,2,3,12,5,7,0])
          print(np.count_nonzero(array1))#Return total Non Zero element
          print(np.nonzero(array1))#Return Index
          print(array1.size)#Total Element
```

```
6
(array([0, 1, 2, 3, 4, 5], dtype=int64),)
7
```

9. Data Stacking

```
In [122]: array1=np.array(np.arange(1,5).reshape(2,2))
          print(array1)
          array2=np.array(np.arange(11,15).reshape(2,2))
          print(array2)
```

```
[[1 2]
 [3 4]]
[[11 12]
 [13 14]]
```

```
In [123]: newarray=np.stack([array1,array2],axis=0)
print(newarray)
```

```
[[[ 1  2]
   [ 3  4]]

  [[11 12]
   [13 14]]]
```

```
In [124]: newarray=np.stack([array1,array2],axis=1)
print(newarray)
```

```
[[[ 1  2]
   [11 12]]

  [[ 3  4]
   [13 14]]]
```

10. Append

```
In [127]: array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
```

```
[[1 2 3]
 [4 5 6]
 [7 8 9]]
[[21 22 23]
 [24 25 26]
 [27 28 29]]
```

```
In [129]: np.append(array1,array2,axis=0)
```

```
Out[129]: array([[ 1,  2,  3],
                 [ 4,  5,  6],
                 [ 7,  8,  9],
                 [21, 22, 23],
                 [24, 25, 26],
                 [27, 28, 29]])
```

```
In [130]: np.append(array1,array2,axis=1)
```

```
Out[130]: array([[ 1,  2,  3, 21, 22, 23],
                 [ 4,  5,  6, 24, 25, 26],
                 [ 7,  8,  9, 27, 28, 29]])
```

11. Concat

```
In [131]: array1=np.arange(1,10).reshape(3,3)
          print(array1)
          array2=np.arange(21,30).reshape(3,3)
          print(array2)
```

```
[[1 2 3]
 [4 5 6]
 [7 8 9]]
[[21 22 23]
 [24 25 26]
 [27 28 29]]
```

```
In [133]: np.concatenate((array1,array2),axis=0)
```

```
Out[133]: array([[ 1,  2,  3],
                 [ 4,  5,  6],
                 [ 7,  8,  9],
                 [21, 22, 23],
                 [24, 25, 26],
                 [27, 28, 29]])
```

```
In [134]: np.concatenate((array1,array2),axis=1)
```

```
Out[134]: array([[ 1,  2,  3, 21, 22, 23],
                 [ 4,  5,  6, 24, 25, 26],
                 [ 7,  8,  9, 27, 28, 29]])
```

```
In [ ]:
```