

**Laboratory Investigation Report**

Patient Name	: Mr. Vipin Kumar Garg	Centre	: 4736 - Mr. Ravinder Pal Singh
Age/Gender	: 68 Y 6 M 28 D / M	OP/IP No/UHID	: //
MaxID/Lab ID	: ML03424033/4018062600043	Collection Date/Time	: 27/Jun/2026 03:05PM
Ref Doctor	: Dr.Pankaj Malhotra Pgi	Reporting Date/Time	: 28/Jun/2026 10:41AM

Clinical Biochemistry

SIN No: B2B8387735

Test Name	Result	Unit	Bio Ref Interval
IgG (Immunoglobulin IgG), Serum			
Immunoglobulin IgG	756.0	mg/ dL	700-1600
Immunoturbidimetric			

Interpretation

Polyclonal increase seen in autoimmune diseases (systemic lupus erythematosus, rheumatoid arthritis, Sjögren's syndrome), sarcoidosis, chronic liver disease, some parasitic diseases and chronic or recurrent infections.

Monoclonal gammopathies seen in IgG type multiple myeloma, lymphomas, leukemia, and other malignancies.


Hypogammaglobulinemias, IgG deficiency may be genetic as in severe combined immunodeficiency or acquired as in AIDS. A decrease in IgG also occurs as a result of thermal burns, nephrotic syndrome, protein losing enteropathies and non-IgG myelomas.

Kindly correlate with clinical findings

*** End Of Report ***



Dr. Poonam S. Das, M.D.
Principal Director-
Max Lab & Blood Bank Services



Dr. Dilip Kumar M.D.
Director & Quality Manager



Dr. Rajeev Kumar, DCP, MD
Associate Consultant
Biochemistry

Test Performed at : 910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre : 4736 - Mr. Ravinder Pal Singh, Booth No. 227, Sector 21, 9646425103

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 1 of 6

www.maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test re 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions of physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2714



Laboratory Investigation Report

Patient Name	: Mr. Vipin Kumar Garg	Centre	: 4736 - Mr. Ravinder Pal Singh
Age/Gender	: 68 Y 6 M 28 D / M	OP/IP No/UHID	: //
MaxID/Lab ID	: ML03424033/4018062600043	Collection Date/Time	: 27/Jun/2026 03:05PM
Ref Doctor	: Dr.Pankaj Malhotra Pgi	Reporting Date/Time	: 27/Jun/2026 05:47PM

Clinical Biochemistry



SIN No:B2B8387735

HbA1c (Glycated/ Glycosylated Hemoglobin) Test, EDTA

HPLC

Date	27/Jun/2026 03:05PM	20/Aug/24 10:39AM	25/Jun/24 10:18AM	11/Jun/24 09:52AM	28/May/24 11:34AM	Unit	Bio Ref Interval
Glycosylated Haemoglobin(Hb A1c) HPLC	5.70	4.30	4.80	5.20	5.30	%	4.27 - 6.07
Glycosylated Haemoglobin(Hb A1c) IFCC Calculated	38.78	23.48	28.95	33.32	34.41	mmol/mol	< 39.0
Average Glucose Value For the Last 3 Months	116.89	76.71	91.06	102.54	105.41	mg/dL	
Average Glucose Value For the Last 3 Months IFCC Calculated	6.47	4.25	5.04	5.68	5.84	mmol/L	

Interpretation The following HbA1c ranges recommended by the American Diabetes Association(ADA) may be used as an aid in the diagnosis of diabetes mellitus.

HbA1C(NGSP %)	HbA1C(IFCC mmol/mol)	Suggested Diagnosis
≥ 6.5	≥ 48	Diabetic
5.7 - 6.4	39 - 47	Pre- Diabetic
< 5.7	< 39	Non - Diabetic

HbA1C provides a useful index of average glycaemia over the preceding 6-8 weeks.


It is suggested that HbA1c is measured every 6 months in stable patients, every 3 months in patients with unstable metabolic control and every month in pregnancy. Increased Glycated hemoglobin is a reflection of Hyperglycemia.

Kindly correlate with clinical findings

*** End Of Report ***


Dr. Anjali Bhutani, MD
Sr Director & Head, Max Lab


Dr. Neerja Dhangra, MD, DNB
Associate Director, Max Lab


Dr. Ajit Pratap Singh Panaych, MD
Consultant, Pathology

Test Performed at :1066 - Max Hospital Mohali, Near Civil Hospital, Phase-6,Mohali

Booking Centre :4736 - Mr. Ravinder Pal Singh, Booth No. 227, Sector 21, 9646425103

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 2 of 6

www.maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test re 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions g physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories -- a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2287



Laboratory Investigation Report

Patient Name	: Mr. Vipin Kumar Garg	Centre	: 4736 - Mr. Ravinder Pal Singh
Age/Gender	: 68 Y 6 M 28 D / M	OP/IP No/UHID	: //
MaxID/Lab ID	: ML03424033/4018062600043	Collection Date/Time	: 27/Jun/2026 03:05PM
Ref Doctor	: Dr.Pankaj Malhotra Pgi	Reporting Date/Time	: 28/Jun/2026 01:14PM

Serology



SIN No: B2B8387735

Test Name	Result	Unit	Bio Ref Interval
-----------	--------	------	------------------

Hep B Core Antibody-Total, Serum

CLIA

Hep B Core Value	3.13	S/CO
CLIA		

Ref. Range

Positive <0.99 It indicates a reactive sample and the presence of anti-HBc.
 Borderline 1.00 - 1.19 It indicates a borderline sample.
 Negative ≥1.2 It indicates a non reactive sample, negative for anti-HBc.

Interpretation

This assay is useful for diagnosis of recent or past hepatitis B Infection.

Kindly correlate with clinical findings

*** End Of Report ***



Dr. Poonam S. Das, M.D.
Principal Director-
Max Lab & Blood Bank Services



Dr. Bansidhar Tarai, M.D.
Director, Microbiology & Molecular
Diagnostics



Dr. Rup Jyoti Chandak, M.D.
Sr. Consultant, Microbiology



Dr. Nidhi Malik, MD
Consultant Microbiology

Test Performed at : 910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre : 4736 - Mr. Ravinder Pal Singh, Booth No. 227, Sector 21, 9646425103

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 3 of 6

www.maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test re 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions g physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2714



Laboratory Investigation Report

Patient Name	: Mr. Vipin Kumar Garg	Centre	: 4736 - Mr. Ravinder Pal Singh
Age/Gender	: 68 Y 6 M 28 D / M	OP/IP No/UHID	: //
MaxID/Lab ID	: ML03424033/4018062600043	Collection Date/Time	: 27/Jun/2026 03:05PM
Ref Doctor	: Dr.Pankaj Malhotra Pgi	Reporting Date/Time	: 27/Jun/2026 05:26PM

Serology



SIN No: B2B8387735

Test Name	Result	Unit	Bio Ref Interval
HCV IgG Antibody (Hepatitis C Virus), Serum			
CLIA			
HCV, IgG	Non Reactive		
CLIA			
HCV, IgG Test Value	0.03	S/CO	< 0.90

Ref. Range

Negative < 0.90
Borderline 0.90 - 8.0
Positive > 8.0

Interpretation

This test is a screening test performed on VITROS immunodiagnostic system using immunometric technique.

- Hepatitis C (HCV) is an RNA virus of Flavivirus group transmitted via blood transfusions, transplantation, injection drug users, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant.
- 10% of new cases show sexual transmission. As compared to HAV & HBV, chronic infection with HCV occurs in 85% of infected individuals.
- This test is indicator of past or present infection, but does not differentiate between Acute / Chronic / Resolved infection. HCV RNA PCR recommended in all reactive results to differentiate between past and present infection
- A definitive clinical diagnosis should not be made by result of a single test only, but should be made by taking clinical history and other laboratory findings in to account.

Kindly correlate with clinical findings

*** End Of Report ***


Dr. Manpreet Kaur, MD
Sr Consultant, Microbiology

Test Performed at : 1066 - Max Hospital Mohali, Near Civil Hospital, Phase-6, Mohali
Booking Centre : 4736 - Mr. Ravinder Pal Singh, Booth No. 227, Sector 21, 9646425103
The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 4 of 6

www.maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test re 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions g physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories -- a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2287



Laboratory Investigation Report

Patient Name	: Mr. Vipin Kumar Garg	Centre	: 4736 - Mr. Ravinder Pal Singh
Age/Gender	: 68 Y 6 M 28 D / M	OP/IP No/UHID	: //
MaxID/Lab ID	: ML03424033/4018062600043	Collection Date/Time	: 27/Jun/2026 03:05PM
Ref Doctor	: Dr.Pankaj Malhotra Pgi	Reporting Date/Time	: 28/Jun/2026 12:48PM

Serology



SIN No: B2B8387735

Test Name	Result	Unit	Bio Ref Interval
Hep B Core Antibody-IgM,Serum			
CLIA			
Hep B Core-IgM	0.02	S/CO	< 0.80
CLIA			

Ref. Range

Non Reactive < 0.80
Borderline ≥ 0.80 - < 1.20
Reactive ≥ 1.20

Interpretation

Hepatitis B core specific IgM class antibody is detected in acute infections and is a reliable marker for acute disease.

Kindly correlate with clinical findings

*** End Of Report ***



Dr. Poonam S. Das, M.D.
Principal Director-
Max Lab & Blood Bank Services



Dr. Bansidhar Tarai, M.D.
Director, Microbiology & Molecular
Diagnostics



Dr. Rup Jyoti Chandak, M.D.
Sr. Consultant, Microbiology



Dr. Nidhi Malik, MD
Consultant Microbiology

Test Performed at : 910 - Max Hospital - Saket M S S H, Press Enclave Road, Mandir Marg, Saket, New Delhi, Delhi 110017

Booking Centre : 4736 - Mr. Ravinder Pal Singh, Booth No. 227, Sector 21, 9646425103

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 5 of 6

www.maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test re 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions g physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2714

**Laboratory Investigation Report**

Patient Name	: Mr. Vipin Kumar Garg	Centre	: 4736 - Mr. Ravinder Pal Singh
Age/Gender	: 68 Y 6 M 28 D / M	OP/IP No/UHID	: //
MaxID/Lab ID	: ML03424033/4018062600043	Collection Date/Time	: 27/Jun/2026 03:05PM
Ref Doctor	: Dr.Pankaj Malhotra Pgi	Reporting Date/Time	: 27/Jun/2026 04:59PM

Serology

SIN No: B2B8387735

Test Name	Result	Unit	Bio Ref Interval
Hepatitis B Surface Antigen, Serum			
CLIA			
HBsAg	Non Reactive		
CLIA			
HBsAg Test Value	0.07	S/CO	< 0.90
CLIA			


Ref. Range

Negative	< 0.90
Borderline	0.90 - 5.0
Positive	> 5.0

Interpretation

- This test is used to detect hepatitis B surface antigen (HBsAg) in serum sample based on VITROS immunometric immunoassay technique and aid in the laboratory diagnosis of HBV infection.
- Viral hepatitis is a major public health problem with an estimated 257 million persistent carriers of hepatitis B virus (HBV) worldwide. Infection with HBV results in a wide spectrum of acute and chronic liver diseases that may lead to cirrhosis and hepatocellular carcinoma.
- Transmission of HBV occurs by percutaneous exposure to blood products, needle stick injury, sexual contact and perinatally from HBV-infected mothers to baby.
- Hepatitis B surface antigen (HBsAg), derived from the viral envelope, is the first antigen to appear following infection.
- Positive results should be correlated with other potential laboratory abnormalities and clinical picture.
- A negative test result does not exclude the possibility of exposure to or infection with hepatitis B virus.
- Levels of HBsAg may be undetectable both in early infection and late after infection.
- In rare cases HBsAg tests do not detect certain HBV mutant strains.
- HBs Ag disappears with recovery from clinical disease in most patients, however, it persists for years in carriers.

Kindly correlate with clinical findings

***** End Of Report *****
Dr. Manpreet Kaur, MD
Sr Consultant, Microbiology

Test Performed at : 1066 - Max Hospital Mohali, Near Civil Hospital, Phase-6, Mohali
Booking Centre : 4736 - Mr. Ravinder Pal Singh, Booth No. 227, Sector 21, 9646425103
The authenticity of the report can be verified by scanning the Q R Code on top of the page

Page 6 of 6

www.maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test re 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions g physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories -- a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.



MC-2287