SWASTHYA DIAGNOSTICS
DEFINING HEALTH
A Unit of kidney Care Centre, Panchkula

Dr. Kavita Goyal
MBBS, MD Pathology
swasthyadiagnostics.sd@gmail.com

| | | | | | |
|---|---|---|---|---|---|
| **UHID No** | :- | UD-24250009812 | **Reg No** | :- | 24250009812 |
| **Patient Name** | :- | Mr VIPIN KUMAR GARG | **Sample Gnt At** | :- | 27 Aug 2025 08:59 AM |
| **Age/Sex** | :- | 67 Y/M | **Sample Rvd At** | :- | 27 Aug 2025 08:59 AM |
| **Address** | :- | 323, SECTOR 9 PANCHKULA , Panchkula | **Report Gnt At** | :- | 29 Aug 2025 05:42 PM |
| **Mobile No** | :- | 9815311118 | **Consultant** | :- | Dr AJAY GOYAL (DM(NEPHROLOGY)) |

## Final Report

| Investigations | Observations | Biological Ref. Interval | Unit |
|---|---|---|---|
| **IMMUNOASSAY** | | | |
| **ANTI HBS (ANTIBODY TO HEPATITIS B SURFACE ANTIGEN) TITRE** | 11.30 | Non Reactive : <10.0<br>Reactive: >10.0 | IU/L |

Note 1. Reactive test result indicates presence of antibodies to Hepatitis B Surface Antigen. Detection of Anti-HBs antibodies is observed in recent Hepatitis B viral infection, resolved Hepatitis B viral infection and after successful HBV vaccination. 2. This assay does not differentiate between a vaccine induced immune response and an immune response induced by infection with HBV. 3. Non-Reactive test result indicates absence of antibodies to Hepatitis B Surface Antigen. 4. False positive results may be observed in patients receiving mouse monoclonal antibodies, on heparin therapy, on biotin supplements for diagnosis or therapy, presence of heterophilic antibodies in serum. 5. False negative reaction may be due to processing of sample collected early in the course of disease, presence of mutant forms of HBsAg and immunocompromised / immunosuppressed conditions. 6. Test conducted on serum.

Uses · To determine immune status to HBV or disease progression in individuals infected with HBV · To determine if vaccination is needed · To determine if protective immunity has been achieved following a vaccination regimen

**Remarks :-**

* END OF REPORT *

**(Technologist)**

**Dr. Kavita Goyal**
**MD(Pathology)**
**HMC Reg. No. 14871**

Note :- * If the result of the test is alarming or unexpected,the patient is contact the laboratory immediately
* The lab report is not the diagnosis,it represents only an opinion. Kindly Contact your doctor for interpretation diagnosis and treatment. Not Valid for Medico legal purpose *Report is Electronically validated.