

PRACTICAL: 01.


Aim: Write a program using Conditional Structure.?**PROGRAM:**

```
<?php

$age = 20;

if ($age >= 18) {
    echo "Eligible for Vote";
} else {
    echo "Not Eligible for Vote";
}

?>
```

OUTPUT

PRACTICAL: 02.

Aim: Write a program using Array which accepts five values and prints the values.?

PROGRAM:


```
<?php

$numbers = array(10, 20, 30, 40, 50);

echo "Five values are: ";

for ($i = 0; $i < 5; $i++) {
    echo $numbers[$i] . " ";
}

?>
```

OUTPUT:

PRACTICAL: 03.

Aim: Write a program using Looping Structure with concept of Functions. ?

PROGRAM:

```
<?php
```

```
function Sum($n)
```

```
{
```

```
    $sum = 0;
```

```
    echo "Numbers from 1 to 10 are: <br>";
```

```
    for ($i = 1; $i <= $n; $i++)
```

```
    {
```

```
        echo $i;
```

```
        if ($i < $n)
```

```
        {
```

```
            echo " + ";
```

```
        }
```

```
        $sum = $sum + $i;
```

```
    }
```

```
    return $sum;
```


```
}
```

```
$num = 10;
```

```
$result = Sum($num);
```

```
echo "<br>";  
  
echo "The Sum of 1 to 10 number is = " . $result;  
  
?>
```

OUTPUT



PRACTICAL: 04.

Aim: Write a program in PHP for type casting of a variable. ?

PROGRAM:

```
<?php
// Float to Integer
$num = 25.75;

echo "Original Float Value = " . $num . "<br>";

echo "Original Data Type = " . gettype($num) . "<br>";

$num = (int)$num;

echo "After Integer Type Casting = " . $num . "<br>";

echo "Data Type = " . gettype($num) . "<br><br>";

// String to Integer
$name = "100";

echo "Original String Value = " . $name . "<br>";

echo "Original Data Type = " . gettype($name) . "<br>";


$name = (int)$name;

echo "After Integer Type Casting = " . $name . "<br>";

echo "Data Type = " . gettype($name);

?>
```

OUTPUT:



PRACTICAL: 05.

Aim: Write a PHP program to display Multiplication Table using nested for loop?

PROGRAM:

```
<?php

// Define the size of the multiplication table (e.g., 1 to 10)

$size = 10;

// Start the HTML table

echo "<table border='1' cellpadding='10' cellspacing='0' style='border-collapse: collapse; text-align: center;'>";

// Outer loop controls the rows

for ($row = 1; $row <= $size; $row++) {

    echo "<tr>";

    // Inner loop controls the columns within each row

    for ($col = 1; $col <= $size; $col++) {

        // Multiply the current row number by the current column number

        $result = $row * $col;

        // Highlight the first row and first column as headers

        if ($row == 1 || $col == 1) {

            echo "<th style='background-color: #f2f2f2;'>$result</th>";

        } else {

            echo "<td>$result</td>";

        }


    }

    echo "</tr>";

}
```

```
}  
  
// Close the HTML table  
  
echo "</table>";  
  
?>
```

OUTPUT



1	2	3	4	5	6	7	8	9	10
2	4	6	8	10	12	14	16	18	20
3	6	9	12	15	18	21	24	27	30
4	8	12	16	20	24	28	32	36	40
5	10	15	20	25	30	35	40	45	50
6	12	18	24	30	36	42	48	54	60
7	14	21	28	35	42	49	56	63	70
8	16	24	32	40	48	56	64	72	80
9	18	27	36	45	54	63	72	81	90
10	20	30	40	50	60	70	80	90	100

PRACTICAL: 06.

Aim: Write a PHP program to sort an array using Bubble Sort function. ?

PROGRAM:

```
<?php

function bubbleSort($arr)
{
    $n = count($arr);

    for ($i = 0; $i < $n - 1; $i++)
    {
        for ($j = 0; $j < $n - $i - 1; $j++)
        {
            if ($arr[$j] > $arr[$j + 1])
            {
                $temp = $arr[$j];
                $arr[$j] = $arr[$j + 1];
                $arr[$j + 1] = $temp;
            }
        }
    }

    return $arr;
}

// Given array
$numbers = array(64, 34, 25, 12, 22, 11, 90);

// Display Original Array
echo "Original Array:<br>";

echo "<pre>";

print_r($numbers);


echo "</pre>";

// Call Bubble Sort function
```

Name :Abhishek kumar
Roll.no:MCA-B4

```
$sortedArray = bubbleSort($numbers);  
  
// Display Sorted Array  
echo "Sorted Array:<br>";  
  
echo "<pre>";  
  
print_r($sortedArray);  
  
echo "</pre>";  
  
?>
```

OUTPUT



PRACTICAL: 07.

Aim: Write a PHP program to demonstrate the use of looping structures: ?


- **a) While statement**
- **b) Do-while statement**
- **c) For statement**
- **d) For-each statement**

PROGRAM:

```
<?php
// a) While Loop
echo "a) While Loop<br>";
$i = 1;
while ($i <= 5)
{
    echo $i . " ";
    $i++;
}
echo "<br><br>";
// b) Do-While Loop
echo "b) Do-While Loop<br>";
$i = 1;
do
{
    echo $i . " ";
    $i++;
}
while ($i <= 5);
echo "<br><br>";
// c) For Loop
echo "c) For Loop<br>";
```

```
for ($i = 1; $i <= 5; $i++)  
{  
    echo $i . " ";  
}  
  
echo "<br><br>";  
  
// d) For-Each Loop  
echo "d) For-Each Loop<br>";  
  
$numbers = array(10, 20, 30, 40, 50);  
foreach ($numbers as $value)  
{  
    echo $value . " ";  
}  
  
?>
```

OUTPUT



PRACTICAL: 08.

Aim: Study of MySQL DDL, DML, DCL Commands.?**PROGRAM:**

```
<?php

// Step 2: Connect PHP with MySQL

$conn = mysqli_connect("localhost", "root", "");

if (!$conn)

{

    die("Connection failed: " . mysqli_connect_error());

}

echo "MySQL Connected Successfully<br><br>";

// Step 3: Create College Database

$sql = "CREATE DATABASE IF NOT EXISTS college";

mysqli_query($conn, $sql);

// Step 4: Select College Database

mysqli_select_db($conn, "college");

// Step 5: Create Student Table

$sql = "CREATE TABLE IF NOT EXISTS student (

    id INT PRIMARY KEY,

    name VARCHAR(50),

    marks INT

)";

mysqli_query($conn, $sql);


// Step 6: Insert Student Record

$sql = "INSERT INTO student VALUES (1, 'Abhishek', 80)";

if (mysqli_query($conn, $sql))

{

    echo "Student record inserted successfully.<br>";

}
```

Name :Abhishek kumar
Roll.no:MCA-B4

// Step 7: Update Student Marks

```
$sql = "UPDATE student SET marks = 90 WHERE id = 1";
```

```
if (mysqli_query($conn, $sql))
```

```
{
```

```
    echo "Student marks updated successfully.<br>";
```

```
}
```

// Step 8: Select and Display Student Record

```
$sql = "SELECT * FROM student";
```

```
$result = mysqli_query($conn, $sql);
```

```
echo "<br>Student Record:<br>";
```

```
while ($row = mysqli_fetch_assoc($result))
```

```
{
```

```
    echo "ID = " . $row["id"] . "<br>";
```

```
    echo "Name = " . $row["name"] . "<br>";
```

```
    echo "Marks = " . $row["marks"] . "<br>";
```

```
}
```

// Step 9: GRANT and REVOKE Commands

// These commands require a suitable MySQL user and privileges.

```
// mysqli_query($conn,
```

```
// "GRANT SELECT ON college.student TO 'user1'@'localhost'");
```

```
// mysqli_query($conn,
```

```
// "REVOKE SELECT ON college.student FROM 'user1'@'localhost'");
```

// Step 10: Close Database Connection


```
mysqli_close($conn);
```

```
echo "<br>Database connection closed.";
```

Name :Abhishek kumar
Roll.no:MCA-B4

?>

OUTPUT



PRACTICAL: 09.

Aim: Design Login Form and validate that form using PHP code. ?**PROGRAM:**

```
<?php

$message = "";

if (isset($_POST['login']))
{
    $username = $_POST['username'];
    $password = $_POST['password']

    // Check if both are empty
    if (empty($username) && empty($password))
    {
        $message = "Please enter username and password.";
    }

    // Check if username is empty
    elseif (empty($username))
    {
        $message = "Please enter username.";
    }


    // Check if password is empty
    elseif (empty($password))
    {
        $message = "Please enter password.";
    }

    // Check username and password
    elseif ($username == "Abhishek" && $password == "12345")
```

```
{  
    $message = "Login Successful.";  
}  
  
// Wrong username or password  
else  
{  
    $message = "Invalid username or password.";  
}  
}  
?>  
  
<!DOCTYPE html>  
  
<html>  
  
<head>  
    <title>Login Form</title>  
</head>  
  
<body>  
  
<h2>Login Form</h2>  
  
<form method="post">  
    Username:  
    <input type="text" name="username">  
    <br><br>  
    Password:  
    <input type="password" name="password">  
    <br><br>  
    <input type="submit" name="login" value="Login">  
</form>  
  
<br>  
<?php
```

```
echo $message;  
?>  
</body>  
</html>
```

OUTPUT



A screenshot of a web browser window. The address bar shows the URL `http://localhost:8080/abhi/rec9.php`. Below the address bar, there are search engines listed: Google and Roadmap. The main content area displays a login form with the title "Login Form". The form includes a "Username:" label followed by a text input field containing the text "Abhishek". Below this is a "Password:" label followed by a password input field with five dots. A "Login" button is positioned below the password field. At the bottom of the form, the text "Login Successful." is displayed.

PRACTICAL: 10.

Aim: Write PHP code to create database & table in MySQL.?

PROGRAM:


```
<?php
// Connect PHP with MySQL
$conn = mysqli_connect("localhost", "root", "");
if (!$conn)
{
    die("Connection failed: " . mysqli_connect_error());
}
echo "MySQL Connected Successfully.<br><br>";
// Create Database
$sql = "CREATE DATABASE IF NOT EXISTS college";
if (mysqli_query($conn, $sql))
{
    echo "Database created successfully.<br>";
}
else
{
    echo "Error creating database.";
}
// Select Database
mysqli_select_db($conn, "college");
// Create Table
$sql = "CREATE TABLE IF NOT EXISTS student (
    id INT PRIMARY KEY,
```

```

        name VARCHAR(50),
        marks INT
    );
if (mysqli_query($conn, $sql))
{
    echo "Student table created successfully.<br>";
}
else
{
    echo "Error creating table.";
}
// Close connection
mysqli_close($conn);
echo "Database connection closed.";
?>

```

OUTPUT



Server: 127.0.0.1 » Database: college » Table: student

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Privileges](#)
[Operations](#)

[Table structure](#)
[Relation view](#)

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	id	int(11)			No	None			Change Drop More
☐ 2	name	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐ 3	marks	int(11)			Yes	NULL			Change Drop More

PRACTICAL: 11.

Aim: Write PHP code to insert, delete and select data from database.?**PROGRAM:**

```
<?php

// Connect PHP to College database

$conn = mysqli_connect("localhost", "root", "", "college");

if (!$conn)
{
    die("Connection failed: " . mysqli_connect_error());
}

// INSERT

$sql = "INSERT INTO student (id, name, marks)
        VALUES (2, 'Abhishek', 85)";

if (mysqli_query($conn, $sql))
{
    echo "Student record inserted successfully.<br><br>";
}
else
{
    echo "Error inserting record.<br><br>";
}

// SELECT

Name :Abhishek kumar
Roll.no:MCA-B4
```

```
$sql = "SELECT * FROM student";

$result = mysqli_query($conn, $sql);

echo "<h3>Student Records</h3>";

echo "<table border='1' cellpadding='10'>";

echo "<tr>";
echo "<th>ID</th>";
echo "<th>Name</th>";
echo "<th>Marks</th>";
echo "</tr>";

while ($row = mysqli_fetch_assoc($result))
{
    echo "<tr>";
    echo "<td>" . $row["id"] . "</td>";
    echo "<td>" . $row["name"] . "</td>";
    echo "<td>" . $row["marks"] . "</td>";
    echo "</tr>";
}

echo "</table>";

// DELETE

$sql = "DELETE FROM student WHERE id = 2";

if (mysqli_query($conn, $sql))
```

```
{  
    echo "<br>Student record deleted successfully.<br>";  
}
```


```
// Close connection
```

```
mysqli_close($conn);
```

```
echo "Database connection closed.";
```

```
?>
```

OUTPUT



PRACTICAL: 12.

Aim: write php code to upload and display image.?**PROGRAM:**

```
<?php
if (isset($_POST['upload']))
{
    $fileName = $_FILES['image']['name'];
    $tempName = $_FILES['image']['tmp_name'];
    // Upload folder
    $folder = "uploads/";
    // Create folder if it does not exist
    if (!is_dir($folder))
    {
        mkdir($folder);
    }
    // Upload image
    if (move_uploaded_file($tempName, $folder . $fileName))
    {
        echo "Image uploaded successfully.<br><br>";
        // Display image
        echo "<img src='$folder$fileName' width='300'>";
    }
    else
    {
        echo "Image upload failed.";
    }
}

?>
<!DOCTYPE html>
```

```
<html>

<head>
    <title>Image Upload</title>
</head>

<body>

<h2>Upload and Display Image</h2>

<form method="post" enctype="multipart/form-data">

    Select Image:

    <input type="file" name="image" required>

    <br><br>


    <input type="submit" name="upload" value="Upload Image">

</form>

</body>

</html>
```

OUTPUT



PRACTICAL: 13.

Aim: Write PHP code to make database connection, create database, create table in MySQL.?

PROGRAM:

```
<?php

// Step 2: Connect PHP with MySQL

$conn = mysqli_connect("localhost", "root", "");

// Step 3: Check the connection

if (!$conn)

{

    die("Connection failed: " . mysqli_connect_error());

}

// Step 4: Display successful connection message

echo "Database connection successful.<br><br>";

// Step 5: Create College database if it does not exist

$sql = "CREATE DATABASE IF NOT EXISTS college";

if (mysqli_query($conn, $sql))

{

    echo "College database created successfully.<br>";

}

else

{

    echo "Error creating database.<br>";

}

// Select the college database

mysqli_select_db($conn, "college");

// Step 6: Create Student table if it does not exist

$sql = "CREATE TABLE IF NOT EXISTS student

(
```

```

id INT PRIMARY KEY,

name VARCHAR(50),

marks INT

);

if (mysqli_query($conn, $sql))
{
    echo "Student table created successfully.<br>";
}
else
{
    echo "Error creating table.<br>";
}

// Step 8: Close database connection


mysqli_close($conn);

echo "Database connection closed.";

?>

```

OUTPUT



#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	id	int(11)			No	None			Change Drop More
☐ 2	name	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐ 3	marks	int(11)			Yes	NULL			Change Drop More

PRACTICAL: 14.

Aim :Write PHP code to Insert, Delete, Update, Select data from database. ?

PROGRAM:

```
<?php

// Connect PHP with MySQL

$conn = mysqli_connect("localhost", "root", "", "college");

if (!$conn)

{

    die("Connection failed: " . mysqli_connect_error());

}

echo "Database connected successfully.<br><br>";

// 1. INSERT DATA

$sql = "INSERT INTO student (id, name, marks)

        VALUES (10, 'Abhishek', 85)";

if (mysqli_query($conn, $sql))

{

    echo "Data inserted successfully.<br>";

}

else

{

    echo "Error inserting data: " . mysqli_error($conn) . "<br>";

}

// 2. UPDATE DATA

$sql = "UPDATE student

        SET marks = 90

        WHERE id = 10";

if (mysqli_query($conn, $sql))

{

    echo "Data updated successfully.<br>";

}

}
```

```
else
{
    echo "Error updating data.<br>";
}

// 3. SELECT DATA

$sql = "SELECT * FROM student";
$result = mysqli_query($conn, $sql);

echo "<br><b>Student Records:</b><br><br>";

echo "<table border='1' cellpadding='10'>";

echo "<tr>";

echo "<th>ID</th>";

echo "<th>Name</th>";

echo "<th>Marks</th>";

echo "</tr>";

while ($row = mysqli_fetch_assoc($result))
{
    echo "<tr>";

    echo "<td>" . $row["id"] . "</td>";

    echo "<td>" . $row["name"] . "</td>";

    echo "<td>" . $row["marks"] . "</td>";

    echo "</tr>";
}

echo "</table>";

// 4. DELETE DATA

$sql = "DELETE FROM student

    WHERE id = 10";

if (mysqli_query($conn, $sql))
{
    echo "<br>Data deleted successfully.<br>";
}
```

```
else
{
    echo "<br>Error deleting data.<br>";
}


// Close connection

mysqli_close($conn);

echo "Database connection closed.";

?>
```

OUTPUT



Database connected successfully.

Data inserted successfully.
Data updated successfully.

Student Records:

ID	Name	Marks
1	Abhishek	90
10	Abhishek	90

Data deleted successfully.
Database connection closed.

PRACTICAL: 15.

Aim: Study of Cookies and Session in PHP.?**PROGRAM:**

```
<?php
```

```
// Step 2 & 3: Create Cookie and set expiry time
```

```
setcookie("username", "rakhi", time() + 3600);
```

```
// Step 4: Check whether cookie exists
```

```
if (isset($_COOKIE["username"]))
```

```
{
```

```
    // Step 5: Display cookie value
```

```
    echo "Cookie Value = " . $_COOKIE["username"] . "<br><br>";
```

```
}
```

```
else
```

```
{
```

```
    echo "Cookie has been created. Please refresh the page.<br><br>";
```

```
}
```

```
// Step 6: Start PHP Session
```

```
session_start();
```

```
// Step 7: Create student name in session
```

```
$_SESSION["student_name"] = "Abhishek";
```

```
// Step 8: Display session value
```

```
echo "Session Student Name = " . $_SESSION["student_name"];
```

```
?>
```

OUTPUT

