NextAsk Gateway — API Documentation

Base URL: https://nextaskgw.automationedge.com | **Auth Scheme:** Basic Auth & X-API-Key

Overview: Integration specification for the **Authorization API** (/api/authorize) and the **Alert Intake API** (/api/alerts). Clients first authenticate with credentials to receive the active api_key, then pass it via X-API-Key to trigger automated multi-lingual Twilio voice calls.

1. Authorization API (/api/authorize)

Method: POST / GET **Endpoint:** https://nextaskgw.automationedge.com/api/authorize

Request Headers & Credentials

Header	Example Value	Required	Description
Authorization	Basic <base64_encoded_credentials>	Yes (or body)	Base64 encoded <username>:<password>
Content-Type	application/json	Conditional	Required if passing JSON body

Request Body (Optional if using HTTP Basic Auth)

```
{
  "username": "<YOUR_USERNAME>",
  "password": "<YOUR_PASSWORD>"
}
```

Success Response (200 OK)

```
{
  "status": "success",
  "authorized": true,
  "http_code": 200,
  "message": "User authenticated successfully. Use the provided api_key in the headers of other APIs.",
  "api_key": "<YOUR_API_KEY>",
  "x_api_key": "<YOUR_API_KEY>",
  "token": "<SESSION_BEARER_TOKEN>",
  "token_type": "Bearer",
  "expires_in": 86400,
  "user": { "username": "<YOUR_USERNAME>", "role": "admin", "auth_type": "credentials" }
}
```

2. Alert Intake API (/api/alerts)

Method: POST **Endpoint:** https://nextaskgw.automationedge.com/api/alerts

Request Headers

Header	Value	Required	Description
X-API-Key	<YOUR_API_KEY>	Yes	Security key obtained from /api/authorize
Content-Type	application/json	Yes	JSON payload specification

Request Body (JSON Payload to Pass in Request Body)

```
{
  "batch_id": "BATCH001",
  "event_timestamp": "2026-10-30T10:30:00+03:00",
  "branch": {
    "branch_id": "BR001",
    "branch_name": "Riyadh Main Office",
    "site_number": "SITE001"
  },
  "alerts": [
    {
      "event_id": "EVT001",
      "event_type": "ASSIGNMENT_REASSIGNED",
      "event_version": 2,
      "alert_id": "ALT1001",
      "ticket": {
        "ticket_id": "INC1001",
        "alarm_id": "ALM5001",
        "issue_description": "Network connectivity failure",
        "alarm_type": "Network Failure",
        "severity": "Critical",
        "ticket_status": "Assigned",
        "alarm_status": "Active"
      },
      "assignment": {
        "assignment_id": "ASN002",
        "assignment_type": "REASSIGNMENT",
        "previous_assignment_id": "ASN001",
        "assigned_at": "2026-10-30T10:30:00+03:00"
      },
      "technician": {
        "technician_id": "ENG002",
        "name": "Ali",
        "mobile_number": "+9665XXXXXXXX",
        "preferred_language": "English"
      },
      "team_leader": {
        "team_leader_id": "TL001",
        "name": "Mohammed",
        "mobile_number": "+9665XXXXXXXX",
        "preferred_language": "English"
      },
      "manager": {
        "manager_id": "MGR001",
        "name": "Khalid",
        "mobile_number": "+9665XXXXXXXX",
        "preferred_language": "English"
      },
      "acknowledgement": {
        "dtmf_digit": "1"
      }
    }
  ]
}
```

Success Response (200 OK) with Event Timestamp for Each Alert

```
{
  "status": "success",
  "mode": "batch",
  "total": 1,
  "successful": 1,
  "failed": 0,
  "authorized": true,
  "auth": { "status": "authorized", "user": "api_admin", "role": "admin", "api_key_valid": true, "auth_type": "api_key" },
  "results": [
    {
      "index": 0,
      "ticket_id": "INC1001",
      "alert_id": "ALT1001",
      "event_id": "EVT001",
      "event_timestamp": "2026-10-30T10:30:00+03:00",
      "timestamp": "2026-10-30T10:30:00+03:00",
      "ack_digit": "1",
      "reject_digit": "9",
      "dtmf_pressed": null,
      "acknowledged": false,
      "status": "accepted",
      "http_code": 202,
      "actions": [
        "call workflow -> ASSIGNMENT_REASSIGNED",
        "tech_call #1 scheduled for 2026-10-30T10:30:00+03:00"
      ],
      "alert": {
        "ticket_id": "INC1001",
        "alert_id": "ALT1001",
        "event_id": "EVT001",
        "event_timestamp": "2026-10-30T10:30:00+03:00",
        "date_time": "2026-10-30T10:30:00+03:00",
        "site_name": "Riyadh Main Office",
        "site_number": "SITE001",
        "description": "Network connectivity failure",
        "technician_name": "Ali",
        "technician_number": "+9665XXXXXXXX"
      }
    }
  ]
}
```

3. Alert Intake Payload Field Specifications

The table below details all fields present in the request body payload. Data types are mapped directly from the production PostgreSQL schema (FLMHelpdesk (1).sql: tb_tickets, tb_nextask_events, tb_assignments). Fields marked with **[Additional Field]** denote extensions introduced in this architecture.

Field Name	PostgreSQL Data Type	Sample Value	Purpose / Description	Note
batch_id	VARCHAR(50)	BATCH001	Identify and group a batch of alerts	**[Additional Field]**
event_timestamp	TIMESTAMP WITH TIME ZONE	2026-10-30T10:30:00+03:00	Record root batch generation timestamp	**[Additional Field]**
branch.branch_id	VARCHAR(50)	BR001	Unique identifier of the facility / branch	**[Additional Field]**
branch.branch_name	VARCHAR(150)	Riyadh Main Office	Physical facility / branch name	Standard
branch.site_number	VARCHAR(50)	SITE001	Site code / branch number	Standard
alerts[].event_id	VARCHAR(50)	EVT001	Unique event identifier for idempotency	Standard
alerts[].event_type	VARCHAR(60)	ASSIGNMENT_REASSIGNED	Dispatch lifecycle action (CREATED / REASSIGNED)	Standard
alerts[].event_version	BIGINT	2	Sequence / revision version number	Standard
alerts[].alert_id	VARCHAR(50)	ALT1001	Separate alert reference distinct from ticket	**[Additional Field]**
alerts[].ticket.ticket_id	VARCHAR(50)	INC1001	Primary incident ticket reference number	Standard
alerts[].ticket.alarm_id	VARCHAR(50)	ALM5001	Monitoring sensor / alarm system ID	Standard
alerts[].ticket.issue_description	TEXT	Network connectivity failure	Problem description read to technician in call	Standard
alerts[].ticket.alarm_type	VARCHAR(100)	Network Failure	Classification of alarm (Power, HVAC, Network)	Standard
alerts[].ticket.severity	VARCHAR(30)	Critical	Ticket priority (Critical, Major, Minor)	Standard
alerts[].ticket.ticket_status	VARCHAR(50)	Assigned	Current lifecycle status of the ticket	Standard
alerts[].ticket.alarm_status	VARCHAR(50)	Active	Alarm sensor state (Active, Resolved)	Standard
alerts[].assignment.assignment_id	VARCHAR(50)	ASN002	Current dispatch assignment ID	Standard
alerts[].assignment.assignment_type	VARCHAR(30)	REASSIGNMENT	Assignment type: INITIAL or REASSIGNMENT	**[Additional Field]**
alerts[].assignment.previous_assignment_id	VARCHAR(50)	null / ASN001	Prior assignment ID during reassignment	**[Additional Field]**
alerts[].assignment.assigned_at	TIMESTAMP WITH TIME ZONE	2026-10-30T10:30:00+03:00	Timestamp when assignment was made	**[Additional Field]**
alerts[].technician.technician_id	VARCHAR(50)	ENG002	Field technician employee / staff code	Standard
alerts[].technician.name	VARCHAR(150)	Ali	Technician full name	Standard
alerts[].technician.mobile_number	VARCHAR(30)	+9665XXXXXXXX	Phone number dialed for primary call	Standard
alerts[].technician.preferred_language	VARCHAR(20)	English / Arabic	Preferred call IVR voice language	Standard
alerts[].team_leader.*	JSONB / VARCHAR	Mohammed (+9665XXXXXXXX)	1st escalation contact dialed if tech misses call	Standard
alerts[].manager.*	JSONB / VARCHAR	Khalid (+9665XXXXXXXX)	2nd escalation contact dialed if TL misses call	Standard
alerts[].acknowledgement.dtmf_digit	VARCHAR(10)	1	DTMF key digit required to accept call	Standard