```
Try the new cross-platform PowerShell https://aka.ms/pscore6
PS C:\Users\VirtualBox> sqlplus dbms/1234
SQL*Plus: Release 11.2.0.2.0 Production on Mon Jan 23 04:03:51 2023
Copyright (c) 1982, 2014, Oracle. All rights reserved.
Connected to:
Oracle Database 11g Express Edition Release 11.2.0.2.0 - 64bit Production
SQL> set linesize 1000;
SQL> set pagesize 1000;
SQL> -- Question 02
SQL> SELECT rollno FROM student WHERE name LIKE '%o%';
ROLLN
33837
33882
34055
34158
34195
34197
34386
34770
34788
34957
```

```
51862
51923
51955
51975
52076
52134
52203
52291
52371
52523
52750
52866
53165
53424
53485
53699
54605
54620
55009
55170
321 rows selected.
SQL>
SQL> -- Question 03
SQL> SELECT sex, COUNT(sex) FROM professor WHERE name LIKE '%a' AND startyear > 2000 GROUP BY sex;
no rows selected
```

```
SQL> -- Question 04
SQL> SELECT name FROM department WHERE deptid >= 10 AND phone LIKE '%55%';
NAME
Finance
Geology
Athletics
SQL>
SQL> -- Question 05
SQL> -- select name and startyear of hod having min(startyear in hod table)
SQL> SELECT name, empid, startyear FROM professor WHERE empid IN (SELECT hod FROM department) AND startyear = (SELECT MIN(sta
rtyear) FROM professor WHERE empid IN (SELECT hod FROM department));
NAME
                    EMPID STARTYEAR
         63395
McKinnon
                                1991
```

SQL>
SQL> -- Question 06
SQL> SELECT year, COUNT(grade) as Grade_A FROM enrollment WHERE grade = 'A' GROUP BY year ORDER BY year;

YEAR	GRADE_A
2001	28
2002	50
2003	64
2004	29

```
2003
                   64
      2004
      2005
                   46
SQL>
SQL> -- Question 07
SQL> -- Determine the number of courses for which each course serve as a prerequisite.
SQL> SELECT courseid, COUNT(courseid) FROM prerequisite GROUP BY courseid;
COURSEID COUNT(COURSEID)
169
209
236
254
292
324
353
443
631
792
795
802
972
158
258
338
```

```
947
958
239
545
559
586
618
852
875
457
544
629
647
694
760
864
77 rows selected.
SQL>
SQL> -- Question 08
SQL> SELECT sem, COUNT(sem) FROM teaching WHERE classroom LIKE '%R1%' GROUP BY sem;
       COUNT(SEM)
SEM
Even
0dd
```

SQL>