

# WEBSITE CODE

## CODE FOR ENTRY PAGE



```
<!DOCTYPE html>

<html>

<head>

<title>Entry page</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

body, html {

    height: 100%;

    margin: 0;

    font-family: Arial, Helvetica, sans-serif;

}

* {

/*Defines how the width and height of an element are calculated*/

    box-sizing: border-box;

}
```

```
.bg-img {  
  /* The image used */  
  background-image: url("m.jpg");  
  height:100%;  
  /* Center and scale the image nicely */  
  background-position: center;  
  background-repeat: no-repeat;  
  background-size: cover;  
  position: relative;  
}  
/* Position the navbar container inside the image */  
.container {  
  position: absolute;  
  margin: 20px;  
  width: auto;  
}  
/* The navbar */  
.topnav {  
  overflow: hidden;  
  background-color: #333;  
}  
/* Navbar links */  
.topnav a {  
  float: left;  
  color: #f2f2f2;  
  text-align: center;  
  padding: 14px 16px;  
  text-decoration: none;
```

```
    font-size: 17px;
}
.topnav a:hover {
    background-color: #ddd;
    color: black;
}
.topnav a.active {
    background-color: #4CAF50;
    color: white;
}
/* Add styles to the form container */
.container1 {
    position: absolute;
    right: 0;
    margin-top: 80px;
    margin-right: 60px;
    max-width: 300px;
    padding: 16px;
    background-color: white;
}
/* Full-width input fields */
input[type=text], input[type=password] {
    width: 100%;
    padding: 15px;
    margin: 5px 0 22px 0;
    border: none;
    background: #f1f1f1;
}
```

```
input[type=text]:focus, input[type=password]:focus {  
    background-color: white;  
    outline: none;  
}  
  
/* Set a style for the submit button */  
.btn {  
    background-color: red;  
    color: white;  
    padding: 16px 20px;  
    border: none;  
    cursor: pointer;  
    width: 50%;  
    opacity: 0.9;  
    float: left;  
}  
  
.btn:hover {  
    opacity: 1;  
}  
  
/* Set a style for the submit button */  
.btn1 {  
    background-color: blue;  
    color: white;  
    padding: 16px 20px;  
    border: none;  
    cursor: pointer;  
    width: 50%;  
    opacity: 0.9;  
    float: left;  
}
```

```

.btn1:hover {
    opacity: 1;
}
</style>
</head>
<body>
<div class="bg-img">
    <form class="container1">
        <h1>Login</h1>
        <label for="email"><b>Email</b></label>
        <input type="text" placeholder="Enter Email" name="email" required>
        <label for="psw"><b>Password</b></label>
        <input type="password" placeholder="Enter Password" name="psw" required>
        <button id="myButton" type="submit" class="btn" >Login</button>
    <script type="text/javascript">
        document.getElementById("myButton").onclick = function () {
            location.href =
"file:///C:/Users/ABHISHEK%20N/Desktop/WP%20presentation/Main%20page.html";
        };
    </script>
    <input type="button" class="btn1" value="Sign Up" onclick="">
    </form>
<div class="container">
    <div class="topnav">
        <a class="active"
href="file:///C:/Users/ABHISHEK%20N/Desktop/WP%20presentation/Entry%20Page.html">Home</a>
        <a href="https://www.pcgamer.com/news/">News</a>
        <a href="file:///C:/Users/ABHISHEK%20N/Desktop/WP%20presentation/Contact.html">Contact</a>
    </div>
    </div>
</div>

```

```
<a href="file:///C:/Users/ABHISHEK%20N/Desktop/WP%20presentation/About%20us.html">About Us</a>
```

```
</div>
```


```
</div>
```


```
</div>
```






```
</body>
```

```
</html>
```

## CODE FOR MAIN PAGE










## Why gaming sector?

United States recognizes eSports players as professional athletes. Major League Gaming has eSports arenas and studios across the nation. Robert Morris University has a League of Legends varsity team, whose members are eligible for scholarships.


[Learn More>](#)







[Learn More>](#)



## Gaming as a career!

The most important skills required in this field are creativity and passion. You can also pursue Career in Gaming after completing your B.Tech in computer science engineering as a Game developer. Candidates who are good in programming languages they also have good opportunities in the gaming industry.

[Learn More>](#)



Search..

f

t

G

in

Br

TEEN

T

®

ESRB

Language

Mild Blood

Mild Suggestive Themes

Violence

Search..




Top 3 FPS Games

Top 3 Developing Softwares

Top 3 Gaming Industries





```
<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">

<title>Goal hunters</title>

<style>

body, html {

    height: 100%;

    margin: 0;

}

.container {

    position: relative;

    font-family: Arial;

}

.centerImage

{

    text-align:center;
```

```
display:block;
}
.text-block {
  position: absolute;
  top: 250px;
  right: 5px;
  background-color: none;
  color: white;
  padding-left: 20px;
  padding-right: 20px;
}
* {box-sizing: border-box}
body {
  margin: 0;
  font-size: 28px;
  font-family: Arial, Helvetica, sans-serif;
}
.icon-bar {
  position: fixed;
  top: 50%;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  transform: translateY(-50%);
}
.icon-bar a {
  display: block;
  text-align: center;
  padding: 16px;
  transition: all 0.3s ease;
```

```
    color: white;
    font-size: 20px;
}
.icon-bar a:hover {
    background-color: #000;
}
.facebook {
    background: #3B5998;
    color: white;
}
.twitter {
    background: #55ACEE;
    color: white;
}
.tab {
    display:inline-block;
    margin-left: 170px;
}
.tab1 {
    display:inline-block;
    margin-left: 210px;
}
.google {
    background: #dd4b39;
    color: white;
}
.linkedin {
    background: #007bb5;
    color: white;
```

```
}  
  
.backcolor{  
    align: center;  
    color:#bcbcbc;  
}  
  
.cen{  
    background-position:50% 50%;  
}  
  
.youtube {  
    background: #bb0000;  
    color: white;  
}  
  
.content {  
    margin-left: 75px;  
    font-size: 30px;  
}  
  
.bg-img {  
    background-image: url("wall.jpg");  
  
    min-height: 800px;  
  
    background-position: center;  
    background-repeat: no-repeat;  
    background-size: cover;}  
  
.navbar {  
    overflow: hidden;  
    background-color: black;  
    position: fixed;
```

```
top: 0;
width: 100%;
}
.navbar a {
float: left;
font-size: 17px;
padding: 14px 16px;
display: block;
color: white;
text-decoration: none;
text-align: center;
}
.navbar a.active {
background-color: black;
}
.navbar .search-container {
float: right;
}
.navbar input[type=text] {
padding: 6px;
margin-top: 8px;
font-size: 17px;
border: none;
}
.navbar .search-container button {
float: right;
padding: 6px 10px;
margin-top: 8px;
margin-right: 16px;
```

```
background: #ddd;
font-size: 17px;
border: none;
cursor: pointer;
}

.navbar .search-container button:hover {
background: #ccc;
}

@media screen and (max-width: 600px) {
.topnav .search-container {
float: none;
}

.navbar a, .navbar input[type=text], .navbar .search-container button {
float: none;
display: block;
text-align: left;
width: 100%;
margin: 0;
padding: 14px;
}

.navbar input[type=text] {
border: 1px solid #ccc;
}
}

@media screen and (max-width: 500px) {
.navbar a {
float: none;
display: block;
width: 100%;
```

```
}  
}  
body {  
  font-family: 'Lato', sans-serif;  
}  
.overlay {  
  height: 100%;  
  width: 0;  
  position: fixed;  
  z-index: 1;  
  top: 0;  
  left: 0;  
  background-color: rgb(0,0,0);  
  background-color: rgba(0,0,0, 0.9);  
  overflow-x: hidden;  
  transition: 0.5s;  
}  
.overlay-content {  
  position: relative;  
  top: 25%;  
  width: 100%;  
  text-align: center;  
  margin-top: 30px;  
}  
.overlay a {  
  padding: 8px;  
  text-decoration: none;  
  font-size: 36px;  
  color: #818181;
```



```
display: block;

transition: 0.3s;
}

.overlay a:hover, .overlay a:focus {

color: #f1f1f1;
}

.overlay .closebtn {

position: absolute;

top: 20px;

right: 45px;

font-size: 60px;
}

@media screen and (max-height: 450px) {

.overlay a {font-size: 20px}

.overlay .closebtn {

font-size: 40px;

top: 15px;

right: 35px;
}
}

.parallax {

/* The image used */
background-image: url("i.jpg");

/* Set a specific height */
height: 100%;

/* Create the parallax scrolling effect */
background-attachment: fixed;

background-position: center;

background-repeat: no-repeat;
```

```
background-size: cover;
}

.parallax1 {
  /* The image used */
  background-image: url("g.jpg");
  /* Set a specific height */
  min-height: 400px;
  /* Create the parallax scrolling effect */
  background-attachment: fixed;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
}

.parallax2 {
  /* The image used */
  background-image: url("d.jpg");
  /* Set a specific height */
  min-height: 600px;
  /* Create the parallax scrolling effect */
  background-attachment: fixed;
  background-position: center;
  background-repeat: no-repeat;
  background-size: cover;
}

.accordion {
  background-color: black;
  color: #444;
  cursor: pointer;
  padding: 22px;
```

```
width: 100%;
border: none;
text-align: left;
outline: none;
font-size: 20px;
transition: 0.4s;
}
.active, .accordion:hover {
background-color: white;
}
.panel {
padding: 0 18px;
display: none;
background-color: white;
overflow: hidden;
}
</style>
</head>
<body>
<script>
function openNav() {
document.getElementById("myNav").style.width = "100%";
}
function closeNav() {
document.getElementById("myNav").style.width = "0%";
}
</script>
<div class="bg-img">
<div class="container">
```

```
</div>

<div class="navbar">

<div class="container" onclick="openNav()">

<a class="active" href="#"><i class="fa fa-bars" aria-hidden="true"></i></a></div>

<div class="search-container">

  <form action="/action_page.php">

    <input type="text" placeholder="Search.." name="search">

    <button type="submit"><i class="fa fa-search"></i></button>

  </form>

</div>

</div>

</div>

<div id="myNav" class="overlay">

  <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>

  <div class="overlay-content">

    <a href="#">Home</a>

    <a href="Gallery.html">Gallery</a>

    <a href="Shop now.html">Shop now</a>

    <a href="About us.html">About Us</a>

  </div>

</div>

<div class="icon-bar">

  <a href="https://facebook.com" class="facebook"><i class="fa fa-facebook"></i></a>

  <a href="https://twitter.com" class="twitter"><i class="fa fa-twitter"></i></a>

  <a href="https://google.co.in" class="google"><i class="fa fa-google"></i></a>

  <a href="https://linkedin.com" class="linkedin"><i class="fa fa-linkedin"></i></a>

  <a href="https://youtube.com" class="youtube"><i class="fa fa-youtube"></i></a>
```

</div>

<div class="parallax"></div>

<div style="height:300px;background-color:white;text-align:Justify;font-size:21px">

<h1><center>Why gaming sector?</center></h1>

<h4>The United States recognizes eSports players as professional athletes. Major League Gaming has eSports arenas and studios across the nation. Robert Morris University has a League of Legends varsity team, whose members are eligible for scholarships.</h4>

<p><center><a href="https.google.co.in" style="color:black" >Learn More</a></center></p>

</div>

<div class="parallax1"></div>

<div style="height:300px;background-color:white;text-align:justify;font-size:21px">

<h1><center>Gaming as a career!</center></h1>

<h4>The most important skills required in this field are creativity and passion. You can also pursue Career in Gaming after completing your B.Tech in computer science engineering as a Game developer. Candidates who are good in programming languages they also have good opportunities in the gaming industry.</h4>

<p><center><a href="file:///C:/Users/ABHISHEK%20N/Desktop/WP%20presentation/Career.html" style="color:black" >Learn More</a></center></p>

</div>

<video width="100%" controls id="myvideo">

<source src="crew.mp4" type="video/mp4">

<source src="rain.ogg" type="video/ogg">

</video>

<script>

var elem = document.getElementById("myvideo");

function openFullscreen() {

if (elem.requestFullscreen) {

elem.requestFullscreen();

} else if (elem.mozRequestFullScreen) { /\* Firefox \*/

elem.mozRequestFullScreen();

} else if (elem.webkitRequestFullscreen) { /\* Chrome, Safari & Opera \*/

```
    elem.webkitRequestFullscreen();
} else if (elem.msRequestFullscreen) { /* IE/Edge */
    elem.msRequestFullscreen();
}
}
</script>

<div class="parallax2"></div>

<button class="accordion">Top 3 FPS Games</button>

<div class="panel">

<p>





</p>

</div>

<button class="accordion">Top 3 Developing Softwares</button>

<div class="panel">





</div>

<button class="accordion">Top 3 Gaming Industries</button>

<div class="panel">

<p>





</p>

</div>
```

```
<footer style="background: white">

  <p ><center>Copyright © 2019 Goal hunters Inc. All rights reserved</center></p>

</footer>

<script>

var acc = document.getElementsByClassName("accordion");
var i;

for (i = 0; i < acc.length; i++) {
  acc[i].addEventListener("click", function() {
    this.classList.toggle("active");
    var panel = this.nextElementSibling;
    if (panel.style.display === "block") {
      panel.style.display = "none";
    } else {
      panel.style.display = "block";
    }
  });
}

</script></body>

</html>
```



## CODE FOR GAMING AS CAREER PAGE (Learn More)



### Eligibility Criteria

- The minimum eligibility required for most of these courses is 10+2 or its equivalent.
- Relevant educational qualification in the fields of animation, graphic designing, game designing/ technology etc. is necessary for obtaining an excellent career in the gaming industry.
- Those interested in pursuing a career in gaming industry should focus on gaining knowledge with computer programming in an object-oriented language such as C++ or Java, from their high school level, so that they can build a bright future for themselves.
- For becoming a Game programmer, one should have B.E/ B.Tech degree in computer engineering.
- Online courses are also available in game design and animation. Those with have an innate desire to learn gaming and excellent technical skills can excel in this field.





### The personal attributes needed to excel in the gaming industry:

- The first and foremost thing needed for an individual to become an expert professional in the gaming industry is the strong interest and liking for the game.
- Candidates wanting to make a career in game designing must be aware of software, creative and understand the game play theory.
- Time management is also an important characteristic needed for a game designer.

A screenshot of a web browser window. The address bar shows the file path: file:///C:/Users/ABHISHEK N/Desktop/WP presentation/Career.html. The main content area displays a photograph of a young man and woman smiling while playing a video game together. The man is holding a game controller. The browser's taskbar at the bottom shows various application icons, including the Start button, search bar, and icons for Edge, Mail, Photos, File Explorer, Chrome, Word, and Teams. The system clock in the bottom right corner indicates the time is 6:51 PM on 4/9/2019.

### Top 5 institutes in India:

1. Asian Institute of Gaming and Animation, Bangalore
2. Global Institute of Gaming and Animation - GIGA C
3. Eden Animation & Gaming Academy, Bikaner
4. Academy of Animation and Gaming (AAG) Gurgaon
5. IIFA Multimedia (Institute for Interior Fashion and Animation)

**Top 5 institutes in India:**

1. Asian Institute of Gaming and Animation, Bangalore
2. Global Institute of Gaming and Animation - GIGA C
3. Eden Animation & Gaming Academy, Bikaner
4. Academy of Animation and Gaming (AAG) Gurgaon
5. IIFA Multimedia (Institute for Interior Fashion and Animation)

**Top 5 institutes in abroad:**

1. University of South Wales
2. Anglia Ruskin University
3. London South Bank University
4. Plymouth University
5. Glasgow Caledonian University

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
```

```
<title>Gaming as a career</title>
```

```
<style>
```

```
body, html {
```

```
    height: 100%;
```

```
margin: 0;
```

```
    font-family: Arial, Helvetica, sans-serif;
```

```
}
```

```
.bg-img {
```

```
    /* The image used */
```

```
    background-image: url("p.jpeg");
```

```
    height:100%;
```

```
    /* Center and scale the image nicely */
```

```
    background-position: center;
```

```
background-repeat: no-repeat;

background-size: cover;

position: relative;
}

.text-block {

position: absolute;

top: 250px;

right: 5px;

background-color: none;

color: white;

padding-left: 20px;

padding-right: 20px;

font-size: 70px;
}

.parallax {

/* The image used */

background-image: url("q.jpg");

/* Set a specific height */

min-height: 400px;

/* Create the parallax scrolling effect */

background-attachment: fixed;

background-position: center;

background-repeat: no-repeat;

background-size: cover;
}

.parallax1 {

/* The image used */

background-image: url("r.jpg");
```

```

/* Set a specific height */
min-height: 400px;

/* Create the parallax scrolling effect */
background-attachment: fixed;
background-position: center;
background-repeat: no-repeat;
background-size: cover;
}
</style>
</head>
<body>
<div class="bg-img">
<div class="text-block">
  <h1 style="color:#00FF00;">Gaming as a career!</h1>
</div>
</div>
<h2><center>Eligibility Criteria</center></h2>
<ul>
<li>The minimum eligibility required for most of these courses is 10+2 or its equivalent.</li><br/>
<li>Relevant educational qualification in the fields of animation, graphic designing, game designing/
technology etc. is necessary for obtaining an excellent career in the gaming industry.</li><br/>
<li>Those interested in pursuing a career in gaming industry should focus on gaining knowledge with
computer programming in an object-oriented language such as C++ or Java, from their high school level,
so that they can build a bright future for themselves.</li><br/>
<li>For becoming a Game programmer, one should have B.E/ B.Tech degree in computer
engineering.</li><br/>
<li>Online courses are also available in game design and animation. Those with have an innate desire to
learn gaming and excellent technical skills can excel in this field.</li><br/>
</ul>

```

<div class="parallax"></div>

<h2>The personal attributes needed to excel in the gaming industry:</h2>

<ul>

<li>The first and foremost thing needed for an individual to become an expert professional in the gaming industry is the strong interest and liking for the game.</li><br/>

<li>Candidates wanting to make a career in game designing must be aware of software, creative and understand the game play theory.</li><br/>

<li>Time management is also an important characteristic needed for a game designer.</li><br/>

</ul>

<div class="parallax1"></div>

<h2>Top 5 institutes in India:</h2>

<ol>

<li>Asian Institute of Gaming and Animation, Bangalore</li><br/>

<li>Global Institute of Gaming and Animation - GIGA C</li><br/>

<li>Eden Animation & Gaming Academy, Bikaner</li><br/>

<li>Academy of Animation and Gaming (AAG) Gurgaon</li><br/>

<li>IIFA Multimedia (Institute for Interior Fashion and Animation)</li><br/>

</ol>

<h2>Top 5 institutes in abroad:</h2>

<ol>

<li>University of South Wales</li><br/>

<li>Anglia Ruskin University</li><br/>

<li>London South Bank University</li><br/>

<li>Plymouth University</li><br/>

<li>Glasgow Caledonian University</li><br/>


</ol>

</body>

</html>



# CODE FOR GALLERY PAGE



```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Gallery</title>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
```



```
<style>

.btn {
    background-color: DodgerBlue;
    border: none;
    color: white;
    margin: 10px;
    padding: 12px 30px;
    cursor: pointer;
    font-size: 20px;
}

.btn:hover {
    background-color: RoyalBlue;
}

body {
    font-family: Arial;
    margin: 0;
}

* {
    box-sizing: border-box;
}

img {
    vertical-align: middle;
}

/* Position the image container (needed to position the left and right arrows) */
.container {
    position: relative;
}

/* Hide the images by default */
.mySlides {
```

```
display: none;
}
/* Add a pointer when hovering over the thumbnail images */
.cursor {
  cursor: pointer;
}
/* Next & previous buttons */
.prev,
.next {
  cursor: pointer;
  position: absolute;
  top: 40%;
  width: auto;
  padding: 16px;
  margin-top: -50px;
  color: white;
  font-weight: bold;
  font-size: 20px;
  border-radius: 0 3px 3px 0;
  user-select: none;
  -webkit-user-select: none;
}
/* Position the "next button" to the right */
.next {
  right: 0;
  border-radius: 3px 0 0 3px;
}
/* On hover, add a black background color with a little bit see-through */
.prev:hover,
```

```
.next:hover {  
    background-color: rgba(0, 0, 0, 0.8);  
}  
  
/* Number text (1/3 etc) */  
.numbertext {  
    color: #f2f2f2;  
    font-size: 12px;  
    padding: 8px 12px;  
    position: absolute;  
    top: 0;  
}  
  
/* Container for image text */  
.caption-container {  
    text-align: center;  
    background-color: #222;  
    padding: 2px 16px;  
    color: white;  
}  
  
.row:after {  
    content: "";  
    display: table;  
    clear: both;  
}  
  
/* Six columns side by side */  
.column {  
    float: left;  
    width: 16.66%;  
}
```

```

/* Add a transparency effect for thumbnail images */
.demo {
  opacity: 0.6;
}

.active,
.demo:hover {
  opacity: 1;
}
</style>
</head>
<body bgcolor=" #eaecee">
<button class=btn onclick="typeWriter()">Download</button>
<p id="demo"></p>
<script>
var i = 0;
var str = "Warning: Images are subject to copyrights.";
var result = str.fontcolor("red");
var speed = 100;
function typeWriter() {
  if (i < str.length) {
    document.getElementById("demo").innerHTML += str.charAt(i);
    i++;
    setTimeout(typeWriter, speed);
  }
}
</script>
<div class="container">
  <div class="mySlides">
    <div class="numbertext">1 / 6</div>

```

```

</div>
<div class="mySlides">
  <div class="numbertext">2 / 6</div>
  
</div>
<div class="mySlides">
  <div class="numbertext">3 / 6</div>
  
</div>
<div class="mySlides">
  <div class="numbertext">4 / 6</div>
  
</div>
<div class="mySlides">
  <div class="numbertext">5 / 6</div>
  
</div>
<div class="mySlides">
  <div class="numbertext">6 / 6</div>
  
</div>
<a class="prev" onclick="plusSlides(-1)"></a>
<a class="next" onclick="plusSlides(1)">></a>
<div class="caption-container">
  <p id="caption"></p>
</div>
<div class="row">
  <div class="column">
```

```

```

```
</div>
```

```
<div class="column">
```

```

```

```
</div>
```

```
<div class="column">
```

```

```

```
</div>
```

```
<div class="column">
```

```

```

```
</div>
```

```
<div class="column">
```

```

```

```
</div>
```

```
<div class="column">
```

```

```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
var slideIndex = 1;
```

```
showSlides(slideIndex);
```


```
function plusSlides(n) {
```

```
    showSlides(slideIndex += n);
```

```
}
```

```
function currentSlide(n) {  
    showSlides(slideIndex = n);  
}  
  
function showSlides(n) {  
    var i;  
    var slides = document.getElementsByClassName("mySlides");  
    var dots = document.getElementsByClassName("demo");  
    var captionText = document.getElementById("caption");  
    if (n > slides.length) {slideIndex = 1}  
    if (n < 1) {slideIndex = slides.length}  
    for (i = 0; i < slides.length; i++) {  
        slides[i].style.display = "none";  
    }  
    for (i = 0; i < dots.length; i++) {  
        dots[i].className = dots[i].className.replace(" active", "");  
    }  
    slides[slideIndex-1].style.display = "block";  
    dots[slideIndex-1].className += " active";  
    captionText.innerHTML = dots[slideIndex-1].alt;  
}  
  
</script>  
  
</body>  
  
</html>
```

# CODE FOR SHOP NOW PAGE



```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Shop</title>
```

```
</head>
```

```
<style>
```

```
body, html {
```

```
    height: 100%;
```

```
    margin: 0;
```

```
}
```

```
.bgimg {
```

```
    background-image: url(f.jpg);
```

```
    height: 100%;
```

```
    background-position: center;
```

```
    background-size: cover;
```



```
position: relative;

color: white;

font-family: "Courier New", Courier, monospace;

font-size: 25px;

}

.topleft {

position: absolute;

top: 0;

left: 16px;

}

.bottomleft {

position: absolute;

bottom: 0;

left: 16px;

}

.middle {

position: absolute;

top: 50%;

left: 50%;

transform: translate(-50%, -50%);

text-align: center;

}

hr {

margin: auto;

width: 40%;

}

</style>

<body>
```

```

<div class="bgimg">

  <div class="topleft">

    <p>Goal hunters</p>

  </div>

  <div class="middle">

    <h1>COMING SOON</h1>

    <hr>

    <p>69 days left</p>

  </div>

  <div class="bottomleft">

    <p>The wait is worth...</p>

  </div>

</div>

</body>

</html>






```

## CODE FOR ABOUT US PAGE

### About Developers

If you run in gaming circles, you've surely heard of Goal hunters. Over the past week, this has become one of the world's most popular gaming frameworks. Almost all gamers refer this website for gaming knowledge.

### Meet the team

				
<b>Abhishek N</b>	<b>Harsha</b>	<b>B Dinesh</b>	<b>K S Rahul</b>	<b>Ezhil Ajith</b>
Developer & Designer	Developer & Designer	Developer & Designer	Developer & Designer	Developer & Designer
Ambitious, Diligent, Passionate...	Ambitious, Diligent, Passionate...	Ambitious, Diligent, Passionate...	Ambitious, Diligent, Passionate...	Ambitious, Diligent, Passionate...
<a href="mailto:abhi@gmail.com">abhi@gmail.com</a>	<a href="mailto:harsha@gmail.com">harsha@gmail.com</a>	<a href="mailto:dinesh@gmail.com">dinesh@gmail.com</a>	<a href="mailto:rahul@gmail.com">rahul@gmail.com</a>	<a href="mailto:ajith@gmail.com">ajith@gmail.com</a>
Contact	Contact	Contact	Contact	Contact

```
<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<title>About us</title>

<style>

html {

    box-sizing: border-box;

}

*, *:before, *:after {

    box-sizing: inherit;

}

.column {

    float: left;

    width: 20%;

    margin-bottom: 16px;

    padding: 0 8px;

}

@media screen and (max-width: 650px) {

    .column {

        width: 100%;

        display: block;

    }

}

.card {

    box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);

}

.container {

    padding: 0 16px;
```

```
}  
  
.container::after, .row::after {  
  content: "";  
  clear: both;  
  display: table;  
}  
  
.title {  
  color: grey;  
  font-size: 18px;  
}  
  
.button {  
  border: none;  
  outline: 0;  
  display: inline-block;  
  padding: 8px;  
  color: white;  
  background-color: red;  
  text-align: center;  
  cursor: pointer;  
  width: 100%;  
  font-size: 18px;  
}  
  
a {  
  text-decoration: none;  
  font-size: 22px;  
  color: #fdfeff;  
}  
  
button:hover, a:hover {  
  opacity: 0.7;
```

```
}

</style>

</head>

<body bgcolor="#000000">

<h1 style="color:white;">About Developers</h1>

<p style="color:white;">If you run in gaming circles, you've surely heard of Goal hunters. Over the past week, this has become one of the world's most popular gaming frameworks. Almost all gamers refer this website for gaming knowledge.</p>

<h1 style="background-color:#0000ff;"><center>Meet the team</center></h1>

<div class="row">

  <div class="column">

    <div class="card">

      <div class="container">

        <h2 style="color:white;">Abhishek N</h2>

        <p class="title">Developer & Designer</p>

        <p style="color:white;">Ambitious, Diligent, Passionate...</p>

        <p style="color:blue;">abhi@gmail.com</p>

        <p><button class="button">Contact</button></p>

      </div>

    </div>

  </div>

  <div class="column">

    <div class="card">

      <div class="container">

        <h2 style="color:white;">Harsha</h2>

        <p class="title">Developer & Designer</p>

        <p style="color:white;">Ambitious, Diligent, Passionate...</p>

      </div>

    </div>

  </div>

</div>
```


```
<p style="color:blue;">harsha@gmail.com</p>
<p><button class="button">Contact</button></p>
</div>
</div>
</div>
<div class="column">
  <div class="card">
    
    <div class="container">
      <h2 style="color:white;">B Dinesh</h2>
      <p class="title">Developer & Designer</p>
      <p style="color:white;">Ambitious, Diligent, Passionate...</p>
      <p style="color:blue;">dinesh@gmail.com</p>
      <p><button class="button">Contact</button></p>
    </div>
  </div>
</div>
</div>
<div class="column">
  <div class="card">
    
    <div class="container">
      <h2 style="color:white;">K S Rahul</h2>
      <p class="title">Developer & Designer</p>
      <p style="color:white;">Ambitious, Diligent, Passionate...</p>
      <p style="color:blue;">rahul@gmail.com</p>
      <p><button class="button">Contact</button></p>
    </div>
  </div>
</div>
</div>
```

```
<div class="column">
  <div class="card">
    
    <div class="container">
      <h2 style="color:white;">Ezhil Ajith</h2>
      <p class="title">Developer & Designer</p>
      <p style="color:white;">Ambitious, Diligent, Passionate...</p>
      <p style="color:blue;">ajith@gmail.com</p>
      <p><button class="button">Contact</button></p>
    </div>
  </div>
</div>
</div>
</div>
</body>
</html>
```

# CODE FOR CONTACT PAGE

---

Feel free to get in touch



```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Contact info</title>
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
```

```
<style>
```

```
.card {
```

```
    box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
```

```
    max-width: 300px;
```

```
    margin: auto;
```

```
    text-align: center;
```

```
    font-family: arial;
```

```
}
```

```
.title {
```

```
    color: grey;
```

```
    font-size: 18px;
```



```
}  
  
button {  
    border: none;  
    outline: 0;  
    display: inline-block;  
    padding: 8px;  
    color: white;  
    background-color: #000;  
    text-align: center;  
    cursor: pointer;  
    width: 100%;  
    font-size: 18px;  
}  
  
a {  
    text-decoration: none;  
    font-size: 22px;  
    color: black;  
}  
  
button:hover, a:hover {  
    opacity: 0.7;  
}  
  
</style>  
</head>  
  
<body>  
  
<h2 style="text-align:center">Feel free to get in touch</h2>  
  
<div class="card">  
  
      
  
    <h1>Goal Hunters</h1>  
  
    <p class="title">support@goalhunters.com</p>
```

```
<p>Bengaluru</p>
<div style="margin: 24px 0;">
  <a href="#"><i class="fa fa-dribbble"></i></a>
  <a href="#"><i class="fa fa-twitter"></i></a>
  <a href="#"><i class="fa fa-linkedin"></i></a>
  <a href="#"><i class="fa fa-facebook"></i></a>
</div>
<p><button>Contact</button></p>
</div>
</body>
</html>
```

❖ The website was developed with the help of **w3schools** and **stackoverflow.com**

# THANK YOU!