
CAP4770/5771 Introduction to Data Science Fall 2015


University of Florida, CISE Department Prof. Daisy Zhe Wang



Based on notes from CS194 at UC Berkeley by Michael Franklin, John Canny, and Jeff Hammerbacher

Data Wrangling

Data Types
Data Sources
Data Models
Data Preparation






- Big Picture
- Data Types and Sources
- Data Models
- Data Preparation




Data Science – One Definition





The Big Picture





What are your...

- Data Sources?
- ETL Process/Workflow and tools?
- Data Warehouse?
- Business Intelligence and Analytics?



The Businessperson

- Data Sources
 - Web pages
 - Excel
- ETL
 - Copy and paste
- Data Warehouse
 - Excel
- Business Intelligence and Analytics
 - Excel functions
 - Excel charts



■ The Programmer

- Data Sources
 - Web scraping, web services API
 - Excel spreadsheet exported as CSV
 - Database queries
- ETL
 - wget, curl, Beautiful Soup, lxml
- Data Warehouse
 - Flat files
- Business Intelligence and Analytics
 - Numpy, Matplotlib, R, Matlab



The Enterprise

- Data Sources
 - Application databases
 - Intranet files
 - Application server log files
- ETL
 - Informatica, IBM DataStage, Ab Initio, Talend
- Data Warehouse
 - Teradata, Oracle, IBM DB2, Microsoft SQL Server
- Business Intelligence and Analytics
 - Business Objects, Cognos, Microstrategy
 - SAS, SPSS, R



The Web Company

- Data Sources
 - Application databases
 - Logs from the services tier
 - Web crawl data
- ETL
 - Flume, Sqoop, Pig, Crunch, Oozie
- Data Warehouse
 - Hadoop/Hive, Spark/Shark
- Business Intelligence and Analytics
 - Custom dashboards: Argus, BirdBrain
 - -R



Compare to Categories in the Kandel et al. Paper?

- Hackers?
- Scripters
- Application Users

- The process:
- Discover, Wrangle, Profile, Model, Report
 - Today we'll start discussing "Wrangling"
 - integrating, cleaning are next topic



Impediments to Collaboration

- Diversity of tools and PLs makes it hard to share
- Finding a script or computed result is harder than just writing the program from scratch!
 - Why is this?
- View that much of the analysis work is "throw away"



- Big Picture
- Data Types and Sources
- Data Models
- Data Preparation



Data Sources at Web Companies

- Examples from Facebook
 - Application databases
 - Web server logs
 - Event logs
 - API server logs
 - Ad server logs
 - Search server logs
 - Advertisement landing page content
 - Wikipedia (and other knowledge bases)
 - Images and video

From structured to unstructured



- What is a table?
 - A table is a collection of rows and columns
 - Each row has an index (a.k.a., key)
 - Each column has a name
 - A **cell** is specified by an (index, name) pair
 - A cell may or may not have a value



Tabular Data

• Fortune 500


	Α	В	С	D	E	F	G	Н	- 1
1	rank	company	cik	ticker	sic	state_location	state_of_incorporation	revenues	profits
2	1	Wal-Mart Stores	104169	WMT	5331	AR	DE	421849	16389
3	2	Exxon Mobil	34088	XOM	2911	TX	NJ	354674	30460
4	3	Chevron	93410	CVX	2911	CA	DE	196337	19024
5	4	ConocoPhillips	1163165	COP	2911	TX	DE	184966	11358
6	5	Fannie Mae	310522	FNM	6111	DC	DC	153825	-14014
7	6	General Electric	40545	GE	3600	CT	NY	151628	11644
8	7	Berkshire Hathaway	1067983	BRKA	6331	NE	DE	136185	12967
9	8	General Motors	1467858	GM	3711	MI	MI	135592	6172
10	9	Bank of America Corp.	70858	BAC	6021	NC	DE	134194	-2238
11	10	Ford Motor	37996	F	3711	MI	DE	128954	6561
12	11	Hewlett-Packard	47217	HPQ	3570	CA	DE	126033	8761
13	12	AT&T	732717	T	4813	TX	DE	124629	19864
14	13	J.P. Morgan Chase & Co.	19617	JPM	6021	NY	DE	115475	17370
15	14	Citigroup	831001	С	6021	NY	DE	111055	10602
16	15	McKesson	927653	MCK	5122	CA	DE	108702	1263
17	16	Verizon Communications	732712	VZ	4813	NY	DE	106565	2549
18	17	American International Group	5272	AIG	6331	NY	DE	104417	7786
19	18	International Business Machines	51143	IBM	3570	NY	NY	99870	14833
20	19	Cardinal Health	721371	CAH	5122	ОН	OH	98601.9	642.2
21	20	Freddie Mac	37785	FMC	2800	PA	DE	98368	-14025



Tabular Data

Fortune 500


Fortune 500 with ticker and EDGAR \(\pi\)





Tabular Data (csv)

• Fortune 500






Protein Data Bank

```
HEADER APOPTOSIS
                                05-OCT-10 3IZA
TITLE STRUCTURE OF AN APOPTOSOME-PROCASPASE-9 CARD COMPLEX
COMPND MOL ID: 1;
COMPND 2 MOLECULE: APOPTOTIC PROTEASE-ACTIVATING FACTOR 1:
COMPND 3 CHAIN: A, B, C, D, E, F, G;
COMPND 4 SYNONYM: APAF-1:
COMPND 5 ENGINEERED: YES
SOURCE MOL ID: 1:
SOURCE 2 ORGANISM_SCIENTIFIC: HOMO SAPIENS;
SOURCE 3 ORGANISM COMMON: HUMAN;
SOURCE 4 ORGANISM TAXID: 9606:
SOURCE 5 GENE: APAF1, KIAA0413;
SOURCE 6 EXPRESSION SYSTEM: SPODOPTERA FRUGIPERDA:
SOURCE 7 EXPRESSION SYSTEM TAXID: 7108:
SOURCE 8 EXPRESSION SYSTEM STRAIN: SF21:
SOURCE 9 EXPRESSION SYSTEM VECTOR TYPE: INSECT VIRUS:
SOURCE 10 EXPRESSION SYSTEM PLASMID: PFASTBAC1
KEYWDS APOPTOSOME, APAF-1, PROCASPASE-9 CARD, APOPTOSIS
EXPDTA ELECTRON MICROSCOPY
AUTHOR S.YUAN, X.YU, M.TOPF, S.J.LUDTKE, X.WANG, C.W.AKEY
REVDAT 1 03-NOV-10 3IZA 0
SPRSDE 03-NOV-10 3IZA 3IYT
JRNL AUTH S.YUAN,X.YU,M.TOPF,S.J.LUDTKE,X.WANG,C.W.AKEY
JRNL TITL STRUCTURE OF AN APOPTOSOME-PROCASPASE-9 CARD COMPLEX
JRNL REF STRUCTURE
                                V. 18 571 2010
```



Internet of Things: Example measurements



In the news: Erika: data collecting sensors are dropped by airplanes



Tabular Data from Sensors

Challenges

- May be many missing fields (a particular sensor may not produce all types of output).
- Device may go offline for a while.
- Device may be damaged (permanently or intermittently).
- Timestamps usually critical but may not be accurate.
- Other meta-data (location, device ID) may have errors.



Log Files – Example Apache Web Log

Processes, usually daemons, create logs e.g., httpd, mysqld, syslogd

- 66.249.65.107 - [08/Oct/2007:04:54:20 -0400] "GET /support.html
 HTTP/1.1" 200 11179 "-" "Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)"
- 111.111.111.111 - [08/Oct/2007:11:17:55 -0400] "GET / HTTP/1.1" 200 10801 "http://www.google.com/search?q=log+analyzer&ie=utf-8&oe=utf-8 & aq=t&rls=org.mozilla:en-US:official&client=firefox-a" "Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8.1.7) Gecko/20070914 Firefox/2.0.0.7"
- 111.111.111.111 - [08/Oct/2007:11:17:55 -0400] "GET /style.css HTTP/1.1" 200 3225 ""<a href="http://www.loganalyzer.net/" "Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8.1.7) Gecko/20070914 Firefox/2.0.0.7"



Syslog – A Standard for System Messages

- Developed by Eric Allman (at Berkeley) as part of the Sendmail project
- Standardized by the IETF in RFC 3164 and RFC 5424
- Listens on port 514 using UDP
- Puts data in /var/log/messages by default





dhcp-47-129:DataScienceF14> syslog -w 10

- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMAccounting read:]: unexpected field ID 23 with type 8. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMUser read:]: unexpected field ID 17 with type 12. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMAuthenticationResult read:]: unexpected field ID 6 with type 11. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMAuthenticationResult read:]: unexpected field ID 7 with type 11. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMAccounting read:]: unexpected field ID 19 with type 8. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMAccounting read:]: unexpected field ID 23 with type 8. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMUser read:]: unexpected field ID 17 with type 12. Skipping.
- Feb 3 15:18:11 dhcp-47-129 Evernote[1140] < Warning>: -[EDAMSyncState read:]: unexpected field ID 5 with type 10. Skipping.
- Feb 3 15:18:49 dhcp-47-129 com.apple.mtmd[47] <Notice>: low priority thinning needed for volume Macintosh HD (/) with $18.9 \le 20.0$ pct free space



"Splunking"


- Grab data from many machines
- Index it
- Check for unusual events:
 - Disk problems
 - Network congestion
 - Security attacks
- Monitor Resources
 - Network
 - Memory usage
 - Disk use, latency
 - Threads
- Dashboard for cloud administration.



"Splunking"



The Structure Spectrum



Graph Data

Lots of interesting data has a graph structure:

- Social networks
- Communication networks
- Computer Networks
- Road networks
- Citations
- Collaborations/Relationships
- •

Some of these graphs can get quite large (e.g., Facebook* user graph)

