

LABORATORY WORK BOOK

Nar	ne of the	Student :	HIMAKE	IR	\subset						-	
Cla	ss <i>Ç</i>	SE-B	Semeste	r	VL				Roll Number			
			co9 Cours				र ज्याचित्रवर्ष	219	5 1 A	0 5	5	
										JARE:	10996	
Exe	rcise Nu	mber :	ilty		.Weel	k Number :.	08	(++)I	Date : 1	1061:	24	
S. No.	Exercise	EXERCISE NAME		MARKS AWARDED								
				Aim/ Preparation		Algorithm / Procedure (Source, Code	Program Execution	_ VIVA -	Total	
	Number							Calculations and Graphs	Results and Error Analysis	Voce		
									4	4	20	
1	8.1	Linear	Search	्व	OLY	NOF :	Y 3	Permer V	1) 3an	Y	20	
2	8.2	Binary	search			,			-	_	1	
3	8.3	Menge	Sort									
4				2	17	ε	2 1	: 2/194	rolo s	of t	:	
5				7		Seasch	- छर्	tran	vers s	· / · · ·		
6						-				3		
7												
8				1		No. of No.	7. 7	MASM	3/3 6	ndm9		
9				-	/	77030		JIV TERY	1/ 0	J.K.	j	
10			100				\$1100		T Inc	1131		
11			16.7									
12									4			

Signature of the Student

Signature of the Faculty

START WRITING FROM HERE

8-1 Linear search

pesion, develop, ende + run the program in suitable foregramming language to implement linear Search algorithm.

DEDITOR TO

1 = 16+ (map (int, input (Enter elements: 1). 5 Pit ())

n = int(input('Enter element to search: 1))

fog:

Print (lindex(n))

except:

Parint ('Element not found in list.')

INPUTIOUTPUT:

Test-case-I:

Enter elements: 123 Enter element to search; 3

Test-case-II:

Enter element: 1 2 3 4 5 Enter element to search: 6 Element not found in list.

```
Binary search
1 = 11st (map(Int, input ('Enter elements: 1). spict()))
n = int (input (ienter element to search; 17)
1. sorte)
L_1 R = 0, len(0) - 1
              It seek to be those that made to be made as
while L <= R:
     m = (L+ R) // 2
     if IEMI < n: ( [ / ] bil himmer 1
        L = m+1
        m = (2+ R) 1/27 (1) bacons on
     elif IEm]>n:
                        E = + 1
         R = m-1
         m = (L+ R) // 2 (12) and & 1 sides
                      (chi ri) brigger
     else:
         Parint ('Element found at index: ',
                        Liking 3 & levella):
         beneak
else:
                      1. append (12 LIT)
   Paint ('Element not found.') =+ ?
INPUT/OUTRUTE
                                DETURN 1
Test-Case-I!
 Enter elements: 1 2 3 4
Enter element to search: 2 (1) 191 11
                      index: i meutor
 Element found of
                id = meade (I[: len(1) // 2])
Test-case - T:
 Enter elements: 11/21/3/14) 50 mm = 1.
 Enter element to search: 6 m mouter
Element not found.
```

```
8-3 Merge Sort
                                                          The same of the sa
              Lucio Sucras.
             det measor (h la) :
                              1, 3 = 0, 0
                                CJ = 9
                                while 5 < len(li) and 3 < len(l2):
                                                   1-append (11 Ei])
                                                                          i += 1
                                                   else:
                                                                      l-a spend (12 [5])
                                                                      5 += 1
                                 while i < len (21): (1) (9 + 1)
                                                      lappend (11 [i])
                                  1 . That France trainer 11) + 17 en
                                 white 5 < len (12);
                                                         lappend (12[5])
                                                         Delint (Element not sour sit = + 5
                                   return 1
 def
                          messe (1):
                     if len(l) < = \pm i
```

return 1

11 = merge (1[len(1) // 2])

12 = merge (1[len(1) // 2 -])

return mèrsor (11, 12)

P = list(map(int, input('Enten Element: 1)-split()))

Ponint('List before sorting is: 1, *1)

Ponint('List aften sorting is: 1, # meage(1))

IN PUT(putput:

Test-case-I:

Enter Element: 15423
List before sorting is: 15423
List after sorting is: 12345

Test-case- II:

Enter Elements: 5 25 65 8 56
List before sorting is: 5 25 65856
List after sorting is: 5 8 25 56 65