The Node

HOME ABOUT CONTACT
Penguins, Raspberries and Code

SEARCH THE NODE

Enter search keyword

Q

RSS FEED

RSS - Posts

RSS - Comments

RECENT POSTS

Retro Programming With "Fantasy Consoles"

Speeding Up Performance on a RetroPie Setup

The Node is now HTTPS only

How I Automated My ExpressVPN Connection Under Ubuntu

Create an Encrypted Disk Partition or File Container With Ubuntu

TAG CLOUD

amazon android
announcement apache apple
authentication centos
encryption fedora
filesystem fix games google

home networking install

lovelock microsoft musings news nexus s nfs openIdap open SOUrce partition podcast podgrab python raspberry pi review rSS samba Security Server ssh steam

ubuntu unity upgrade windows xbox yum zombies

CATEGORIES

Repair a broken Ext4 Partition Superblock

Posted on July 12, 2016 in Linux



In Linux, the entire disk space of a partition is subdivided into multiple file system blocks. The blocks are used for two different purposes. Most blocks stores user data or normal files. Some blocks in every file system

store the file-system's metadata. Metadata describes the structure of the file system. The most common metadata structures are superblocks, inodes and directories. Each file-system has a superblock, which contains information about the file-system such as file-system type (ext2, ext4, etc), size of the partition and it's mount status amongst other things. If this information is lost, you are in trouble (data loss!) so Linux maintains multiple redundant copies of the superblock in every file system. This is very important in many emergency situations, for example you can use backup copies to restore damaged primary superblocks.

For this example, let's assume your secondary drive's first partition is corrupt (/dev/sdb1). If your primary root file-system is corrupt, you'll need to boot your system from a live DVD/CD and repair it from the live OS using the root user account or "sudo [command]" on Ubuntu.

So if you see an error like the below when attempting to mount a file-system: -

/dev/sdb1: Input/output error

mount: /dev/sdb1: can't read superblock

...your superblock is corrupt and the partition file-system is not accessible. You can restore the superblock from a backup but unless you've checked obvious things like SATA cables, your hard disk is probably on the way out and should be replaced as soon as possible, even if you restore the superblock from a backup on the partition.

Anyway, first make sure your partition is UNMOUNTED (umount /mountpoint). I cannot stress this enough. If you attempt to fix the partition whilst it is mounted, you will corrupt the drive even further.

You can try to run an initial file-system check using the "fsck" command.

fsck.ext4 -v /dev/sdb1

This will probably return something like: -

fsck /dev/sdb1

fsck 1.41.4 (27-Jan-2009)

e2fsck 1.41.4 (27-Jan-2009)


fsck.ext4: Group descriptors look bad... trying backup blocks... fsck.ext4: Bad magic number in super-block while trying to open /dev/sdb

The superblock could not be read or does not describe a correct ext4 filesystem. If the device is valid and it really contains an ext4 filesystem (and not swap or ufs or something else), then the superblock is corrupt, and you might try running e2fsck with an alternate superbloce e2fsck -b 8193 <device>

Next, recover the list of backup superblocks from the partition like so: –

```
dumpe2fs /dev/sdb1 | grep superblock
Android
Announcement
                                     This will produce a list of alternate superblocks you can use.
Code
Electronics
                                       Primary superblock at 0, Group descriptors at 1-6
Games
                                       Backup superblock at 32768, Group descriptors at 32769-32774
Internet
                                       Backup superblock at 98304, Group descriptors at 98305-98310
Linux
                                       Backup superblock at 163840, Group descriptors at 163841-163846
                                       Backup superblock at 229376, Group descriptors at 229377-229382
Media
                                       Backup superblock at 294912, Group descriptors at 294913-294918
Musings
                                       Backup superblock at 819200, Group descriptors at 819201-819206
News
                                       Backup superblock at 884736, Group descriptors at 884737-884742
Open Source
                                       Backup superblock at 1605632, Group descriptors at 1605633-1605638
                                       Backup superblock at 2654208, Group descriptors at 2654209-2654214
Raspberry Pi
                                       Backup superblock at 4096000, Group descriptors at 4096001-4096006
Science
                                       Backup superblock at 7962624, Group descriptors at 7962625-7962630
Unity3D
                                       Backup superblock at 11239424, Group descriptors at 11239425-11239430
Windows
                                       Backup superblock at 20480000, Group descriptors at 20480001-20480006
                                       Backup superblock at 23887872, Group descriptors at 23887873-23887878
THE NODE ARCHIVES
                                     Now you can use a alternate superblock and attempt to repair the file-system.
                                       fsck -y -b 32768 /dev/sdb1
June 2017 (1)
February 2017 (1)
                                     This will produce output similar to the below: -
December 2016 (1)
October 2016 (2)
                                       fsck 1.40.2 (12-Jul-2007)
July 2016 (1)
                                       e2fsck 1.40.2 (12-Jul-2007)
May 2016 (1)
                                       /dev/sdb1 was not cleanly unmounted, check forced.
April 2016 (2)
                                       Pass 1: Checking inodes, blocks, and sizes
March 2016 (2)
                                       Pass 2: Checking directory structure
                                       Pass 3: Checking directory connectivity
December 2015 (2)
                                       Pass 4: Checking reference counts
November 2015 (3)
                                       Pass 5: Checking group summary information
August 2015 (2)
                                       Free blocks count wrong for group #241 (32254, counted=32253).
June 2015 (1)
                                       Fix? ves
May 2015 (1)
                                       Free blocks count wrong for group #362 (32254, counted=32248).
                                       Fix? yes
April 2015 (2)
                                       Free blocks count wrong for group #368 (32254, counted=27774).
March 2015 (4)
February 2015 (3)
                                       /dev/sdb1: ***** FILE SYSTEM WAS MODIFIED *****
June 2014 (4)
                                       /dev/sdb1: 59586/30539776 files (0.6% non-contiguous), 3604682/61059048
March 2014 (2)
February 2014 (3)
                                     You should now be able to mount the file-system as normal (or reboot if it's the primary root
January 2014 (2)
                                     file-system): -
October 2013 (4)
May 2013 (2)
                                       mount /dev/sdb1 $HOME/mount
March 2013 (7)
February 2013 (1)
                                     Here, I'm mounting the file-system on the mount subdirectory of my user's (/root in this case)
December 2012 (1)
                                     home directory. If this doesn't work, run through the fsck command above trying each backup
October 2012 (2)
                                     superblock number in turn until you find one that works. Once you can successfully mount the
September 2012 (1)
                                     file-system at a directory mount point, you can access your files.
August 2012 (2)
                                     Now would be the time to backup those files before the disk fails completely. Sometimes
July 2012 (8)
                                     superblocks get corrupted and the disk will be fine for a while longer, but I take no chances :-)
June 2012 (1)
May 2012 (1)
                                     Share this
```

April 2012 (2)



Print

Pocket

3 of 5

Testing Laboratories SANS Digital Forensics Udemy - The Complete Ethical Hacker Training Course (Paid) VulnHub

ELECTRONICS

Arduino

Jeremy Blum's Arduino

Tutorial Series

MAKE Arduino

Tronix Stuff

FANTASY CONSOLE GAME PROGRAMMING

LIKO-12

PICO-8

PixelVision8

TIC-80

GAME DEVELOPMENT

Allegro 4/5 Game Programming Library

Blender

BurgZerg Arcade

Cooking with Unity

Godot Game Engine

LibGDX

Unity3D

Unreal Engine 4

GAMES

Deus Ex: Mankind Divided

Duskers

else Heart.Break()

Hacker Evolution Duality

HackMUD

Hacknet

Kerbal Space Program

Linux Steam Games

Minecraft

Project Zomboid

Quadrilateral Cowboy

Shenzhen IO

The Hacker Sandbox

TIS-100

Uplink

LINUX

Build Your Own Linux (LFS)

CentOS Linux (RHEL)

Gentoo Linux

Kali Linux – The Penetration Testing Linux Distribution

LinuxQuestions.org

Nixcraft

The Fedora Project

The Linux Kernel Archives

Ubuntu Linux

RASPBERRY PI

Buy a Raspberry Pi (UK)

Minecraft Pi Edition

Pico-8 For Raspberry Pi

PiGlow Addon board

raspberrypi.org

RaspBMC – Pi Based Media

Centre

The Mag Pi

The RetroPie Project

SCIENCE

BOINC Grid Computing Effort

The Zooniverse

THE NODE DOWNLOADS

Dawn of Nuke (PICO-8 Game)

PodGrab 1.1.1

Space Picanoid (PICO-8

Game)

© 2017 Kingdom

Powered by BestWebLayout and WordPress