

city guide PORBANDAR



CITYGUIDE

abhishek,vandan,kashyap

PREFACE

As a student of Bachelor of Computer Application according to the syllabus subscribed by: Bhakta Kavi Narsinh Mehta University, Junagadh (Gujarat). In 5 th semester of BCA to prepare a project on any Particular subject of Student choice. The project should be selected on precise subject that will fulfill the requirements.

The main objective of the project is to develop Awareness regarding Application of Theories in the modern world of Information Technology.

Here the project report Training is under taken at Dr V.R. Godhaniya IT Institute of Information technology in Porbandar. Project report has been prepared on the base of information collected which is a result of hard work done by us.

We have taken almost care that the information provided in the project is true and project is in smooth running condition and Error free we sincerely apologies if anything wrong is given there .we have tried our level best to provide all the necessary information as per the syllabus.

ACKNOWLEDGEMENT

It is our great pleasure to present our project report on “CITY GUIDE PORBANDAR” which we conceived during the BCA SEM 5 th affiliated to Bhakta Kavi Narsinh Mehta University, Junagadh (Gujarat).

We take this opportunity to express our sincere gratitude and we feel immense pleasure to thank our faculty, philosopher and guide Mr. Nirav Dattani who helped us and gave full support in each and every way to fulfill and accomplish our project of CITY GUIDE PORBANDAR.

We are indebted to our college Dr. V. R. Godhaniya College of I.T our principal and HOD Mr. Dhaval Kher for given us an excellent chance to prove our best work and efforts.

We are kindly thank full to Nirav Dattani who guide us very well circumstances with his bright knowledge and also suggest us to make this project in JSP, MYSQL.

We are mostly thankful to him, for giving us the inspiration and dedication to successfully complete this project.

INDEX

| <u>Sr. No</u> | <u>Content</u> | <u>Page No.</u> |
|-------------------|--|-----------------|
| 01. | Certificate | -- |
| 02. | Preface | 02 |
| 03. | Acknowledgement | 03 |
| 04. | Project Profile | 06 |
| 05. | Abstract of project (Brief system background) | 09 |
| 06. | Objective & scope of a project | 10 |
| 07. | Feasibility Study (Preliminary Investigation) • Operational • Technical • Economics | 11 |
| 08. | System Analysis and Designing • Requirement Analysis • Use Case Diagram • Class Diagram (OOP) | 13 |

| <u>Sr. No</u> | <u>Content</u> | <u>Page No.</u> |
|-------------------|---|-----------------|
| 09. | Project Life Cycle <ul style="list-style-type: none"> • E-R Diagram • Data Flow Diagram • Activity Diagram | 21 |
| 10. | Database creation <ul style="list-style-type: none"> • Normalization of tables (Issues & solutions) • Data Dictionary | 32 |
| 11. | Software Testing | 37 |
| 12. | User interface Designs(snapshot) | 39 |
| 13. | Source code | 39 |
| 14. | Bibliography, References, EBooks, etc.... | |

Project Profile

Project Title:

CITY GUIDE PORBANDAR

Project Information:

This project provide a comprehensive platform that connects the residents and visitors of Porbandar with a wide range of essential services like RentalSalons Courier Services Dance Classes Pathology Labs Taxi Services Cake Shops AC Repair & Services Mobile Phone Dealers Electrical Shops Skin Care Car Repair & Services Ayurvedic Doctors Eye Clinics Restaurants Carpenters Jewellery Showrooms Grocery Stores AC Repair Hotels Cab & Car Rental Spa & Salon Car service etc

Institution:

Dr V. R. Godhaniya IT College, Porbandar

Programing Language:

- Frontend – JSP
- Backend – MySQL

Name of Organization:

CITY GUIDE PORBANDAR

Project Time Duration:

Entire Semester

Summary:

Our mission is to provide a comprehensive platform that connects the residents and visitors of Porbandar with a wide range of essential services. Whether you're a long-time local or a newcomer exploring our city, we're here to ensure that you can easily find and connect with trusted professionals for various needs.

We understand the importance of reliable and convenient access to essential services for both our valued locals and visitors. Our mission is to bridge the gap between service providers and those in need of services, making life in Porbandar more convenient and efficient.

MODULES:

Admin :

- Add Category
- Add Sub-Category
- View Category
- View Sub-Category
- View Provider
- View Feedback

Provider:

- Add Service
- View Service

Client :

- View All Service
- Send Feedback

Guided By:

Mr. Nirav Dattani

Prepared By:

Abhishek Paswan

BCA 5th semester

Vandan Madlani

BCA 5th semester

Kashyap Motivaras

BCA 5th semester

Abstract of project (Brief system background)

This Website is developed by using Jsp as front-end and MySQL data base as back-end.

The City Guide Project is a dynamic digital platform designed to facilitate urban exploration for both residents and tourists.

This project harnesses cutting-edge technology to provide a user-friendly interface that seamlessly integrates mapping, recommendation algorithms, and real-time data streams. The underlying system architecture is built on a scalable cloud infrastructure, ensuring robust storage, distributed processing, and secure API endpoints. With a focus on mobile accessibility, the platform offers a comprehensive mobile application that includes offline capabilities for uninterrupted city exploration.

The City Guide Project is committed to inclusivity and accessibility, catering to a diverse global user base, and reimagining how cities are experienced and navigated.

OBJECTIVE & SCOPE OF A PROJECT

The objective of the City Guide Project is to create a comprehensive and user-friendly digital platform that connects residents and visitors with a wide range of essential household services within a city.

This project aims to simplify the process of finding and accessing services related to home maintenance, repair, and improvement, ultimately enhancing the quality of life for individuals and families in urban areas.

Preliminary Investigation

Preliminary investigation refers to the collection of information.

During our investigation we have searched that our Website is new & useful now a days.

while in old days we don't have this kind of Website with our Website the work is done faster than old days.

Where our project provides you online services.

Technical feasibility:

It is one of the first studies that must be conducted after a project is identified in technical analysis of project we came to know about the technologies & application used.

Economic feasibility:

Analysis & Specification cost

Design Cost

Code Constructor Cost

System Cost

Implementation Cost

Cost affection for organizations

Operational feasibility:

This proposed application is totally operational feasible because operational feasibility is an assessment of acceptance of application.

Requirement analysis

Requirements analysis is the Third stage in the systems engineering process and software development process.

Requirements analysis is critical to the success of a development project. Requirements must be actionable, measurable, testable, related to identified business needs or opportunities, and defined to a level of detail sufficient for system design. Requirements can be functional and nonfunctional.

Types of Requirement:

- Functional Requirements**

Functional requirements explain what has to be done by identifying the necessary task, action or activity that must be accomplished. Functional requirements analysis will be used as the toplevel functions for functional analysis.


- **Non-functional Requirements**

Non-functional requirements are requirements that specify criteria that can be used to judge the operation of a system, rather than specific behaviors.


Non-functional


| Minimum hardware requirement | |
|-------------------------------------|------------------------------|
| Generation | Duel Core or Higher |
| Processor | 1.3 Ghz or Higher |
| Hard disk | 40 GB Free Space |
| Display Resolution | 1024 * 780 or Higher |
| Minimum software requirement | |
| Operating System | Windows 7 or Higher |
| Development tool | JDK 8.0 or Higher |
| Software | NetBeans 8.0 or higher |
| Server | Apache Tomcate 8.0 or higher |
| Backend | Mysql 3.0 |

USE CASE DIAGRAM



E-R DIAGRAM







DATA FLOW DIAGRAM

0 LEVEL DFD





- Symbols :

| | | |
|-------|-------------------|----------------------------------|
| → | dataflow | Arrows showing direction of flow |
| ○ | process | circles |
| — — — | file | horizontal pair of lines |
| □ | data-source, sink | rectangular box |






1st LEVEL DFD




ACTIVITY DIAGRAM


❖ PROVIDER :



❖ CLIENT :



❖ ADMIN :



DATABASE CREATION

❖ Normalization of tables

Normalization is a process of organizing the data in database to avoid data redundancy, insertion anomaly, update anomaly & deletion anomaly. Let's discuss about anomalies first then we will discuss normal forms with examples.

- First normal form(1NF)
- Second normal form(2NF)
- Third normal form(3NF)
- Boyce & Codd normal form (BCNF)

❖ Data Dictionary: -

Tables:

➤ Admin

| Field | Type |
|--------|--------------|
| a_id | Int (4) |
| a_name | Varchar (20) |

| | |
|---------|--------------|
| a_pwd | Varchar (16) |
| a_mob | Varchar (15) |
| a_email | Varchar (25) |

➤ Client

| Field | Type |
|---|------------------------|
| cl_id | Int (4) AUTO_INCREMENT |
| cl_name | Varchar (25) |
| cl_pwd(password) | Varchar (16) |
| cl_for_ques(forgot password question) | Varchar (25) |
| cl_for_ans(forgot password question answer) | Varchar (25) |
| cl_mob | Varchar (15) |
| cl_email | Varchar (30) |
| cl_addr (address) | Varchar (50) |

➤ Category

| Field | Type |
|-------|------------------------|
| c_id | Int (4) AUTO_INCREMENT |

| | |
|----------------------|---------------|
| c_name | Varchar (100) |
| c_descr(description) | Varchar (400) |
| c_image | Varchar (500) |

➤ **Subcat**(Sub-Category)

| Field | Type |
|----------------------|------------------------|
| s_id | Int (4) AUTO_INCREMENT |
| c_id | Int (4) |
| S_name | Varchar(100) |
| s_descr(description) | Varchar (800) |

❖ **Servpro**(service Provider)

| Field | Type |
|--------|------------------------|
| p_id | Int (4) AUTO_INCREMENT |
| c_id | Int (11) |
| s_id | Int (4) |
| p_name | Varchar (100) |

| | |
|--|---------------|
| p_addr (address) | Varchar (200) |
| p_pwd(password) | Varchar (16) |
| p_for_ques(forgot password question) | Varchar (25) |
| p_for_ans(forgot password question answer) | Varchar (25) |
| cl_email | Varchar (30) |
| cl_mob | Varchar (15) |

➤ **Servdet**(service provide details)

| Field | Type |
|-----------------------|------------------------|
| ps_id | Int (4) AUTO_INCREMENT |
| p_id | Int (4) |
| ps_srno | Int (6) |
| Ps_title | Varchar (100) |
| ps_descr(description) | Varchar (800) |
| ps_image | Varchar (500) |

➤ Feedback

| Field | Type |
|--------------------|------------------------|
| f_id | Int (4) AUTO_INCREMENT |
| date | Varchar(30) |
| Email | Varchar(30) |
| descr(description) | Varchar (500) |

➤ Contact

| Field | Type |
|-------------|------------------------|
| Con_id | Int (4) AUTO_INCREMENT |
| con_name | Varchar(30) |
| con_email | Varchar(30) |
| con_message | Varchar (400) |

Software Testing

Before actually implementing the new system into operations, a test run of the system is done removing all the bugs, if any. It is an important phase of a successful system. After codifying the whole programs of the system, a test plan should be developed and run on a given set of test data. The output of the test run should match the expected results. Sometimes, system testing is considered as a part of implementation process.

Using the test data following test run are carried out:

② Program test:

When the programs have been coded and compiled and brought to working conditions, they must be individually tested with the prepared test data. All verification and validation be checked and any undesirable happening must be noted and debugged (error corrected). **System test:**


After carrying out the program test for each of the programs of the system and errors removed, then system test is done.

I prepared test cases to test my project with various aspects like

testing, module testing, integrity testing, etc....

USER INTERFACE DESIGNS (SNAPSHOTS) & SOURCE CODE

ADMIN LOGIN



➤ ad_login.jsp (admin login front side code)

```
<%@pagecontentType="text/html"pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <style>
```

```
      *{
```

```
        margin: 0;
```

```
        padding: 0;
```

```
      }
```

```
    body{
```

```
      background: url(image/25_afcas12.jpg);
```

```
      background-repeat: no-repeat;
```

```
      background-size: cover;
```

```
      display: flex;
```

```
      align-items: center;
```

```
      justify-content: center;
```

```
      height: 100vh;
```

```
      width: 100vw;
```

}

.login-box{

position: absolute;

top: 50%;

left: 50%;

height: 500px;

width: 500px;

transform: translate(-50%,-50%);

background: rgba(0,0,0,.6);

box-shadow: 0 15px 25px rgba(0,0,0,.6);

border-radius: 10px;

}

.login-box h2{

margin: 0 0 50px;

padding: 0;

color: white;

text-align: center;

font-size: 40px;

```
margin-top: 60px;  
margin-bottom: 60px;  
}  
  
.login-box .user-box{  
    position: relative;  
    margin-top: 20px;  
}  
  
.login-box .user-box input{  
  
width: 80%;  
margin-left: 30px;  
padding: 2px 0;  
color: white;  
margin-bottom: 50px;  
border: none;  
border-bottom: 1px solid #ffffff;  
outline: none;  
background: transparent;
```

```
    font-size: 20px;  
}  
  
.login-box .user-box label{  
    position: absolute;  
    top:-10px;  
    left: 30px;  
    padding: 10px 0;  
    color: #ffffff;  
    pointer-events: none;  
    transition: .5s;  
    font-size: 24px;  
  
}  
  
.login-box .user-box input:focus ~label,.login-box  
.user-box input:valid ~label{  
    top: -35px;  
    left: 30px;  
    color: #0c63e4;  
}
```

```
.submit{  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:relative;  
height:40px;  
width: 150px;  
font-size:25px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
outline:none;  
/*float: left;*/  
margin-left: 35%;  
margin-top: 20px;  
}  
.submit:hover{
```

```
background:#fff;  
font-size: 25px;  
color:#1AAB8A;  
}
```

```
.login-box form .forgot{
```

```
position: absolute;  
right: 60px;  
top:295px;  
font-size: 18px;
```

```
}
```

```
.login-box form .forgot a{
```

```
color: #ffffff;  
text-decoration: none;
```

```
}
```

```
.login-box form .forgot a:hover{  
    color: #0c63e4;  
}  
</style>  
  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
  
<meta charset="UTF-8">  
  
<meta http-equiv="X-UA-Compatible"  
content="IE=edge">  
  
<meta name="viewport" content="width=device-  
width, initial-scale=1.0">  
  
<title>admin login</title>  
</head>  
  
<body>  
  
<div class="login-box">  
    <h2> Admin Login</h2>
```

```
<form action="ad_login2.jsp" method="post">  
    <div class="user-box">  
        <input type="text" name="txtname"  
        required>  
        <label for="">Username OR Email</label>  
    </div>  
    <div class="user-box">  
        <input type="password" name="txtpwd"  
        required>  
        <label for="">Password</label>  
    </div>  
  
    <div class="a">  
        <input type="submit" class="submit"  
        value="SignIn" />  
    </div>  
    <div class="forgot">  
        <a href="forgot1.jsp">forgot password ?</a>  
    </div>
```

```
</div>

</form>

</div>

</body>

</html>
```

➤ ad_login2.jsp (admin login back side code)

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
                background: url(image/v1016-a-08.jpg);
                background-repeat: no-repeat;
            }
        </style>
    </head>
    <body>
        <h1>Welcome Admin</h1>
        <form action="ad_login2.jsp" method="post">
            <table border="1">
                <tr>
                    <td>User Name:</td>
                    <td><input type="text" name="username" /></td>
                </tr>
                <tr>
                    <td>Password:</td>
                    <td><input type="password" name="password" /></td>
                </tr>
                <tr>
                    <td colspan="2" style="text-align: center;"><input type="submit" value="Login" /></td>
                </tr>
            </table>
        </form>
    </body>
</html>
```

```
background-size: cover;  
}  
h1{  
    background-image: linear-gradient(43deg,  
#4158D0 0%, #C850C0 46%, #FFCC70 100%);  
    -webkit-background-clip: text;  
    -webkit-text-fill-color: transparent;  
    transition: all .2s;  
    text-transform: uppercase;  
    font-size: 48px;  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:relative;  
height:80px;  
width: 250px;  
/*bottom: 50px;*/  
left: 40%;  
margin-top: 8%;  
font-size:18px;  
padding:5px;
```

```
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
}  
.submit:hover{  
background:#3CD3AD;  
font-size: 25px;  
color:#1AAB8A;  
}  
  
.submit a{  
background:transparent;  
text-decoration: none;  
font-size: 28px;  
color: white;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
<title>admin login</title>  
</head>  
<body>
```

```
<%
    String xname =
request.getParameter("txtname");
    String xpwd =
request.getParameter("txtpwd");
//String xemail =request.getParameter("")
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

    Statement st = con.createStatement();
    String q = " select * from admin where
a_name='" + xname + "'or a_email='" + xname + "'"
and a_pwd='" + xpwd + "' ";
    ResultSet rs = st.executeQuery(q);
    if (rs.next()) {
        session.setAttribute("adminname",
xname);

response.sendRedirect("admin_das.jsp");
    } else {%
}
```


```
<marquee behavior="alternate">
    <h1>Sorry Admin not found</h1>
</marquee>
<button class="submit"><a
href="ad_login.jsp">Re-Attempt</a></button>

<%
}

rs.close();
con.close();
} catch (Exception e) {
    out.print(e);
}

%>
</body>
</html>
```

ADMIN DASHBORD



➤ admin_das (admin dashboard code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<style>
*
{
    margin: 0px;
    padding: 0px;
}
body{
    background: url(image/v1016-a-08.jpg);
    background-repeat: no-repeat;
    background-size: cover;
}
.box
{
    background: transparent;
    left: 0;
    right: 0;
```

```
top:5px;  
height: 70px;  
box-shadow: 0 0 25px 0 black;  
display: flex;  
/*background-color: #94b4b4;*/  
width: 100%;  
position: absolute;  
opacity: 60%;  
background: rgba(0,0,0,.6);  
box-shadow: 0 15px 25px rgba(0,0,0,.6);  
  
}  
.logo1 img{  
float: left;  
width: 100%;  
height: 50px;  
margin-top:5px;  
margin-left:10px;  
  
}  
  
h1  
{
```

```
margin-top: 10px;  
color: #fff;  
float: left;  
margin-left: 350px;  
}  
.box a  
{  
margin-top: 10px;  
position: absolute;  
text-decoration: none;  
color: #fff;  
font-size: 30px;  
right: 0;  
margin-right: 10px;  
}  
.container{  
/*background:linear-gradient(45deg,  
blueviolet, lightgreen);*/  
  
padding:10px 9%;  
padding-bottom: 100px;  
margin-top: 50px;  
margin-left: 40px;
```

```
}
```

```
.container .heading{  
    margin-top: 190px;  
    text-align: center;  
    padding-bottom: 15px;  
    color:#fff;  
    text-shadow: 0 5px 10px rgba(0,0,0,.2);  
    font-size: 50px;  
}
```

```
.container .box-container{  
    display: grid;  
    grid-template-columns: repeat(auto-fit,  
minmax(470px, 1fr));  
    gap:20px;  
}
```

```
.divider {  
    display: flex;
```

```
&:before,  
&:after {  
    content: "";  
    flex: 1;
```

```
        }
    }
.header {
    overflow: hidden;
    align-items: center;
    /*background: hsl(50, 100%, 50%);*/
    background: rgba(0,0,0,.6);
    color:#fff;
    font-size: 35px;
    height: 70px;
    opacity: 70%;
    &:before,
        &:after {
        background: whitesmoke;
        padding: 50px 0;
        height: 0;
        transform: rotate(45deg);
    }
}
.container .box-container1 .box1 a{
    text-decoration: none;
}

.container .box-container .box1{
```

```
    box-shadow: 0 5px 10px rgba(0,0,0,.2);
    border-radius: 5px;
    background: whitesmoke;
    text-align: center;
    padding: 30px 20px;
    width: 350px;
    height: 250px;
    margin-top: 120px;
    margin-left: 80px;
}
```

```
.container .box-container .box1 .image img{
    max-height: 100%;
    max-width: 100%;
}
.container .box-container .box1 .image{
    display: flex;
    justify-content: center;
    align-items: center;
    width: auto;
    height: 60%;
    /*background-color: #cccccc;*/
}
.container .box-container .box1 h3{
```

```
color:#444;  
font-size: 22px;  
padding:10px 0;  
}  
  
.container .box-container .box1:hover{  
    box-shadow: 0 10px 15px rgba(0,0,0,.3);  
    transform: scale(1.03);  
}  
  
@media (max-width:768px){  
    .container{  
        padding:20px;  
    }  
    .container .box-container1{  
        display: grid;  
        grid-template-columns: repeat(auto-fit,  
minmax(170px, 1fr));  
        gap:20px;  
    }  
    .container .box-container1 .box1 a{  
        text-decoration: none;  
    }  
}
```

```
}

.container .box-container1 .box1{
    box-shadow: 0 5px 10px rgba(0,0,0,.2);
    border-radius: 5px;
    background: whitesmoke;
    text-align: center;
    padding: 20px 10px;
    width: 200px;
    height: 200px;
    margin-top: 90px;
    /*margin-left: 90px;*/

}

.container .box-container1 .box1 .image
img{
    max-height: 100%;
    max-width: 100%;
}

.container .box-container1 .box1 .image{
    display: flex;
    justify-content: center;
    align-items: center;
    width: auto;
    height: 60%;
```

```
/*background-color: #cccccc;*/  
}  
.container .box-container1 .box1 h3{  
    color:#444;  
    font-size: 22px;  
    padding:10px 0;  
}  
  
.container .box-container1 .box1:hover{  
    box-shadow: 0 10px 15px rgba(0,0,0,.3);  
    transform: scale(1.03);  
}  
  
@media (max-width:768px){  
    .container{  
        padding:20px;  
    }  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
    <title>admin dashboard</title>  
</head>
```

```
<body>
  <div class="box">
    <div class="logo1">
      
    </div>
    <h1> WelCome Admin <%=

session.getAttribute("adminname")%></h1>
    <div class="a">
      <a href="index.jsp"><i class="fa fa-power-
off" style="color: white"
style="size:20px"></i>Logout</a>
    </div>
  </div>
  <div class="container">

    <!--<h1 class="heading">our services</h1>-->

    <div class="box-container">
      <div class="box1">
```

```
<a class="button" href="cat1.jsp">

    <div class="image">
        
    </div>
    <h3>Add Category</h3>
</a>

</div>
<div class="box1">
    <a class="button" href="sub_cat1.jsp">

        <div class="image">
            
        </div>
        <h3>Add Sub-Category</h3>
    </a>

    </div>
    </div>
</div>
<h2 class="divider header">REPORT</h2>
```

```
<div class="container">

    <div class="box-container1">
        <div class="box1">
            <a class="button"
                href="provider_list.jsp">


                <div class="image">
                    
                </div>
                <h3>Provider</h3>
            </a>
        </div>
        <div class="box1">
            <a class="button"
                href="categorylist.jsp">

                <div class="image">
                    
                </div>
                <h3>Category</h3>
            </a>
        </div>
    </div>
</div>
```

```
</div>
<div class="box1">
    <a class="button"
        href="subcategory_list.jsp">
        <div class="image">
            
        </div>
        <h3>Sub-Category</h3>
        </a>
    </div>
    <div class="box1">
        <a class="button"
            href="feedback_list.jsp">
            <div class="image">
                
            </div>
            <h3>Feedback</h3>
            </a>
        </div>
    </div>
```

```
</div>
</body>
</html>
```

ADD COTEGORY



➤ cat1.jsp (add category front side code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
```

```
<head>
    <style>
        *
        {
            margin: 0px;
            padding: 0px;
        }

        body{
            background:
                url(image/25_afcas12.jpg);
            background-repeat: no-repeat;
            background-size: cover;
            display: flex;
            align-items: center;
            justify-content: center;
            height: 100vh;
            width: 100vw;
        }

        .login-box{
            position: absolute;
            top: 50%;
        }
    </style>
</head>
```

```
    left: 50%;  
    height: 550px;  
    width: 500px;  
    transform: translate(-50%,-50%);  
    background: rgba(0,0,0,.6);  
    box-shadow: 0 15px 25px  
    rgba(0,0,0,.6);  
    border-radius: 10px;  
}  
.login-box h2{  
    margin: 0 0 50px;  
    padding: 0;  
    color: white;  
    text-align: center;  
    font-size: 40px;  
    margin-top: 40px;  
    margin-bottom: 40px;  
}  
.box{  
    margin-top: 70px;  
}  
.login-box .user-image{  
    margin-left: 40px;  
}
```

```
.login-box .user-box{  
    position: relative;  
    margin-top: 20px;  
}  
.login-box .user-box .input{  
  
    width: 80%;  
    margin-left: 30px;  
    padding: 2px 0;  
    color: white;  
    margin-bottom: 50px;  
    border: none;  
    border-bottom: 1px solid #ffffff;  
    outline: none;  
    background: transparent;  
    font-size: 20px;  
}  
.login-box .user-box label{  
    position: absolute;  
    top:-10px;  
    left: 30px;  
    padding: 10px 0;  
    color: #ffffff;  
    pointer-events: none;
```

```
    transition: .5s;
    font-size: 24px;

}

.login-box .user-box .input:focus ~label,.login-box .user-box .input:valid ~label{
    top: -35px;
    left: 30px;
    color: #0c63e4;
}

/*
    .label{
        margin-top: 25px;
    }*/
textArea{
    resize: none;
}

.btn{
    background:#1AAB8A;
    color:#fff;
    border:none;
```

```
position:absolute;
height:40px;
width: 150px;
font-size:25px;
padding:5px;
border-radius: 10px;
cursor:pointer;
transition:800ms ease all;
outline:none;
bottom: 20px;
left: 30px;
}
.btn:hover{
background:#3CD3AD;
font-size: 25px;
color:#fff;
}

a{
background:transparent;
text-decoration: none;
font-size: 28px;
color: white;
```

```
}

.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:absolute;  
height:40px;  
width: 150px;  
bottom: 20px;  
right: 20px;  
  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
}  
.submit:hover{  
background:#3CD3AD;  
font-size: 25px;  
color:#1AAB8A;  
}
```

```
.submit a{  
    background:transparent;  
    text-decoration: none;  
    font-size: 28px;  
    color: white;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
    <title>Add Category</title>  
</head>  
<body>  
  
<div class="login-box">  
    <h2> Category</h2>  
    <form action="cat_uplod.jsp"  
method="post" enctype="multipart/form-  
data">  
        <div class="box">  
            <div class="user-box">  
                <input type="text"  
name="name" class="input" required>
```

```
<label for="">Category  
Name</label>  
</div>  
<div class="user-box">  
    <textarea type="text"  
name="descr" required class="input"  
rows="3" columns="50"></textarea>  
    <label class="lable" for="">  
Category-Description</label>  
</div>  
  
<div class="user-image">  
    <input type="file" name="image"  
required>  
</div>  
  
<br> <button type="submit"  
name="btn" class="btn">Submit</button>  
    <button class="submit"><a  
href="admin_das.jsp">Back</a></button>  
  
</div>  
</form>  
</div>
```

```
</body>  
</html>
```

➤ cat_uplod.jsp (add category back side code)

```
<%@page import="java.sql.*"%>  
  
<%@ page import="java.util.List" %>  
<%@ page import="java.util.Iterator" %>  
<%@ page import="java.util.ArrayList" %>  
<%@ page import="java.io.File" %>  
<%@ page import="java.io.PrintWriter" %>  
<%@ page  
import="javax.servlet.http.HttpServletRequest"  
%>  
<%@ page  
import="javax.servlet.http.HttpServletResponse"  
%>  
<%@ page  
import="org.apache.commons.fileupload.FileIt  
em" %>
```

```
<%@ page
import="org.apache.commons.fileupload.disk.
DiskFileItemFactory" %>
<%@ page
import="org.apache.commons.fileupload.servl
et.ServletFileUpload" %>

<%
    // Check if the request is of type
'multipart/form-data'
    boolean isMultipart =
ServletFileUpload.isMultipartContent(request)
;

if (isMultipart) {
    // Create a factory for disk-based file
items
    DiskFileItemFactory factory = new
DiskFileItemFactory();

    // Set the directory for temporary files
    File tempDir = (File)
getServletContext().getAttribute("javax.servlet
.context.tempdir");
```

```
factory.setRepository(tempDir);

// Create a new file upload handler
ServletFileUpload upload = new
ServletFileUpload(factory);

try {
    // Parse the request
    List<FileItem> items =
upload.parseRequest(request);

Class.forName("com.mysql.jdbc.Driver");
    Connection connection =
DriverManager.getConnection("jdbc:mysql://l
ocalhost/project5", "root", "");
    String q = "insert into category
values(null,'";
    // Create a prepared statement for the
insert query
    Statement statement =
connection.createStatement();

// Iterate over the file items
```

```
Iterator<FileItem> iter =
items.iterator();
int counter = 1;
while (iter.hasNext()) {
    FileItem item = iter.next();

        // Check if the item is a form field or
        an uploaded file
        if (item.isFormField()) {
            // Process the form field (text data)
            String fieldName =
item.getFieldName();
            String fieldValue = item.getString();

                // Print the text data
//                out.println("Field Name: " +
fieldName);
//                out.println("<br>Field Value: " +
fieldValue);
//                out.println("<hr>");
                counter++;
                if (counter < 4) {
                    q = q + "" + fieldValue + ",";
                }
}
```

```
    } else {
        // Process the uploaded file (image
        file)
        String fieldName =
item.getFieldName();
        String fileName = item.getName();

        ServletContext context =
request.getServletContext();
        String realpath =
context.getRealPath("/img/");
//           out.println("<br>P Ath --
>" + realpath);

        String Tpath =
realpath.replace("\\\\", "/");
//           out.println("<br>P Ath --
>" + Tpath);
        q = q + " " + "img/" + fileName +
"");
//
//           out.println("<br>P Ath -
->" + q);

//q=q+ fileName;
```

```
//          out.print("<br>
<h1>" + q + "<br></h1>");
File uploadedFile = new
File(realpath + fileName);
item.write(uploadedFile);
//          out.println("File uploaded ok");
// You can perform further
processing with the uploaded image file here
// ...
}
}
//
out.println("<BR> Query " + q);
int r = statement.executeUpdate(q);


if (r > 0) {

response.sendRedirect("admin_das.jsp");
//          out.println("<h1> Upload <h1> ");
//
//          ResultSet
rs = statement.executeQuery("Select * from
category ");
//          out.println("<table border=1>");
//
while(rs.next())
```

```
//      {
//      //
//          out.print("<tr>
//<td>CID"+rs.getString(1));
//
//          out.print("<td>name"+rs.getString(2));
//
//          out.print("<td>other"+rs.getString(3));
//
//          out.print("<td>Image ");
//
//      }
} else {
    out.println("Sorry");
}
connection.close();
} catch (Exception e) {
    out.println("error " + e);
}
}

%>
```

ADD SUB-COTEGORY



➤ sub_cat.jsp (sub-category front side code)

```
<%@page import="java.util.ArrayList"%>
<%@page import="java.sql.*"%>
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
```

```
<head>
  <style>
    *
    {
      margin: 0px;
      padding: 0px;
    }

    body{
      background:
        url(image/25_afcas12.jpg);
      background-repeat: no-repeat;
      background-size: cover;
      display: flex;
      align-items: center;
      justify-content: center;
      height: 100vh;
      width: 100vw;
    }
    select{
      width: 80%;
      margin-left: 30px;
      padding: 2px 0;
    }
  </style>
</head>
```

```
color: white;  
margin-bottom: 20px;  
border: none;  
border-bottom: 1px solid #ffffff;  
outline: none;  
background: transparent;  
font-size: 20px;  
  
}  
select option{  
    color: black;  
}  
.login-box{  
    position: absolute;  
    top: 50%;  
    left: 50%;  
    height: 500px;  
    width: 500px;  
    transform: translate(-50%,-50%);  
    background: rgba(0,0,0,.6);  
    box-shadow: 0 15px 25px  
    rgba(0,0,0,.6);  
    border-radius: 10px;  
    opacity: 80%;
```

```
}

.login-box h2{
    margin: 0 0 50px;
    padding: 0;
    color: white;
    text-align: center;
    font-size: 40px;
    margin-top: 40px;
    margin-bottom: 40px;
}

.login-box .user-box{
    position: relative;
    margin-top: 20px;
}

.login-box .user-box .input{

    width: 80%;
    margin-left: 30px;
    padding: 2px 0;
    color: white;
    margin-bottom: 50px;
    border: none;
    border-bottom: 1px solid #ffffff;
    outline: none;
}
```

```
background: transparent;  
font-size: 20px;  
}  
.login-box .user-box label{  
    position: absolute;  
    top:-10px;  
    left: 30px;  
    padding: 10px 0;  
    color: #ffffff;  
    pointer-events: none;  
    transition: .5s;  
    font-size: 24px;  
  
}  
.login-box .user-box .input:focus  
~label,.login-box .user-box .input:valid ~label{  
    top: -45px;  
    left: 30px;  
    color: #0c63e4;  
}  
  
textArea  
{  
    resize: none;
```

}

.btn{

background:#1AAB8A;
color:#fff;
border:none;
position:absolute;
height:40px;
width: 150px;
font-size:25px;
padding:5px;
border-radius: 10px;
cursor:pointer;
transition:800ms ease all;
outline:none;
bottom: 20px;
left: 30px;

}

.btn:hover{

background:#3CD3AD;
font-size: 25px;
color:#fff;

}

```
a{  
background:transparent;  
text-decoration: none;  
font-size: 28px;  
color: white;  
  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:absolute;  
height:40px;  
width: 150px;  
bottom: 20px;  
right: 20px;  
  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;
```

```
outline:none;
/*      float: left;
margin-left: 35%;
margin-top: 20px;*/

}

.submit:hover{
background:#3CD3AD;
font-size: 25px;
color:#1AAB8A;
}

.submit a{
background:transparent;
text-decoration: none;
font-size: 28px;
color: white;
}

</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title> Sub Category</title>
</head>
<body>
```

```
<%
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://l
ocalhost:3306/project5", "root", "");

    Statement st =
con.createStatement();
    ResultSet rs =
st.executeQuery("Select * from category ");
    %>
<div class="login-box">
    <h2> Sub Category</h2>
    <form action="sub_cat2.jsp"
method="post">
        <div class="s1">
            <select name="cat">
                <%
```

```

ArrayList<Integer> list = new
ArrayList();
    while (rs.next()) {
        int xid = rs.getInt(1);
        String xcat =
rs.getString(2);
        list.add(xid);
        out.println("<option
value=" disabled selected hidden>Choose Your
</option>");
        out.println("<option value
= " + xid + ">" + xcat + "</option>");
    }
    rs.close();

    out.println("</select>");

} catch (Exception e) {
    out.println(e);
}
%>    </br>
<div class="user-box">
    <input type="text"
name="name" class="input" required>

```

```
<label for="">Sub-Category  
Name</label>  
</div>  
<div class="user-box">  
    <textarea type="text"  
name="descr" required class="input"  
rows="1" rows="3"  
columns="50"></textarea>  
    <label class="lable" id="lable"  
for="">Sub Category-Description</label>  
</div>  
  
</br> <button type="submit"  
name="btn" class="btn">Submit</button>  
</br> <button class="submit"><a  
href="admin_das.jsp">Back</a></button>  
  
<!--          <input  
type="submit" name="btn" class="btn btn1"  
value="Save">-->  
  
</form>  
</div>  
</body>
```

</html>

➤ sub_cat2.jsp (sub category backside code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<%@page import = "java.sql.*"%>
<html>
    <head>
        <style>

            </style>
        <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
        <title>subcategory data save</title>
    </head>
    <body>
        <%
```

```
String xcid =
request.getParameter("cat");
String xname =
request.getParameter("name");
String xdescr =
request.getParameter("descr");

try {

Class.forName("com.mysql.jdbc.Driver");
Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://l
ocalhost:3306/project5", "root", "");

Statement st =
con.createStatement();
String q = "insert into subcat
values(null,'" + xcid + "','" + xname + "','" +
xdescr + "')";
int r = st.executeUpdate(q);
if (r > 0) {

response.sendRedirect("admin_das.jsp");
```

```
    } else {  
  
        out.print("<h1 align=center >data  
invalid</h1>");  
  
    }  
} catch (Exception e) {  
    out.print(e);  
}  
%>  
</body>  
</html>
```

PROVIDER LIST

| Provider Id | Category Id | Sub-Category Id | Name | address | Password | forgot Query | address | Email Id | Mobil No |
|-------------|-------------|-----------------|----------------|---|------------|------------------------|----------------|---------------------|------------|
| 2 | 6 | 2 | xyz | xyz | 123456789 | your pathname | dogi | xyz@gmial.com | 7894563548 |
| 11 | 13 | 15 | sanjay | fivaara pase pani puri vada same | 1234 | your pathname | blnddo | sanjlo@gmail.com | 954645984 |
| 12 | 14 | 12 | abhishek | gide | 1724 | your first school name | suruchi school | abhishek@gmail.com | 7894567895 |
| 13 | 14 | 14 | kunal | shitla chowk | 2004 | your best food | pav bhaji | kunal@gmail.com | 4567896547 |
| 14 | 8 | 4 | Raju Srivastav | 714,sanskar height , 150 feet Ring road porbandar | raju | your best food | pizza | raju@gmail.com | 7894567895 |
| 15 | 14 | 14 | Mahesh Solanki | opp.canara bank, bhadراكali road porbandar 360575 | mahesh1122 | your best food | kathiyawadi | mahesh123@gmail.com | 7874795544 |

➤ provider_list.jsp
 <!DOCTYPE html>

<%@page import = "java.sql.*"%>

```
<html lang="en">
<head>
<style>
*
{

```

```
margin: 0px;  
padding: 0px;  
}  
body{  
background: url(image/v1016-a-08.jpg);  
background-repeat: no-repeat;  
background-size: cover;  
}  
.divider {  
display: flex;  
  
&:before,  
&:after {  
content: "";  
flex: 1;  
}  
}  
.header {  
overflow: hidden;  
align-items: center;  
/*background: hsl(50, 100%, 50%);*/  
background: rgba(0,0,0,.6);  
color:#fff;  
font-size: 35px;
```

```
height: 70px;  
opacity: 70%;  
&:before,  
  &:after {  
    background: whitesmoke;  
    padding: 50px 0;  
    height: 0;  
    transform: rotate(45deg);  
  }  
}  
  
table{  
  /*          /*border-collapse: collapse;*/  
  font-size: 18px;  
  margin-top: 5%;  
  margin-left: auto;  
  margin-right: auto;  
  height: 30%;  
  text-align: center;  
  width: 95%;  
}  
table th{  
  font-size: 20px;
```

```
background-color: #009879;  
color: #fff;  
padding: 8px 10px;  
/*border-radius: 10px;*/  
/*text-transform: uppercase;*/  
}  
table tr , td{  
    padding: 8px 10px;  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:absolute;  
height:40px;  
width: 150px;  
top: 80px;  
right: 20px;  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;
```

```
outline:none;
/*      float: left;
        margin-left: 35%;
        margin-top: 20px;*/

}

.submit:hover{
    background:#3CD3AD;
    font-size: 25px;
    color:#1AAB8A;
}

a{
    text-decoration: none;
    font-size: 28px;
    color: white;
}


```



```
</style>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-scale=1.0">
<title>provider list</title>
```

```

<link
  href="https://stackpath.bootstrapcdn.com/fontawesome/4.7.0/css/font-awesome.min.css"
  rel="stylesheet" integrity="sha384-wvfXpqpZZVQGK6TAh5PVIGOfQNHSoD2xbE+QkPx
  CAFINEevoEH3SI0sibVcOQVnN"
  crossorigin="anonymous">
</head>
<body>
  <h2 class="divider header">Provider List</h2>

  <button class="submit"><a
  href="admin_das.jsp">Back</a></button>

<%
try {

  Class.forName("com.mysql.jdbc.Driver");
  Connection con = (Connection)
  DriverManager.getConnection("jdbc:mysql://local
  host:3306/project5", "root", "");

  Statement st = con.createStatement();
  String q = " select * from servpro";

```

```
ResultSet rs = st.executeQuery(q);
//      out.println("<div clas=box1");
      out.println("<table");
      out.println("<th>Provider
Id</th><th>Category Id</th><th>Sub-Category
Id</th><th>Name</th><th>address</th><th>Pass
word</th><th>forgot
Query</th><th>address</th><th>Email
Id</th><th>Mobil No </th> ");
      while (rs.next()) {

          out.print("<tr> <td>" + rs.getString(1));
          out.print("<td>" + rs.getString(2));
          out.print("<td>" + rs.getString(3));
          out.print("<td>" + rs.getString(4));
          out.print("<td>" + rs.getString(5));
          out.print("<td>" + rs.getString(6));
          out.print("<td>" + rs.getString(7));
          out.print("<td>" + rs.getString(8));
          out.print("<td>" + rs.getString(9));

          out.print("<td>" + rs.getString(10));
      }
```

```
        out.println("</table>");  
        //          out.println("</div>");  
        rs.close();  
        con.close();  
    } catch (Exception e) {  
        out.print(e);  
    }  
  
%>  
</body>  
</html>
```

CATEGORY LIST

| Category Id | Name | Description |
|-------------|-------------------|---|
| 8 | Interior designer | An Interior Designer is a creative professional who transforms indoor spaces into safe, functional, and visually appealing areas. |
| 11 | Cleaning Service | Cleaning, stocking and supplying designated facility areas (dusting, sweeping, vacuuming, mopping, cleaning ceiling vents, restroom cleaning etc) Performing and documenting routine inspection and maintenance activities. |
| 13 | Health service | Health services serve patients, families, communities, and populations. They cover emergency, preventative, rehabilitative, long-term, hospital, diagnostic, primary, palliative, and home care. These services are centered around making health care accessible, high quality, and patient-centered |
| 14 | Electronic | all type of electronic service |
| 16 | Hotel | A hotel is a commercial establishment that provides lodging, meals, and other services to guests, travelers, and tourists. Hotels can range from small family-run businesses to large international chains. Most hotels list a variety of services, such as room service, laundry, and concierge |
| 17 | Carpenter | A Carpenter is a construction professional who works with construction crews to build, adjust and repair wood frameworks in various construction projects. They work with their hands, using tools to build and install frameworks that last a lifetime! |

➤ Category_list.jsp

```
<%@page import = "java.sql.*"%>
```

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
```

```
<style>
  *
  {
    margin: 0px;
    padding: 0px;
  }
  body{
    background: url(image/v1016-a-08.jpg);
    background-repeat: no-repeat;
    background-size: cover;
  }
  .divider {
    display: flex;

    &:before,
    &:after {
      content: "";
      flex: 1;
    }
  }
  .header {
    overflow: hidden;
    align-items: center;
    /*background: hsl(50, 100%, 50%);*/
  }

```

```
background: rgba(0,0,0,.6);
color:#fff;
font-size: 35px;
height: 70px;
opacity: 70%;
&:before,
  &:after {
  background: whitesmoke;
  padding: 50px 0;
  height: 0;
  transform: rotate(45deg);
}
}

table{
/*      /*border-collapse: collapse;*/
font-size: 18px;
margin-top: 5%;
margin-left: auto;
margin-right: auto;

text-align: center;
width: 75%;
```

```
}

table th{
    font-size: 20px;
    background-color: #009879;
    color: #fff;
    padding: 8px 10px;
    /*border-radius: 10px;*/
    /*text-transform: uppercase;*/
}

table tr , td{
    padding: 8px 10px;
}

.submit{

    background:#1AAB8A;
    color:#fff;
    border:none;
    position:absolute;
    height:40px;
    width: 150px;
    top: 80px;
    right: 20px;
    font-size:18px;
    padding:5px;
}
```

```
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
/*           float: left;  
           margin-left: 35%;  
           margin-top: 20px; */  
}  
.submit:hover{  
background:#3CD3AD;  
font-size: 25px;  
color:#1AAB8A;  
}  
  
a{  
text-decoration: none;  
font-size: 28px;  
color: white;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">
```

```
<title>category list</title>
</head>
<body>

<h2 class="divider header">Category List</h2>
<button class="submit"><a
href="admin_das.jsp">Back</a></button>

<%
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");
    Statement st = con.createStatement();
    String q = " select * from category";
    ResultSet rs = st.executeQuery(q);
    out.println("<table>");
    out.println("<th>Category
Id</th><th>Name</th><th>Description</th> ");
    while (rs.next()) {
```

```
        out.print("<tr> <td>" + rs.getString(1));
        out.print("<td>" + rs.getString(2));
        out.print("<td>" + rs.getString(3));

    }
    rs.close();
    con.close();
} catch (Exception e) {
    out.print(e);
}

%>
</body>
</html>
```

SUB-CATEGORY LIST

| Sub Category Id | Category Id | Name | Description |
|-----------------|-------------|-------------------|--|
| 3 | 8 | nautical interior | natural colour palette inspired by the sea, unlike coastal decor, which reflects the natural elements of coastal living through your interiors, nautical decor focuses more on its motifs. Think cabana stripes, seashell accents,etc |
| 4 | 8 | traditional style | design creates focusing on ornate details as well as historic-inspired furniture and decor. Layers of pattern and texture add to the charm of curated conventional rooms. This style is also heavily influenced by 18th and 19th-Century European homes. |
| 5 | 8 | modern style | Modern design is an interior design style characterized by a monochromatic color palette, clean lines, minimalism, natural materials, and natural light. |
| 6 | 9 | industrial style | Industrial spaces typically include open spaces with a wealth of windows and natural light. Because of these elements, the design style typically includes a darker though neutral color palette such as white, black, and gray. |

➤ Subcategory_list.jsp

```
<%@page import = "java.sql.*"%>
```

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
```

```
<head>
```

```
<style>
```

```
*  
{  
    margin: 0px;  
    padding: 0px;  
}  
body{  
    background: url(image/v1016-a-08.jpg);  
    background-repeat: no-repeat;  
    background-size: cover;  
}  
.divider {  
    display: flex;  
  
&:before,  
&:after {  
    content: "";  
    flex: 1;  
}  
}  
.header {  
    overflow: hidden;  
    align-items: center;  
/*background: hsl(50, 100%, 50%);*/  
    background: rgba(0,0,0,.6);
```

```
color:#fff;  
font-size: 35px;  
height: 70px;  
opacity: 70%;  
&:before,  
&:after {  
background: whitesmoke;  
padding: 50px 0;  
height: 0;  
transform: rotate(45deg);  
}  
}
```

```
table{  
/*border-collapse: collapse;*/  
font-size: 18px;  
margin-top: 5%;  
margin-left: auto;  
margin-right: auto;  
height: 30%;  
text-align: center;  
width: 65%;  
}
```

```
table th{  
    font-size: 20px;  
    background-color: #009879;  
    color: #fff;  
    padding: 8px 10px;  
    /*border-radius: 10px;*/  
    /*text-transform: uppercase;*/  
}  
table tr , td{  
    padding: 8px 10px;  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:absolute;  
height:40px;  
width: 150px;  
top: 80px;  
right: 20px;  
font-size:18px;  
padding:5px;  
border-radius: 10px;
```

```
        cursor:pointer;
        transition:800ms ease all;
        outline:none;
    /*      float: left;
        margin-left: 35%;
        margin-top: 20px; */
    }
.submit:hover{
    background:#3CD3AD;
    font-size: 25px;
    color:#1AAB8A;
}

a{
    text-decoration: none;
    font-size: 28px;
    color: white;
}

</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>sub-category list</title>
```

```
</head>
<body>
    <h2 class="divider header">Sub-Category
List</h2>

    <button class="submit"><a
href="admin_das.jsp">Back</a></button>

<%
try {


    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

    Statement st = con.createStatement();
    String q = " select * from subcat";
    ResultSet rs = st.executeQuery(q);
    out.println("<table>");
    out.println("<th>Sub Category
Id</th><th>Category
Id</th><th>Name</th><th>Description</th> ");
    while (rs.next()) {
```

```
        out.print("<tr> <td>" + rs.getString(1));
        out.print("<td>" + rs.getString(2));
        out.print("<td>" + rs.getString(3));
        out.print("<td>" + rs.getString(4));
    }
    rs.close();
    con.close();
} catch (Exception e) {
    out.print(e);
}

%>
</body>
</html>
```

FEEDBACK LIST



➤ feedback_list.jsp

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
*
```

```
{  
    margin: 0px;  
    padding: 0px;  
}  
  
body{  
    background: url(image/v1016-a-08.jpg);  
    background-repeat: no-repeat;  
    background-size: cover;  
}  
  
.divider {  
    display: flex;  
  
    &:before,  
    &:after {  
        content: "";  
        flex: 1;  
    }  
}  
  
.header {  
    overflow: hidden;  
    align-items: center;  
    /*background: hsl(50, 100%, 50%);*/  
    background: rgba(0,0,0,.6);  
    color:#fff;
```

```
font-size: 35px;  
height: 70px;  
opacity: 70%;  
&:before,  
  &:after {  
    background: whitesmoke;  
    padding: 50px 0;  
    height: 0;  
    transform: rotate(45deg);  
  }  
}  
  
table{  
/* border-collapse: collapse; */  
font-size: 18px;  
margin-top: 5%;  
margin-left: auto;  
margin-right: auto;  
  
text-align: center;  
width: 55%;  
  
}  
table th{
```

```
font-size: 20px;  
background-color: #009879;  
color: #fff;  
padding: 8px 10px;  
/*border-radius: 10px;*/  
/*text-transform: uppercase;*/  
}  
table tr , td{  
    padding: 8px 10px;  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:absolute;  
height:40px;  
width: 150px;  
top: 80px;  
right: 20px;  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;
```

```
        transition:800ms ease all;
        outline:none;
    /*      float: left;
        margin-left: 35%;
        margin-top: 20px;*/
    }

.submit:hover{
    background:#3CD3AD;
    font-size: 25px;
    color:#1AAB8A;
}

a{
    text-decoration: none;
    font-size: 28px;
    color: white;
}


```



```
</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>feedback list</title>
</head>
```

```
<body>

    <h2 class="divider header">Feedback
List</h2>

    <button class="submit"><a
href="admin_das.jsp">Back</a></button>

<%
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");


    Statement st = con.createStatement();
    String q = " select * from feedback";
    ResultSet rs = st.executeQuery(q);
    out.println("<table>");
    out.println("<th>Feedback
Id</th><th>Date</th><th>Email Id
</th><th>Description</th> ");
    while (rs.next()) {



```

```
        out.print("<tr> <td>" + rs.getString(1));
        out.print("<td>" + rs.getString(2));
        out.print("<td>" + rs.getString(3));
        out.print("<td>" + rs.getString(4));
    }
    rs.close();
    con.close();
} catch (Exception e) {
    out.print(e);
}

%>
</body>
</html>
```

PROVIDER REGISTRATION





➤ pro_signup1.jsp (provider registration front side code)

```
<%@page import="java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<style>
*
{
    margin: 0px;
    padding: 0px;
}
```

```
}

.body
{
    background: url(image/25_afcas12.jpg);
    background-repeat: no-repeat;
    background-size: cover;
    display: flex;
}

.box
{
    box-shadow: 0 0 10px 0 black;
    /*background-color:#999999;*/
    color: #FFFFFF;
    margin-top: 90px;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 400px;
    width:550px;
    /*background:linear-
gradient(#74BBFB,#92D7FF,#AFF3FF,#CDFFFF,#EBF
FFF,#FFFFFF);*/
    background: rgba(0,0,0,.6);
    border-radius: 5px;
```

```
margin-left: auto;  
margin-right: auto;  
padding-bottom: 50px;  
margin-bottom: 90px;  
font-size: 20px;  
}  
  
.h2{  
  
position: absolute;  
display: flex;  
top: 120px;  
padding: 0;  
color: #FFFFFF;  
border-bottom: 3px dashed #aaa;  
border-left: 7px solid #aaa;  
border-left: 7px solid rgba(0,0,0,.2);  
}  
  
.box1  
{  
background: transparent;  
opacity: 80%;  
/*box-shadow: 0 0 10px 0 black;*/
```

```
/*background:linear-
gradient(#74BBFB,#92D7FF,#AFF3FF,#CDFFFF,#EBF
FFF,#FFFFFF);*/
background: rgba(0,0,0,.6);
color: #FFFFFF;
display: flex;
justify-content: center;
align-items: center;
height: 1100px;
width:650px;
border: 5px ;
border-radius: 5px;
margin-left: auto;
margin-right: auto;
padding-bottom: 50px;
margin-top: 5%;
margin-bottom: 90px;

}

.input1{

border-radius: 7px;
padding: 2px 0;
color:#FFFFFF;
```

```
margin-bottom: 10px;  
border: none;  
border-bottom: 2px solid #fff;  
width: 390px;  
outline: none;  
background: transparent;  
margin-top: 60px;  
}  
.box1 .h1{  
position: absolute;  
display: flex;  
top:100px;  
border-bottom: 3px dashed #aaa;  
border-left: 7px solid #aaa;  
border-left: 7px solid rgba(0,0,0,.2);  
/*padding: 5px 15px;*/  
}  
.box1 .text{  
margin-top: 80px;  
position: absolute;  
margin-left: auto;  
margin-right: auto;  
}  
.input{
```

```
border-radius: 7px;  
margin-left: 30px;  
padding: 2px 0;  
color:#FFFFFF;  
margin-bottom: 10px;  
border: none;  
border-bottom: 2px solid #fff;  
width: 490px;  
font-size: 22px;  
outline: none;  
background: transparent;  
  
}  
.select option{  
border: none;  
font-size: 18px;  
border-radius: 10px;  
color: #000000;  
}  
.box1 .user-box{  
position: relative;  
margin-top: 20px;
```

```
}

.box1 .user-box input{

    border-radius: 7px;
    margin-left: 30px;
    padding: 2px 0;
    color:#FFFFFF;
    margin-bottom: 10px;
    border: none;
    border-bottom: 2px solid #fff;
    width: 490px;
    outline: none;
    background: transparent;

}

.box1 .user-box label{

    position: absolute;
    top:10px;
    left: 40px;
    /*padding: 10px 0;*/
    color:#FFFFFF;
    pointer-events: none;
    transition: .5s;
    font-size: 24px;
```

```
}

.box1 .user-box input:focus ~label,.box1
.user-box input:valid ~label{
    top: -20px;
    /*left:10px;*/
    color: #0c63e4;
}

.submit{

background:#1AAB8A;
color:#fff;
border:none;
position:relative;
height:40px;
width: 150px;
font-size:22px;
padding:5px;
border-radius: 10px;
cursor:pointer;
outline:none;
/*float: left;*/
```

```
margin-left: 35%;  
margin-top: 20px;  
}  
.submit:hover{  
background:#fff;  
font-size: 22px;  
color:#1AAB8A;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
<link rel="stylesheet"  
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0  
.0/dist/css/bootstrap.min.css" integrity="sha384-  
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263  
XmFcJlSAwiGgFAW/dAiS6JXm"  
crossorigin="anonymous">  
  
<title>provider registration</title>  
</head>  
<body class="body">
```

```
<%
try {
    Class.forName("com.mysql.jdbc.Driver");
    Connection connection =
DriverManager.getConnection("jdbc:mysql://local
host/project5", "root", "");
    Statement statement =
connection.createStatement();
    int counter =
Integer.parseInt(request.getParameter("counter"))
;

if (counter == 0) {
    counter++;
%>
<div class="box">
    <div class="h2">
        <h1> Provider Registration </h1>
    </div>
    <form action="prosignup_change.jsp"
method="post" onsubmit="return dobu()">
        <div class="select">
```

```

<!--          <br> select category --
><select name ="s1" class=input1>
    <option disabled selected
hidden>Choose Category</option>
<%
    ResultSet rs =
statement.executeQuery("select * from
category");
    while (rs.next()) {
        out.print("<option value=" +
rs.getString(1) + ">" + rs.getString(2) +
"</option>");
    }
    out.println("</select>");
    out.println("</div>");
    out.println("</br><input
type=hidden name=counter value=" + counter +
">");

    out.println("<input type=submit
class=btn btn-outline-secondary value=check>");
    out.println("</form>");
    out.println("</div>");
}//if counter==0
else // IF COUNTER NOT ZERO

```

```
{  
    out.println(" ");  
//        out.println(counter);  
    String sid =  
request.getParameter("s1");  
    ResultSet rs1 =  
statement.executeQuery("select * from category  
where c_id=" + sid);  
    rs1.next();  
%>  
<div class="box1">  
    <div class="h1">  
        <h1> Provider Registration </h1>  
    </div>  
    <div class="text">  
        <form action="pro_signup2.jsp"  
method="post" >  
            <div class="select">  
                <select name ="s1"  
class=input >  
  
<%
```

```
        out.print("<option  
value=" + rs1.getString(1) + ">" + rs1.getString(2) +  
"</option>");  
  
        rs1.close();  
  
  
  
        out.println("</select>");  
  
        out.println("</div>");  
        //          out.println("<input  
type=submit value=check class=check  
DISABLED>");  
  
        out.println("<br>");  
        rs1 =  
statement.executeQuery("select * from subcat  
where c_id=" + sid);  
  
  
        out.println("<div  
class=select>");  
        out.print(" <select  
name=d1 class=input>");
```

```
out.println("<option disabled selected  
hidden>Choose Sub Category</option>");  
  
while (rs1.next()) {  
  
    out.print("<option value=" + rs1.getString(1) + ">"  
    + rs1.getString(3) + "</option>");  
}  
  
out.println("</select>");  
  
out.println("</div>");  
out.println("<div  
class=user-box>");  
out.println("<br><input type=text name=name required>");  
out.println("<label  
for=>Name</label>");  
  
out.println("</div>");  
out.println("<div  
class=user-box>");
```

```
out.println("</br><input type=text name=addr  
required>");  
out.println("<label  
for=>Address</label>");  
  
out.println("</div>");  
out.println("<div  
class=user-box>");  
  
out.println("</br><input type=text name=mob  
required>");  
out.println("<label  
for=>Phone Number</label>");  
  
out.println("</div>");  
out.println("<div  
class=user-box>");  
  
out.println("</br><input type=email name=email  
required>");  
out.println("<label  
for=>Email</label>");
```

```
out.println("</div>");  
out.println("<div  
class=user-box>");  
  
out.println("<br><input type=password  
name=pwd required>");  
out.println("<label  
for=>Password</label>");  
  
out.println("</div>");  
  
out.println("<div  
class= select>");  
out.println("<br>  
<select name=forquery class=input required>");  
  
out.println("<option disabled selected  
hidden>Choose Your forgot query</option>");  
  
out.println("<option> your pet name </option>");  
  
out.println("<option>your first school name  
</option>");
```

```
out.println("<option> your birthday </option>");

out.println("<option>your best food</option>");

out.println("</select>");

out.println("</div>");                                out.println("<div
class=user-box>");

out.println("<br><input type=text name=txtans
required>");                                     out.println("<label
for=>Enter Answer</label>");

out.println("</div>");                                out.println("<input
type='submit' class='submit' value=SUBMIT>");

out.println("</form>");                               rs1.close();

} //elseover
```

```

        } catch (Exception e) {
            out.println("error " +
e);
        }
    %>
</div>

</div>
</body>
</html>
```

- pro_signup2.jsp (provider registration back side code)

```

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<%@page import = "java.sql.*"%>
<html>
    <head>

        <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
        <title>sigup data save</title>
```

```
</head>
<body>
<%
    String xcid = request.getParameter("s1");
    String xscid = request.getParameter("d1");
    String xname =
    request.getParameter("name");
    String xaddr =
    request.getParameter("addr");
    String xmob =
    request.getParameter("mob");
    String xemail =
    request.getParameter("email");
    String xpwd = request.getParameter("pwd");
    String xforquery =
    request.getParameter("forquery");
    String xans =
    request.getParameter("txtans");

    try {
        Class.forName("com.mysql.jdbc.Driver");
```

```

Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

Statement st = con.createStatement();
String q = "insert into servpro values(" +
null + "','" + xcid + "','" + xscid + "','" + xname + "','" +
+ xaddr + "','" + xpwd + "','" + xforquery + "','" +
xans + "','" + xemail + "','" + xmob + "')";

int r = st.executeUpdate(q);
if (r > 0) {
    response.sendRedirect("pro_log.jsp");
} else {


    out.print("<h1 align=center >data
invalid</h1>");

}

} catch (Exception e) {
    out.print(e);
}
%>
</body>
</html>

```

PROVIDER LOGIN



➤ pro_log.jsp (provider login front side code)

```
<%@page contentType="text/html"
```

```
pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
    <head>
```

```
        <style>
```

```
        *{
```

```
            box-sizing: border-box;
```

```
outline: none; border:none;
margin: 0;
padding: 0;

}

body{
    background: url(image/25_afcas12.jpg);
    background-repeat: no-repeat;
    background-size: cover;
    display: flex;
    align-items: center;
    justify-content: center;
    height: 100vh;
    width: 100vw;
/*background-size: 100vw 100vh;*/
}

.login-box{
    position: absolute;
    top: 50%;
    left: 50%;
    height: 500px;
    width: 500px;
    transform: translate(-50%,-50%);
    background: rgba(0,0,0,.6);
```

```
    box-shadow: 0 15px 25px rgba(0,0,0,.6);  
    border-radius: 10px;  
    opacity: 80%;  
}  
  
.login-box h2{  
    /*margin: 0 0 50px;*/  
    padding: 0;  
    color: white;  
    text-align: center;  
    font-size: 40px;  
    margin-top: 60px;  
    margin-bottom: 60px;  
    /*margin-left: 50%;*/  
}  
  
.login-box .user-box{  
    position: relative;  
    margin-top: 20px;  
    /*margin-left: 50%;*/  
}  
  
.login-box .user-box input{  
  
    width: 80%;  
    margin-left: 30px;  
    padding: 2px 0;  
}
```

```
color: white;  
margin-bottom: 50px;  
border: none;  
border-bottom: 1px solid #ffffff;  
outline: none;  
background: transparent;  
font-size: 20px;  
}  
.login-box .user-box label{  
position: absolute;  
top:-10px;  
left: 30px;  
padding: 10px 0;  
color: #ffffff;  
pointer-events: none;  
transition: .5s;  
font-size: 24px;  
}  
.login-box .user-box input:focus ~label,.login-  
box .user-box input:valid ~label{  
top: -35px;  
left: 30px;  
color: #0c63e4;
```

```
}
```

```
.submit{  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:relative;  
height:40px;  
width: 150px;  
font-size:25px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
outline:none;  
/*float: left;*/  
margin-left: 35%;  
margin-top: 20px;  
}  
.submit:hover{  
background:#fff;  
font-size: 25px;  
color:#1AAB8A;  
}
```

```
.login-box form .forgot{  
    position: absolute;  
    right: 60px;  
    top:295px;  
    font-size: 18px;  
  
}  
.login-box form .forgot a{  
    color: #ffffff;  
    text-decoration: none;  
  
}  
  
.login-box form .forgot a:hover{  
    color: blue;  
  
}  
.login-box form .signup{  
    position: absolute;  
    right: 90px;  
    top:460px;  
    font-size: 18px;  
  
}
```

```
.login-box form .signup a{  
    color: #ffffff;  
    text-decoration: none;  
}  
.login-box form .signup a:hover{  
    color: #0c63e4;  
}  
.login-box form .txt{  
    position: absolute;  
    left: 130px;  
/*margin-left: 50%;*/  
    top: 460px;  
    font-size: 18px;  
    color: #ffffff;  
}  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
  
<meta charset="UTF-8">  
<meta http-equiv="X-UA-Compatible"  
content="IE=edge">  
<meta name="viewport"  
content="width=device-width, initial-scale=1.0">
```

```
<title>provider login</title>
</head>

<body>
<!-- <div class="left-side">

    <h1>WelCome Back <br> To<br>City
Guide </h1>
</div>-->
<div class="login-box">

    <h2> Provider Login</h2>
    <form action="pro_log2.jsp"
method="post">
        <div class="user-box">
            <input type="text" name="name"
required>
            <label for="">Username OR
Email</label>
        </div>
        <div class="user-box">
            <input type="password" name="pwd"
required>
            <label for="">Password</label>

```

```
</div>

<div class="a">
    <input type="submit" class="submit"
value="SignIn" >
    </div>
    <div class="forgot">
        <a href="forgot1.jsp">forgot password
?</a>

    </div>
    <label class="txt">Don't have an account
?</label>
    <div class="signup">
        <a
        href="prosignup_change.jsp?counter=0">Sign Up
Now</a>
        <!--<a
        href="pro_signup.jsp?counter=0">Sign Up
Now</a>-->
    </div>

</form>
</body>
```

</html>

➤ pro_log2.jsp (provider login back side code)

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
                background: url(image/v1016-a-08.jpg);
                background-repeat: no-repeat;
                background-size: cover;
            }
            h1{
                background-image: linear-gradient(43deg,
#4158D0 0%, #C850C0 46%, #FFCC70 100%);
                -webkit-background-clip: text;
                -webkit-text-fill-color: transparent;
                transition: all .2s;
                text-transform: uppercase;
                font-size: 48px;
            }
        </style>
    </head>
    <body>
        <h1>WELCOME TO CITY GUIDE</h1>
        <form action="pro_log2.jsp" method="post">
            <table border="1">
                <tr>
                    <td>User Name
                    <td><input type="text" name="username" /></td>
                </tr>
                <tr>
                    <td>Password
                    <td><input type="password" name="password" /></td>
                </tr>
                <tr>
                    <td colspan="2" style="text-align: center; padding-top: 10px;"><input type="submit" value="Login" /></td>
                </tr>
            </table>
        </form>
    </body>
</html>
```

```
}

.submit{

background:#1AAB8A;
color:#fff;
border:none;
position:relative;
height:80px;
width: 250px;
/*bottom: 50px;*/
left: 40%;
margin-top: 8%;
font-size:18px;
padding:5px;
border-radius: 10px;
cursor:pointer;
transition:800ms ease all;
outline:none;
}

.submit:hover{

background:#3CD3AD;
font-size: 25px;
color:#1AAB8A;
}
```

```
.submit a{  
    background:transparent;  
    text-decoration: none;  
    font-size: 28px;  
    color: white;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
    <title>provider login</title>  
</head>  
<body>  
    <%  
        String xname =  
request.getParameter("name");  
        String xpwd = request.getParameter("pwd");  
        //String xemail =request.getParameter("")  
        //        out.println(xname);  
        //        out.println(xpwd);  
        try {  
            Class.forName("com.mysql.jdbc.Driver");
```

```
Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

Statement st = con.createStatement();
String q = " select * from servpro where
p_name=" + xname + "or p_email=" + xname + ""
and p_pwd=" + xpwd + " ";


ResultSet rs = st.executeQuery(q);
if (rs.next()) {
    String xid = rs.getString(1);

    session.setAttribute("pro_id", xid);
    session.setAttribute("pro_name",
xname);
//        response.sendRedirect("servdet.jsp");

response.sendRedirect("providerIndex.jsp");
} else {
%>
<marquee behavior="alternate">
    <h1>provider not found</h1>
</marquee>
```

```
<button class="submit"><a  
href="pro_log.jsp">Re-Attempt</a></button>  
  
<%  
    out.print(" ");  
}  
  
    rs.close();  
    con.close();  
} catch (Exception e) {  
    out.print(e);  
}  
  
%>  
</body>  
</html>
```

PROVIDER DASHBORD



➤ provider_index.jsp

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>

            *{
                font-family: 'Poppins', sans-serif;
                margin:0; padding:0;
                box-sizing: border-box;
                outline: none; border:none;
            }
            body
            {
                width: 100%;
                height: 100%;
                background: url(image/v1016-a-08.jpg);
                background-repeat: no-repeat;
                background-size: cover;
            }
        </style>
    </head>
    <body>
```

```
    /*background:linear-
gradient(#74BBFB,#92D7FF,#AFF3FF,#CDFFFF,#EBF
FFF,#FFFFFF);*/
    /*background-position: center;*/
}
.box1
{
    background: blue;
    left: 0;
    right: 0;
    top:5px;
    height: 70px;
    box-shadow: 0 0 25px 0 black;
    display: flex;
    background-color: #94b4b4;
    width: 100%;
    position: absolute;
    opacity: 60%;
    background: rgba(0,0,0,.6);
    box-shadow: 0 15px 25px rgba(0,0,0,.6);
}

}
```

```
.logo1 img{  
    float: left;  
    width: 100%;  
    height: 50px;  
    margin-top:5px;  
    margin-left:10px;  
  
}  
.box1 a  
{  
    margin-top: 10px;  
    position: absolute;  
    text-decoration: none;  
    color: #fff;  
    font-size: 30px;  
    right: 10px;  
    margin-right: 10px;  
}  
  
.heading{  
    display: flex;  
    margin-top: 120px;  
    position: relative;  
    align-items: center;
```

```
justify-content: center;  
font-size: 40px;  
  
}  
  
.profile{  
background: rgba(0,0,0,.6);  
box-shadow: 0 15px 25px rgba(0,0,0,.6);  
height: 700px;  
width: 70%;  
margin-left: auto;  
margin-right: auto;  
margin-top: 6%;  
border-radius: 5px;  
}  
.profile h1{  
display: flex;  
  
position: relative;  
align-items: center;  
justify-content: center;  
color: #fff;  
top: 30px;  
font-size: 38px;
```

```
}

.profile .data{
    position: relative;
    align-items: center;
    justify-content: center;
    color: #fff;
    top: 30px;
    left: 80px;
    padding: 30px;
    font-size: 28px;

}

.profile .data h3{
    padding-bottom: 30px;
}

.child{
    display: flex;
/*background-color: #00DDEB;*/
    position: relative;
    align-content: center;
    height: 200px;
/*column-gap: 120px;*/
```

```
justify-content: center;  
margin-top: 10%;  
}  
  
.btn1 {  
background-image: linear-gradient(to  
right, #4CB8C4 0%, #3CD3AD 51%, #4CB8C4  
100%);  
background: rgba(0,0,0,.6);  
height: 150px;  
width: 300px;  
text-align: center;  
text-transform: uppercase;  
transition: 0.5s;  
color: white;  
box-shadow: 0 0 20px #eee;  
border-radius: 10px;  
font-size: 22px;  
font-weight: bold;  
margin-right: 170px;  
}  
  
.btn1:hover {  
box-shadow: 0 10px 15px rgba(0,0,0,.3);
```

```
        transform: scale(1.03);
    }
.btn2 {
    background-image: linear-gradient(to
right, #4CB8C4 0%, #3CD3AD 51%, #4CB8C4
100%);
    background: rgba(0,0,0,.6);
    height: 150px;
    margin-left: 170px;
    width: 300px;
    text-align: center;
    text-transform: uppercase;
    transition: 0.5s;
    color: white;
    box-shadow: 0 0 20px #eee;
    border-radius: 10px;
    font-size: 22px;
    font-weight: bold;
}

.btn2:hover {
    box-shadow: 0 10px 15px rgba(0,0,0,.3);
    transform: scale(1.03);
}
```

```

    a{
        text-decoration: none;
        color: #ffffff;
    }

```

</style>

```

<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>porvider index</title>

```

</head>

<body>

```

<div class="box1">
    <div class="logo1">
        
    </div>

```

```

    <div class="a">
        <a href="index.jsp"><i class="fa fa-power-
off" style="color: white"
style="size:20px"></i>Logout</a>
    </div>

```

</div>

```
<div class="heading">
    <h1> WelCome to City Guide </h1>
</div>
<div class="profile">
    <h1>Provider Profile</h1>
    <%
        String id =
session.getAttribute("pro_id").toString();
        try {

Class.forName("com.mysql.jdbc.Driver");
        Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

Statement st = con.createStatement();
        String q = "select * from servpro where
p_id =" + id;
        ResultSet rs = st.executeQuery(q);
        String cid;
        String sid;
        String cat = null;
        String subcat = null;
```

```
if (rs.next()) {  
    String xid = rs.getString(1);  
    cid = rs.getString(2);  
    sid = rs.getString(3);  
  
    String name = rs.getString(4);  
    String phone = rs.getString(10);  
    String email = rs.getString(9);  
    String addr = rs.getString(5);  
  
    String q1 = "select * from category  
where c_id =" + cid;  
    Statement st2 =  
con.createStatement();  
    ResultSet rs2 = st2.executeQuery(q1);  
    if (rs2.next()) {  
        cat = rs2.getString(2);  
    }  
    rs2.close();  
    String q2 = "select * from subcat  
where s_id =" + sid;  
    Statement st3 =  
con.createStatement();  
    ResultSet rs3 = st3.executeQuery(q2);
```

```
if (rs3.next()) {  
    subcat = rs3.getString(3);  
}  
rs3.close();  
  
%>  
<div class="data">  
    <h3> Name :&nbsp;&nbsp;<%=  
name%></h3>  
    <h3> Phone No :&nbsp;&nbsp;<%=  
phone%></h3>  
    <h3> Email :&nbsp;&nbsp; <%=  
email%></h3>  
    <h3>Address :&nbsp;&nbsp;<%=  
addr%></h3>  
    <h3>Category :&nbsp;&nbsp;<%=  
cat%></h3>  
    <h3>Sub-Category :&nbsp;&nbsp;<%=  
subcat%></h3>  
  
    </div>  
</div>  
<div class="child">
```

```


        </br><a href="pro_menu.jsp"> <button
    class="btn1">Add Service details</button></a>
        <br><a href='servicelist.jsp?id=<%= xid%>'>
        <button class="btn2">See your
    details</button></a>
        </div>

<%
    }
    rs.close();
    con.close();
} catch (Exception e) {
    out.println(e);
}
%>

</body>
</html>

```

ADD SERVICE DETAILS



➤ pro_menu.jsp (add service details frontside code)

```
<%@page import = "java.sql.*"%>
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
*
```

```
{  
    margin: 0px;  
    padding: 0px;  
}  
  
body{  
    background: url(image/v1016-a-08.jpg);  
    background-repeat: no-repeat;  
    background-size: cover;  
}  
  
.box1  
{  
    background: transparent;  
    left: 0;  
    right: 0;  
    top:5px;  
    height: 70px;  
    box-shadow: 0 0 25px 0 black;  
    display: flex;  
    /*background-color: #94b4b4;*/  
    width: 100%;  
    position: absolute;  
    opacity: 60%;  
    background: rgba(0,0,0,.6);  
    box-shadow: 0 15px 25px rgba(0,0,0,.6);  
}
```

```
}

.logo1 img{
    float: left;
    width: 100%;
    height: 50px;
    margin-top:5px;
    margin-left:10px;

}

.txt{
    margin-left: 30px;
    font-size: 22px;
    color: #fff;
}

.txt input{
    border: none;
    /*display: none;*/
    background: transparent;
    color: #fff;
    font-size: 22px;
}
```

```
.main{  
    position: absolute;  
    /*top: 50%;*/  
    left: 50%;  
    height: 450px;  
    width: 400px;  
    transform: translate(-50%,-50%);  
    background: rgba(0,0,0,.6);  
  
    box-shadow: 0 15px 25px rgba(0,0,0,.6);  
    border-radius: 10px;  
    margin-top: 320px;  
    margin-bottom: 0px;  
}  
.main h1{  
    margin: 0 0 50px;  
    padding: 0;  
    color: white;  
    text-align: center;  
    font-size: 40px;  
    margin-top: 40px;  
    margin-bottom: 40px;  
}
```

```
.main .user-image{  
    margin-left: 40px;  
}  
.main .user-box{  
    position: relative;  
    margin-top: 20px;  
}  
.main .user-box textarea{  
    height: 40px;  
    padding: 10px 0;  
    resize: none;  
  
    margin-bottom: 40px;  
}  
  
.main .user-box .input{  
  
    width: 80%;  
    margin-left: 30px;  
    padding: 2px 0;  
    color: white;  
    margin-bottom: 30px;  
    border: none;  
    border-bottom: 1px solid #ffffff;
```

```
outline: none;  
background: transparent;  
font-size: 20px;  
}  
.main .user-box label{  
position: absolute;  
top:-10px;  
left: 30px;  
padding: 10px 0;  
color: #ffffff;  
pointer-events: none;  
transition: .5s;  
font-size: 24px;  
  
}  
.main .user-box .input:focus ~label,.main .user-  
box .input:valid ~label{  
top: -35px;  
left: 30px;  
color: #0c63e4;  
}  
button{  
background:#1AAB8A;
```

```
color:#fff;  
border:none;  
/*position:relative;*/  
height:50px;  
width: 120px;  
font-size:18px;  
/*padding:5px;*/  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
/*margin: 30px;*/  
margin-left: 25px;  
padding: 15px 5px;  
  
}  
button:hover{  
background:#fff;  
font-size: 25px;  
color:#1AAB8A;  
}  
.btn{  
margin-top: 20px;  
}
```

```
a{  
background:#1AAB8A;  
color:#fff;  
border:none;  
/*position:relative;*/  
height:50px;  
width: 220px;  
font-size:18px;  
/*padding:5px;*/  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
/*margin: 30px;*/  
margin-left: 25px;  
padding: 15px 50px;  
text-decoration: none;  
margin-left: 90px;  
}  
a:hover{  
background:#fff;  
font-size: 25px;  
color:#1AAB8A;  
}
```

```
</style>
<link rel="stylesheet"
 href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>provider menu</title>
</head>
<body>
<div class="box1">
<div class="logo1">

</div>
</div>

<!--<h1 > Wellcome Provider <%= 
session.getAttribute("pro_id")%> <%= 
session.getAttribute("pro_name")%></h1>-->
<%
String proid =
session.getAttribute("pro_id").toString();
```

```
int srno = 0;
try {
    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");
Statement st = con.createStatement();
String q = "select * from servdet where
p_id =" + proid + " order by ps_srno ";
ResultSet rs = st.executeQuery(q);

while (rs.next()) {
    srno = rs.getInt(3);
}

srno++;
rs.close();
} catch (Exception e) {
    out.println(e);
}
%>

<div class="main">
```

```
<h1 class="h2">Service details</h1>
<form action="pro_menu2.jsp"
method="post" enctype="multipart/form-data" >
    <div class="txt">
        SR.NO :
        <input type="text" value=<%= srno%>
name="srno" class="srinput" readonly></br>
    </div>
    <div class="user-box">
        <input type="text" name="title"
class="input" required>
        <label for="">Title</label>
    </div>
    <div class="user-box">
        <textarea type="text" name="descr"
required class="input" rows="1"
columns="50"></textarea>
        <label class="lable" for="">
Description</label>
    </div>
    <div class="user-image">
        <input type="file" name="image"
placeholder="Image">
    </div>
```

```
<div class="btn">
    <button id="first"
class="both">Submit</button>
    <a href="providerIndex.jsp">Back</a>
</div>

</div>

</form>
</div>

</body>
</html>
```

➤ pro_menu2.jsp (add service details backside code)

```
<%@page import="java.sql.*" %>
<%@ page import="java.util.List" %>
```

```
<%@ page import="java.util.Iterator" %>
<%@ page import="java.util.ArrayList" %>
<%@ page import="java.io.File" %>
<%@ page import="java.io.PrintWriter" %>
<%@ page
import="javax.servlet.http.HttpServletRequest" %>
<%@ page
import="javax.servlet.http.HttpServletResponse" %>
<%@ page
import="org.apache.commons.fileupload.FileItem" %>
<%@ page
import="org.apache.commons.fileupload.disk.DiskFileItemFactory" %>
<%@ page
import="org.apache.commons.fileupload.servlet.ServletFileUpload" %>

<%
    // Check if the request is of type
    'multipart/form-data'
    boolean isMultipart =
    ServletFileUpload.isMultipartContent(request);
```

```
String proid =  
session.getAttribute("pro_id").toString();  
  
if (isMultipart)  
{  
    // Create a factory for disk-based file items  
    DiskFileItemFactory factory = new  
    DiskFileItemFactory();  
  
    // Set the directory for temporary files  
    File tempDir = (File)  
getServletContext().getAttribute("javax.servlet.con  
text.tempdir");  
factory.setRepository(tempDir);  
  
    // Create a new file upload handler  
    ServletFileUpload upload = new  
    ServletFileUpload(factory);  
  
    try  
{  
        // Parse the request  
        List<FileItem> items =  
upload.parseRequest(request);
```

```
Class.forName("com.mysql.jdbc.Driver");
Connection connection =
DriverManager.getConnection("jdbc:mysql://local
host/project5","root","");
String q="insert into servdet
values(null,"+proid+",'";
// Create a prepared statement for the
insert query
Statement statement =
connection.createStatement();

// Iterate over the file items
Iterator<FileItem> iter = items.iterator();
//      int counter=1;
while (iter.hasNext())
{
    FileItem item = iter.next();

    // Check if the item is a form field or an
uploaded file
    if (item.isFormField())
    {
        // Process the form field (text data)
```

```
String fieldName =  
item.getFieldName();  
String fieldValue = item.getString();  
  
        // Print the text data  
//         out.println("Field Name: " +  
fieldName);  
//         out.println("<br>Field Value: " +  
fieldValue);  
//         out.println("<hr>");  
//         counter++;  
//         if(counter<4)  
//             q=q+"""+fieldValue+""";  
} else  
{  
    // Process the uploaded file (image file)  
    String fieldName =  
item.getFieldName();  
    String fileName = item.getName();  
//    out.println("file name :" +fileName);  
if(fileName.length()>0)  
{
```

```
// Save the file to a desired location  
// File uploadedFile = new  
File("path/to/save/" + fileName);  
//String v="d://satisf/test/" + fileName;  
  
ServletContext context =  
request.getServletContext();  
String realpath =  
context.getRealPath("/img/");  
//      out.println("<br>P Ath -->" + realpath);  
  
String Tpath=realpath.replace("\\\\","/");  
//      out.println("<br>P Ath -->" + Tpath);  
q=q+"""+img/""+fileName+""");  
//      out.println("<br>P Ath -->" + q);  
  
//q=q+ fileName;  
//      out.print("<br> <h1>" + q + "<br></h1>");  
File uploadedFile = new File(realpath +  
fileName);  
  
item.write(uploadedFile);
```

```
//          out.println("File uploaded ok");
// You can perform further processing
with the uploaded image file here
}

else

{

    q=q+"no')";
} //if filename

}

//      out.println("<BR> Query "+q);
int r=statement.executeUpdate(q);

if(r>0)
{

response.sendRedirect("providerIndex.jsp");
////      out.println("<h1> Upload <h1>" );
//
//      ResultSet
rs=statement.executeQuery("Select * from servdet
");
```

```

////          out.println("<table border=1>");
//           while(rs.next())
//           {
//           //
//           out.print("<tr>
<td>psid">+rs.getString(1));
//           out.print("<td>proid">+rs.getString(2));
//           out.print("<td>srno">+rs.getString(3));
//           //
//           out.print("<td>name">+rs.getString(4));
//           out.print("<td>other">+rs.getString(5));
//           if(!rs.getString(6).equals("no"))
//           out.print("<td>Image ");
//           // out.println("iame of");
//           // out.println("<img
src=\"path/to/save/" + fileName + "\"
alt=\"Uploaded Image\">");
//           //
//           }
}

else
{

```

```

        out.println("Sorry");
        connection.close();
    }
}

catch (Exception e) {
    out.println("error "+e);
}
%>

```

PROVIDER SERVICE LIST

| Sr no | Title | Description |
|-------|-----------------------------------|--|
| 1 | Home interior design | the art and science of understanding people's behavior to create functional spaces, that are aesthetically pleasing, within a building. Decoration is the furnishing or adorning of a space with decorative elements, sometimes complemented by advice and practical assistance. |
| 2 | office interior designer | he practise of designing workplaces that are conducive to maximising not only productivity but also the health, safety, well-being, and performance of employees. |
| 3 | Cafe & Restaurant interior design | Many modern restaurant interior designs feature minimalist style with lots of white space and sparse infusions of color. Keep things simple and create a low-stimulation environment that allows your guests to focus on their food. |

➤ servicelist.jsp

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>

        <style>
            *
            {
                margin: 0px;
                padding: 0px;
            }
            body{
                background: url(image/v1016-a-08.jpg);
                background-repeat: no-repeat;
                background-size: cover;
            }
            .divider {
                display: flex;
```

```
&:before,  
  &:after {  
    content: "";  
    flex: 1;  
  }  
}  
.header {  
  overflow: hidden;  
  align-items: center;  
 /*background: hsl(50, 100%, 50%);*/  
  background: rgba(0,0,0,.6);  
  color:#fff;  
  font-size: 35px;  
  height: 70px;  
  opacity: 70%;  
  &:before,  
    &:after {  
      background: whitesmoke;  
      padding: 50px 0;  
      height: 0;  
      transform: rotate(45deg);  
    }  
}
```

```
table{  
    /*          /*border-collapse: collapse;*/  
    font-size: 18px;  
    margin-top: 5%;  
    margin-left: auto;  
    margin-right: auto;  
  
    text-align: center;  
    width: 75%;  
  
}  
table th{  
    font-size: 20px;  
    background-color: #009879;  
    color: #fff;  
    padding: 8px 10px;  
    /*border-radius: 10px;*/  
    /*text-transform: uppercase;*/  
}  
table tr , td{  
    padding: 8px 10px;  
}  
.submit{
```


```
background:#1AAB8A;  
color:#fff;  
border:none;  
position:absolute;  
height:40px;  
width: 150px;  
top: 80px;  
right: 20px;  
  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
/* float: left;  
margin-left: 35%;  
margin-top: 20px; */  
}  
.submit:hover{  
background:#3CD3AD;  
font-size: 25px;  
color:#1AAB8A;  
}
```

```
a{  
    text-decoration: none;  
    font-size: 28px;  
    color: white;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
    <title>service list</title>  
</head>  
<body>  
  
    <h2 class="divider header">Service List</h2>  
    <button class="submit"><a  
href="providerIndex.jsp">Back</a></button>  
    <%  
        String xid = request.getParameter("id");  
        try {  
  
            Class.forName("com.mysql.jdbc.Driver");
```

```
Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");  
  
Statement st = con.createStatement();
String q = " select * from servdet where
p_id =" + xid;
ResultSet rs = st.executeQuery(q);
out.println("<table>");
out.println("<th>Sr no
</th><th>Title</th><th>Description</th> ");
while (rs.next()) {  
  
    out.print("<tr> <td>" + rs.getString(3));
    out.print("<td>" + rs.getString(4));
    out.print("<td>" + rs.getString(5));
//    out.print("<td>" + rs.getString(6));
    }
    rs.close();
    con.close();
} catch (Exception e) {
    out.print(e);
}
```

```
%>  
</body>  
</html>
```

USER SIGNUP



➤ sign_up.jsp (sign up front side code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>

<html>
  <head>
    <style>
      *{
        margin: 0;
        padding: 0;
      }
      body{
        background: url(image/25_afcas12.jpg);
        background-repeat: no-repeat;
        background-size: cover;
        display: flex;
        align-items: center;
        justify-content: center;
        height: 100vh;
      }
    </style>
  </head>
  <body>
    <div>
      <h1>Sign Up</h1>
      <form>
        <input type="text" placeholder="Name" />
        <input type="text" placeholder="Email" />
        <input type="password" placeholder="Password" />
        <input type="submit" value="Sign Up" />
      </form>
    </div>
  </body>
</html>
```

```
width: 100vw;  
  
}  
.signup-box{  
    margin-top: 10%;  
    margin-left: auto;  
    margin-right: auto;  
    height: 650px;  
    width: 500px;  
/*transform: translate(-50%,-50%);*/  
background: rgba(0,0,0,.6);  
box-shadow: 0 15px 25px rgba(0,0,0,.6);  
border-radius: 10px;  
  
}  
.signup-box h2{  
    margin: 0 0 50px;  
    padding: 0;  
    color: white;  
    text-align: center;  
    font-size: 40px;  
    margin-top: 30px;  
    margin-bottom: 40px;  
}
```

```
.signup-box .user-box{  
    position: relative;  
    margin-top: 10px;  
}  
.signup-box .user-box input{  
  
    width: 80%;  
    margin-left: 30px;  
    padding: 2px 0;  
    color: white;  
    margin-bottom: 30px;  
    border: none;  
    border-bottom: 1px solid #ffffff;  
    outline: none;  
    background: transparent;  
    font-size: 20px;  
}  
.signup-box .user-box label{  
    position: absolute;  
    top:-10px;  
    left: 30px;  
    padding: 10px 0;  
    color: #ffffff;  
    pointer-events: none;
```

```
    transition: .5s;
    font-size: 24px;

}

.signup-box .user-box input:focus ~label,.signup-box .user-box input:valid ~label{
    top: -35px;
    left: 30px;
    color: #0c63e4;
}

.submit{

background:#1AAB8A;
color:#fff;
border:none;
position:relative;
height:40px;
width: 150px;
font-size:25px;
padding:5px;
border-radius: 10px;
cursor:pointer;
outline:none;
```

```
/*float: left;*/  
margin-left: 35%;  
margin-top: 20px;  
}  
.submit:hover{  
background:#fff;  
font-size: 25px;  
color:#1AAB8A;  
}  
.select{  
width: 80%;  
margin-left: 30px;  
padding: 2px 0;  
color: white;  
margin-bottom: 30px;  
border: none;  
border-bottom: 1px solid #ffffff;  
outline: none;  
background: transparent;  
font-size: 20px;  
}  
.select option{  
border: none;
```

```
    font-size: 18px;  
    border-radius: 10px;  
    color: #000000;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
  
<meta charset="UTF-8">  
<meta http-equiv="X-UA-Compatible"  
content="IE=edge">  
    <meta name="viewport"  
content="width=device-width, initial-scale=1.0">  
    <title>signup</title>  
</head>  
  
<body>  
  
<div class="signup-box">  
    <h2> User SignUp</h2>  
    <form action="sign_save.jsp"  
method="post">  
        <div class="user-box">
```

```
<input type="text" class="input "
name="txtname" required>
    <label for="">Username</label>
</div>
<div class="user-box">
    <input type="text" name="txtadd"
required>
        <label for="">Address</label>
</div>
<div class="user-box">
    <input type="password"
name="txtpassword" required>
        <label for="">Password</label>
</div>
<div class="user-box">
    <input type="email" name="txtemail"
required>
        <label for="">Email</label>
</div>

<div class="user-box">
    <input type="text" name="txtphone"
required>
        <label for="">Phone No </label>
```

```
</div>

<select name="forquery" required=""
class="select">
    <option value="" disabled selected
hidden>Choose Your forgot query</option>
    <option> your best friend name
</option>
    <option>your first school name
</option>
    <option> your birthday </option>
    <option>your best food</option>
</select>

<div class="user-box">
    <input type="text" name="txtans"
required>
    <label for="">Enter Answer</label>
</div>

<div class="a">
    <input type="submit" class="submit"
value="Submit" >
</div>
```

```
</form>
</body>
</html>
```

➤ sign_save.jsp (sign up back side code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<%@page import = "java.sql.*"%>
<html>
<head>
<style>
body{
    background: url(image/v1016-a-08.jpg);
    background-repeat: no-repeat;
    background-size: cover;
}
h1{
```

```
background-image: linear-gradient(43deg,  
#4158D0 0%, #C850C0 46%, #FFCC70 100%);  
-webkit-background-clip: text;  
-webkit-text-fill-color: transparent;  
transition: all .2s;  
text-transform: uppercase;  
font-size: 48px;  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:relative;  
height:80px;  
width: 250px;  
/*bottom: 50px;*/  
left: 40%;  
margin-top: 8%;  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;
```

```
outline:none;
}
.submit:hover{
    background:#3CD3AD;
    font-size: 25px;
    color:#1AAB8A;
}

.submit a{
    background:transparent;
    text-decoration: none;
    font-size: 28px;
    color: white;
}

</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>sigup data</title>
</head>
<body>
<%
    String xname, xadd, xpass, xemail, xphone,
xforquery, xforans;
```

```

xname = request.getParameter("txtname");
xadd = request.getParameter("txtadd");
xpass =
request.getParameter("txtpassword");
xemail = request.getParameter("txtemail");
xphone =
request.getParameter("txtphone");
xforquery =
request.getParameter("forquery");
xforans = request.getParameter("txtans");
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

    Statement st = con.createStatement();
    String q = "insert into client values(null,'"
+ xname + "','" + xpass + "','" + xforquery + "','" +
xforans + "','" + xphone + "','" + xemail + "','" + xadd
+ "')";

    int r = st.executeUpdate(q);
    if (r > 0) {


```

```
        response.sendRedirect("login.jsp");
    } else {

    %>
<marquee behavior="alternate">
    <h1>Data not Save</h1>
</marquee>
<button class="submit"><a
href="sign_up.jsp">Re-Attempt</a></button>

<%          }
} catch (Exception e) {
    out.print(e);
}
%>
</body>
</html>
```

USER LOGIN



➤ login.jsp (user login front side code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>

<html>
  <head>
    <style>
      *{
```

margin: 0;

```
padding: 0;  
}  
body{  
  
background: url(image/25_afcas12.jpg);  
background-repeat: no-repeat;  
background-size: cover;  
display: flex;  
align-items: center;  
justify-content: center;  
height: 100vh;  
width: 100vw;  
  
}  
.login-box{  
position: absolute;  
top: 50%;  
left: 50%;  
height: 500px;  
width: 500px;  
transform: translate(-50%,-50%);  
background: rgba(0,0,0,.6);  
box-shadow: 0 15px 25px rgba(0,0,0,.6);  
border-radius: 10px;
```

```
}

.login-box h2{
    margin: 0 0 50px;
    padding: 0;
    color: white;
    text-align: center;
    font-size: 40px;
    margin-top: 60px;
    margin-bottom: 60px;
}

.login-box .user-box{
    position: relative;
    margin-top: 20px;
}

.login-box .user-box input{

    width: 80%;
    margin-left: 30px;
    padding: 2px 0;
    margin-bottom: 50px;
    border: none;
    border-bottom: 1px solid #ffffff;
    outline: none;
    background: transparent;
}
```

```
    font-size: 20px;
}
.login-box .user-box label{
    position: absolute;
    top:-10px;
    left: 30px;
    padding: 10px 0;
    color: #ffffff;
    pointer-events: none;
    transition: .5s;
    font-size: 24px;
}

.login-box .user-box input:focus ~label,.login-box .user-box input:valid ~label{
    top: -35px;
    left: 30px;
    color: #0c63e4;
}

.submit{
    background:#1AAB8A;
    color:#fff;
```

```
border:none;  
position:relative;  
height:40px;  
width: 150px;  
font-size:25px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
outline:none;  
/*float: left;*/  
margin-left: 35%;  
margin-top: 20px;  
}  
.submit:hover{  
background:#fff;  
font-size: 25px;  
color:#1AAB8A;  
}  
.login-box form .forgot{  
position: absolute;  
right: 60px;  
top:295px;  
font-size: 18px;
```

```
}

.login-box form .forgot a{
    color: #ffffff;
    text-decoration: none;
}

.login-box form .forgot a:hover{
    color: blue;
}

.login-box form .signup{
    position: absolute;
    right: 90px;
    top:460px;
    font-size: 18px;

}

.login-box form .signup a{
    color: #ffffff;
    text-decoration: none;
}

.login-box form .signup a:hover{
    color: blue;
}

.login-box form .txt{
    position: absolute;
```

```
    left: 120px;  
    top: 460px;  
    font-size: 18px;  
    color: #ffffff;  
}  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
  
<meta charset="UTF-8">  
<meta http-equiv="X-UA-Compatible"  
content="IE=edge">  
  <meta name="viewport"  
content="width=device-width, initial-scale=1.0">  
  <title>user login</title>  
</head>  
  
<body>  
  
<div class="login-box">  
  <h2> User Login</h2>  
  <form action="login2.jsp" method="post">  
    <div class="user-box">
```

```
<input type="text" name="txtname"
required>
    <label for="">Username OR
Email</label>
    </div>
    <div class="user-box">
        <input type="password"
name="txtpwd" required>
            <label for="">Password</label>
        </div>

    <div class="a">
        <input type="submit" class="submit"
value="SignIn" >
    </div>
    <div class="forgot">
        <a href="forgot1.jsp">forgot password
?</a>

    </div>
    <label class="txt">Don't have an account
?</label>
    <div class="signup">
```

```
        <a href="sign_up.jsp">Sign Up Now</a>
    </div>

</form>
</body>
</html>
```

➤ login2.jsp (user login backside code)

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
                background: url(image/v1016-a-08.jpg);
                background-repeat: no-repeat;
                background-size: cover;
            }
            h1{
```

```
background-image: linear-gradient(43deg,  
#4158D0 0%, #C850C0 46%, #FFCC70 100%);  
-webkit-background-clip: text;  
-webkit-text-fill-color: transparent;  
transition: all .2s;  
text-transform: uppercase;  
font-size: 48px;  
}  
.submit{  
  
background:#1AAB8A;  
color:#fff;  
border:none;  
position:relative;  
height:80px;  
width: 250px;  
/*bottom: 50px;*/  
left: 40%;  
margin-top: 8%;  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;
```

```
outline:none;
}
.submit:hover{
    background:#3CD3AD;
    font-size: 25px;
    color:#1AAB8A;
}

.submit a{
    background:transparent;
    text-decoration: none;
    font-size: 28px;
    color: white;
}

</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>userlogin</title>
</head>
<body>
<%
    String xname =
request.getParameter("txtname");
```

```
String xpwd =  
request.getParameter("txtpwd");  
//String xemail =request.getParameter("")  
try {  
  
Class.forName("com.mysql.jdbc.Driver");  
Connection con =  
(Connection)DriverManager.getConnection("jdbc:  
mysql://localhost:3306/project5","root","");
  
Statement st = con.createStatement();  
String q = " select * from client where  
(cl_name='"+xname+"'or cl_email='"+xname+"')  
and cl_pwd='"+xpwd+"' ";  
ResultSet rs = st.executeQuery(q);  
if(rs.next())  
{  
String xid = rs.getString(1) ;  
  
session.setAttribute("cl_id",xid);  
session.setAttribute("cl_name",xname);  
response.sendRedirect("dash.jsp");  
}  
else
```



```
{%>
    <marquee behavior="alternate">
        <h1>username not found</h1>
    </marquee>
    <button class="submit"><a
href="login.jsp">Re-Attempt</a></button>


<%
//         out.print("");
}

rs.close();
con.close();
}
catch (Exception e)
{
    out.print(e);
}

%>
</body>
</html>
```

MAIN DASHBORD





➤ index.jsp

```
<%@page import = "java.sql.*"%>

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
```

```
*{  
    font-family: 'Poppins', sans-serif;  
    margin:0; padding:0;  
    box-sizing: border-box;  
    outline: none; border:none;  
}  
  
body  
{  
    width: 100%;  
    height: 100%;  
    background: url(image/modernblue.jpg);  
    background-repeat: no-repeat;  
    background-size: cover;  
  
    /*background:linear-  
gradient(#74BBFB,#92D7FF,#AFF3FF,#CDFFFF,#EBF  
FFF,#FFFFFF);*/  
    background-position: center;  
}  
  
.main{  
    top: 0;  
    width: 100%;  
    height: 70px;
```

```
display: flex;  
justify-content: space-between;  
align-items: center;  
/*position:fixed;*/  
/*z-index: 99;*/  
/*box-shadow: 0 10px 15px rgb(5, 68,  
104);*/  
background: rgb(5, 68, 104);
```

{

```
.logo1 img{  
float: left;  
width: 100%;  
height: 50px;  
margin-top:5px;  
margin-left:10px;
```

{

```
.menu-bar{  
background:transparent;  
text-align: center;
```

```
    float: right;  
}  
.menu-bar ul{  
    display: flex;  
    list-style: none;  
    color: #fff;  
    margin-right: 50px;  
    font-size: 18px;  
  
}  
.menu-bar ul li{  
    width: 110px;  
    margin: 5px;  
    padding: 2px;  
}  
.menu-bar ul li a{  
    text-decoration: none;  
    color: #fff;  
}  
.active.menu-bar ul li:hover{  
    background: #000000ff;  
    border-radius: 3px;  
}  
.submenu{
```

```
        display: none;
    }
.menu-bar ul li:hover .submenu{
    display: block;
    position: absolute;
    background:rgb(5, 68, 104);
    /*margin-top: 15px;*/
    margin-left: -15px;
    border-radius: 3px;
}
.menu-bar ul li:hover .submenu ul{
    display: block;
    margin: 10px;
}

.menu-bar ul li:hover .submenu ul li{
    width: 80px;
    padding: 10px;
    border-bottom: 1px dotted #FFFFFF;
    background: transparent;
    border-radius: 0;
    text-align: left;
}
.header-content{
```

```
display: flex;  
border-radius: 50px;  
opacity: 3px;  
margin-left: 20px;  
margin-right: 20px;  
height: 690px;  
align-items: center;  
margin-top: 100px;  
}  
.box{  
margin-top: -60px;  
  
height: 40px;  
display: flex;  
cursor: pointer;  
padding: 10px 20px;  
  
transform: scale(0.9);  
background:#fff;  
margin-bottom: 30px;  
border-radius: 30px;  
align-items: center;  
/* box-shadow: 0 10px 25px  
rgba(0,0,0,0.5);*/
```

```
width: 85%;  
/*margin-left: 60px;*/  
  
}  
.box input{  
width: 0;  
outline: none;  
border: none;  
font-weight: 500;  
transition: 0.10s;  
background: transparent;  
font-size: 18px;  
  
}  
.box button{  
position: absolute;  
right: 30px;  
}  
.box a.fa{  
color: #66ffff;  
font-size: 25px;  
}  
.intro-text{  
flex-basis: 50%;
```

```
padding: 50px;  
}  
.intro-text h1{  
    font-size: 50px;  
}  
.intro-text p{  
    color: #000000;  
    font-size: 18px;  
}  
.contact-img img{  
    height: 400px;  
    width: 800px;  
    opacity: 90%;  
    margin-bottom: 100px;  
}  
.container{  
    padding:15px 9%;  
    padding-bottom: 100px;  
}  
  
.container .heading{  
    margin-top: 90px;  
    text-align: center;  
/*padding-bottom: 15px;*/
```

```
    color:#fff;  
    text-shadow: 0 5px 10px rgba(0,0,0,.2);  
    font-size: 50px;  
}
```

```
.container .box-container{  
    display: grid;  
    grid-template-columns: repeat(auto-fit,  
minmax(270px, 1fr));  
    gap:25px;  
}
```

```
.container .box-container .box1{  
    box-shadow: 0 5px 10px rgba(0,0,0,.2);  
    border-radius: 5px;  
    background: #fff;  
    text-align: center;  
    padding:30px 20px;  
    width: 300px;  
    height: 400px;  
    margin-top: 30px;  
}
```

```
.container .box-container .box1 .image img{
```

```
    max-height: 100%;  
    max-width: 100%;  
}  
.container .box-container .box1 .image{  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    width: auto;  
    height:60%;  
/*background-color: #cccccc;*/  
}  
.container .box-container .box1 h3{  
    color:#444;  
    font-size: 22px;  
    padding:10px 0;  
}  
  
.container .box-container .box1 textarea{  
    color:#777;  
    font-size: 15px;  
    line-height: 1.8;  
    width: 100%;  
}  
.container .box-container .box1 a{
```

```
text-decoration: none;
}
.container .box-container .box1:hover{
    box-shadow: 0 10px 15px rgba(0,0,0,.3);
    transform: scale(1.03);
}

@media (max-width:768px){
    .container{
        padding:20px;
    }
}
.container .show{
    margin-top: 10px;
    height:100px;
    width: 100%;
}
.container .show a{
    /*background-color: #cccccc;*/
    font-size: 24px;
    font-weight: bold;
    /*border: 2px solid #444;*/
    color: #3CD3AD;
    text-decoration: none;
```

```
}

.container .show :hover {
    color: brown;
    font-size: 27px;
}

footer{
    background-color: #000000ff;
    position: relative;
    width: 100%;
    min-height: 350px;
    padding: 3rem 1rem;
}

.container1  {
    max-width: 1140px;
    margin: 0 auto;
    display: flex;
/*justify-content: center;*/
    align-items: center;
    flex-direction: column;
    height: 350px;
}

}

.row{
    display: flex;
```

```
justify-content: space-between;  
/*align-items: center;*/  
}  
  
.col{  
    min-width: 250px;  
    color:white;  
    font-family: poppins;  
    padding:0 2rem;  
}  
.col .logo{  
    width: 90%;  
    margin-bottom:45px;  
    left: 0;  
}  
.col h3{  
    color:#3CD3AD;  
    margin-bottom: 20px;  
    position: relative;  
    cursor: pointer;  
}  
.col h3::after{  
    content: " ";  
    height:3px;
```

```
width:0px;  
background-color: #3CD3AD;  
position: absolute;  
bottom: 0;  
left:0;  
transition: 0.3s ease;  
  
}  
.col h3:hover::after{  
width:80px  
}  
.col .social a i{  
color:#3CD3AD;  
margin-top:2px;  
margin-right: 5px;  
margin-bottom: 150px;  
transition: 0.3s ease;  
  
}  
.col .social a i:hover{  
transform: scale(1.5);  
color: darkcyan;  
}  
.col .links1 a{
```

```
display: block;  
  
text-decoration: none;  
color:#f2f2f2;  
margin-bottom: 16px;  
position: relative;  
transition: 0.3s ease;  
}  
.col .links1 a::before{  
content:"";  
height: 16px;  
width:3px;  
position: absolute;  
top:5px;  
left:-10px;  
color:#3CD3AD;  
transition: 0.5s ease;  
opacity: 0;  
}  
.col .links1 a:hover::before{  
opacity: 1;  
}  
.col .links1 a:hover{  
transform: translateX(-8px);
```

```
color:#3CD3AD;
}
.col .links a{
    display: block;

    text-decoration: none;
    color:#f2f2f2;
    margin-bottom: 30px;
    position: relative;
    transition: 0.3s ease;
}
.col .links a::before{
    content:"";
    height: 16px;
    width:3px;
    position: absolute;
    top:5px;
    left:-10px;
    background-color:#3CD3AD;
    transition: 0.5s ease;
    opacity: 0;
}
.col .links a:hover::before{
    opacity: 1;
```

```
}

.col .links a:hover{
    transform: translateX(-8px);
    color:#3CD3AD;
}

.col .contact-details{
    display: inline-flex;
    justify-content: space-between;

}

.col .contact-details i{
    margin-right:15px;
}

.row .feedback{

    margin-left: 30px;
}

.feedback a{
    text-decoration: none;
    font-size: 30px;
    color:#66ffff;
    text-align: center;
    margin: 20px;
```

```
/*border: 2px solid ;*/
background:transparent ;
transition: 0.3s ease;
}
.feedback:hover {
    transform: scale(1.5);
/*color:#5B42F3;*/
}
</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
<link
href="https://fonts.googleapis.com/icon?family=M
aterial+Icons" rel="stylesheet">
<title>main dashboard</title>
</head>
<body>
<!--Nav bar-->
<div class="main">
<div class="logo1">
```

```

</div>

<div class="menu-bar">
    <ul>
        <li class="active"><a
            href="dash_2.jsp">Home</a></li>
        <li class="active"><a
            href="contact_us.jsp">Contact Us</a></li>
        <li class="active"><a
            href="about_us.jsp">About Us</a></li>
        <li class="active"><a
            href="#">Registration</a>&nbsp;&nbsp;&n
            bsp;/>
            <div class="submenu">
                <ul>
                    <li><a
                        href="pro_signup1.jsp?counter=0">Provider</a></
                        li>
                    <li><a href="sign_up.jsp">Client
                        </a></li>
                </ul>
            </div>
    </ul>
</div>
```

```
</li>
<!--<li class="active1"></li>-->
<li class="active"><a href="#">&ampnbsp&ampnbspLogin</a>
    <div class="submenu">
        <ul>
            <li><a href="ad_login.jsp">Admin</a></li>
            <li><a href="pro_log.jsp">Provider</a></li>
            <li><a href="login.jsp">Client
                </a></li>
            </ul>
        </div>
    </li>
    <!--<li class="active"><a href="dash_2.jsp"><i class="fa fa-power-off" style="color: white" siz></i></a></li>-->
        </ul>
    </div>
</div>
<!--header content-->
<div class="header">
```

```
<div class="header-content">

    <div class="intro-text">
        <!--          <div class="box">
                    <form action="search.jsp"
method="post" >
            <input type="text"
name="search">
            <input type="submit"
class="searchbtn" value="Search..." >
            <button><i class="fa fa-
search fa-2x"></i></a></button>
        </form>
    </div>-->
        <h1>WelCome to City Guide
Porbandar</h1>
        <p>we understand the importance of
reliable and
            convenient access to essential
services for both our valued locals and visitors.
        Our mission is to bridge the gap
between service providers and those
```

in need of services, making life in Porbandar more convenient and efficient.</p>

```

</div>
<div class="contact-img">
    
</div>
</div>
<!--our service-->
<%
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

    Statement st = con.createStatement();
    String q = "select * from category order by
c_id LIMIT 3";
    ResultSet rs = st.executeQuery(q);

%>
<div class="container">

```

```
<h1 class="heading">our services</h1>
<div class="box-container">
<%
    while (rs.next()) {
        String xcid = rs.getString(1);
        String xname = rs.getString(2);
        String xdec = rs.getString(3);
        String ximg = rs.getString(4);
        //           out.println(xcid);
    }
%>

<div class="box1">
    <a href='all_subcat.jsp?c_id=<%= xcid%>'>
        <div class="image">
            
        </div>

        <h3><%= xname%></h3>
        <textarea rows=4 columns=100 ><%= xdec%></textarea>
        </a>
    </div>
```

```
<%
    }
} catch (Exception e) {
    out.println(e);
}

%>
</div>
<div class="show">
    <a href="all_cat.jsp">Show More.....</a>
</div>
</div>
<!--footer-->
<footer>
    <div class="container1">
        <div class="row">
            <div class="col" id="company">
                
                <p>
                    </p>
                <div class="social">
```

```
<a href="https://www.facebook.com/"><i class="fab fa-facebook"></i></a>

<a href="https://www.instagram.com/"><i class="fab fa-instagram"></i></a>

<a href="https://www.youtube.com/"><i class="fab fa-youtube"></i></a>

<a href="https://twitter.com/"><i class="fab fa-twitter"></i></a>

<a href="https://in.linkedin.com/"><i class="fab fa-linkedin"></i></a>

</div>

</div>

<div class="col" id="services">

<h3>Services</h3>

<div class="links1">

<a href="#">Clening Services</a>

<a href="#">AC Reapair &

Installation</a>

<a href="#">Plumbing services</a>
```

```
<a href="#">Find Hotel &
Restaurant</a>
<a href="#">Find Hospitals</a>
<a href="#">Mechanic Services</a>

</div>
</div>

<div class="col" id="useful-links">
<h3>Links</h3>
<div class="links">
<a href="about_us.jsp">About</a>
<a href="contact_us.jsp">Contact
Us</a>
<a href="#">Our Policy</a>
<a href="#">Help</a>
</div>
</div>

<div class="col" id="contact">
<h3>Contact</h3>
<div class="contact-details">
<i class="fa fa-location"></i>
<p>Shop No 7895 <br> MG Road,
```

```
          Porbandar,Gujarat 360578</p>
        </div>
        <br><br>
        <div class="contact-details">
          <i class="fa fa-phone"></i>
          <p>+91-8879875684</p>
        </div>
      </div>
    </div>

    <div class="row">

      <div class="feedback">
        <a href="feedback1.jsp">Feedback
      </a>
      </div>
    </div>

    </div>
  </footer>

</body>
</html>
```

ALL CATEGORY

Our Services



Interior Designer

An Interior Designer Is A Creative Professional Who Transforms Indoor Spaces Into Safe, Visually Appealing Areas.



Cleaning Service

Cleaning, Stocking And Supplying Designated Facility Areas (Dusting, Sweeping, Vacuuming, Mopping, Cleaning



Health Service

Health Services Serve Patients, Families, Communities, And Populations. They Cover Emergency, Preventative, Rehabilitative,



Electronic

All Type Of Electronic Service



HOTEL

A Hotel Is A Commercial Establishment That Provides Lodging, Meals, And Other Services To Guests, Travelers, And Tourists. Hotels Can Range From Small Family-Run



Carpenter

A Carpenter Is A Construction Professional Who Works With Construction Crews To Build, Adjust And Repair Wood Frameworks In Various Construction Projects. They

CITY GUIDE PORBANDAR

The screenshot displays a web application interface with a dark blue header bar containing the title "CITY GUIDE PORBANDAR". Below the header, there are two rows of service categories, each consisting of a thumbnail image, a category name, and a brief description.


Mechanic
A Mechanic Is Responsible For Inspecting And Repairing Vehicles, Machinery, And Light Trucks. Also Known As Service Technicians, These Professionals Oversee

Painter
Applying Paint, Stain And Other Finishes To Paint Surfaces Using Paintbrushes, Rollers Or Sprayers. Maintaining An Inventory Of Supplies Like Paint Brushes, Rollers And

Residential Construction
Residential Construction Is A Process That Involves The Expansion, Renovation, Or Construction Of A New Home Or Spaces Intended To Be Occupied For Residential

Travel services
Travel Services Means Arranging Or Booking Vacation Or Travel Packages, Travel Reservations Or Accommodations, Tickets For Domestic Or Foreign Travel By

Transportation Service
Transportation Is An Inseparable And Integral Part Of Every Supply Chain. Transportation Services Overlook Efficient Delivery Of Products/Goods/Cargo From



➤ all_cat.jsp (all category)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<%@page import = "java.sql.*"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
                font-family: 'Poppins', sans-serif;
                margin:0; padding:0;
                box-sizing: border-box;
                outline: none; border:none;
```

```
text-decoration: none;  
text-transform: capitalize;  
transition: .2s linear;  
}  
  
body{  
width: 100%;  
height: 100%;  
background: url(image/modernblue.jpg);  
background-repeat: no-repeat;  
background-size: cover;  
  
}  
  
.main{  
top: 0;  
width: 100%;  
height: 70px;  
display: flex;  
justify-content: space-between;  
align-items: center;  
/*position:fixed;*/  
/*z-index: 99;*/  
box-shadow: 0 10px 25px rgba(0,0,0,0.8);  
background: rgb(5, 68, 104);
```

```
/*      border-radius: 5px;  
*/  
}  
  
.logo1 img{  
    float: left;  
    width: 100%;  
    height: 50px;  
    margin-top:5px;  
    margin-left:10px;  
}  
  
}
```

```
.menu-bar{  
    background:transparent;  
    text-align: center;  
    float: right;  
}  
.menu-bar ul{  
    display: flex;  
    list-style: none;  
    color: #fff;  
    margin-right: 0px;
```

```
font-size: 18px;  
  
}  
.menu-bar ul li{  
    width: 110px;  
    margin: 5px;  
    padding: 2px;  
}  
.menu-bar ul li a{  
    text-decoration: none;  
    color: #fff;  
}  
.active.menu-bar ul li:hover{  
    background: #000000ff;  
    border-radius: 3px;  
}  
.submenu{  
    display: none;  
}  
.menu-bar ul li:hover .submenu{  
    display: block;  
    position: absolute;  
    background:rgb(5, 68, 104);  
/*margin-top: 15px;*/
```

```
margin-left: -15px;  
border-radius: 3px;  
}  
.menu-bar ul li:hover .submenu ul{  
display: block;  
margin: 10px;  
  
}  
.menu-bar ul li:hover .submenu ul li{  
width: 80px;  
padding: 10px;  
border-bottom: 1px dotted #FFFFFF;  
background: transparent;  
border-radius: 0;  
text-align: left;  
}  
.container{  
/*background:linear-gradient(45deg,  
#B9D9EB,#72A0C1);*/  
padding:15px 9%;  
padding-bottom: 100px;  
/*margin-top: 60px;*/  
}
```

```
.container .heading{  
    text-align: center;  
    padding-bottom: 15px;  
    color:#fff;  
    text-shadow: 0 5px 10px rgba(0,0,0,.2);  
    font-size: 50px;  
}  
  
.container .box-container{  
    display: grid;  
    grid-template-columns: repeat(auto-fit,  
minmax(270px, 1fr));  
    gap:25px;  
}  
  
.container .box-container .box1{  
    box-shadow: 0 5px 10px rgba(0,0,0,.2);  
    border-radius: 5px;  
    background: #fff;  
    text-align: center;  
    padding:30px 20px;  
    width: 350px;  
    height: 500px;
```

```
margin-top: 40px;
}

.container .box-container .box1 textarea{
    resize: none;
}

.container .box-container .box1 .image img{
    max-height: 100%;
    max-width: 100%;
}

.container .box-container .box1 .image{
    display: flex;
    justify-content: center;
    align-items: center;
    width: auto;
    height:60%;
    /*background-color: #cccccc;*/
}

.container .box-container .box1 h3{
    color:#444;
    font-size: 22px;
    padding:10px 0;
}

.container .box-container .box1 textarea{
```

```
color:#777;
font-size: 15px;
line-height: 1.8;
width: 100%;

}

.container .box-container .box1:hover{
    box-shadow: 0 10px 15px rgba(0,0,0,.3);
    transform: scale(1.03);
}

@media (max-width:768px){
    .container{
        padding:20px;
    }
}

footer{
    background-color: #000000ff;
    position: relative;
    width: 100%;
    min-height: 350px;
    padding: 3rem 1rem;
}

.container1 {
    max-width: 1140px;
```

```
margin: 0 auto;  
display: flex;  
/*justify-content: center;*/  
align-items: center;  
flex-direction: column;  
height: 350px;  
  
}  
.row{  
display: flex;  
justify-content: space-between;  
/*align-items: center;*/  
}  
  
.col{  
min-width: 250px;  
color:white;  
font-family: poppins;  
padding:0 2rem;  
}  
.col .logo{  
width: 90%;  
margin-bottom:45px;  
left: 0;
```

```
}

.col h3{
    color:#3CD3AD;
    margin-bottom: 20px;
    position: relative;
    cursor: pointer;
}

.col h3::after{
    content: "";
    height:3px;
    width:0px;
    background-color: #3CD3AD;
    position: absolute;
    bottom: 0;
    left:0;
    transition: 0.3s ease;

}

.col h3:hover::after{
    width:80px
}

.col .social a i{
    color:#3CD3AD;
    margin-top:2px;
```

```
margin-right: 5px;  
margin-bottom: 150px;  
transition: 0.3s ease;  
  
}  
.col .social a i:hover{  
    transform: scale(1.5);  
    color: darkcyan;  
}  
.col .links1 a{  
    display: block;  
  
text-decoration: none;  
color:#f2f2f2;  
margin-bottom: 16px;  
position: relative;  
transition: 0.3s ease;  
}  
.col .links1 a::before{  
    content:"";  
    height: 16px;  
    width:3px;  
    position: absolute;  
    top:5px;
```

```
    left:-10px;
    color:#3CD3AD;
    transition: 0.5s ease;
    opacity: 0;
}
.col .links1 a:hover::before{
    opacity: 1;
}
.col .links1 a:hover{
    transform: translateX(-8px);
    color:#3CD3AD;
}
.col .links a{
    display: block;
    text-decoration: none;
    color:#f2f2f2;
    margin-bottom: 30px;
    position: relative;
    transition: 0.3s ease;
}
.col .links a::before{
    content:"";
    height: 16px;
```

```
width:3px;  
position: absolute;  
top:5px;  
left:-10px;  
background-color:#3CD3AD;  
transition: 0.5s ease;  
opacity: 0;  
}  
.col .links a:hover::before{  
    opacity: 1;  
}  
.col .links a:hover{  
    transform: translateX(-8px);  
    color:#3CD3AD;  
}  
.col .contact-details{  
    display: inline-flex;  
    justify-content: space-between;  
}  
.col .contact-details i{  
    margin-right:15px;  
}
```

```
.row .feedback{  
    margin-left: 30px;  
}  
.feedback a{  
    text-decoration: none;  
    font-size: 30px;  
    color:#66ffff;  
    text-align: center;  
    margin: 20px;  
/*border: 2px solid */  
background:transparent ;  
transition: 0.3s ease;  
}  
.feedback:hover {  
    transform: scale(1.5);  
/*color:#5B42F3;*/  
}  
  
.btn{  
    background:#1AAB8A;  
    color:#fff;  
    border:none;
```

```
position:relative;
height:40px;
width: 150px;
font-size:18px;
padding:5px;
border-radius: 10px;
cursor:pointer;
transition:800ms ease all;
outline:none;
margin-top: 20px;
}
.btn:hover{
background:#fff;
font-size: 25px;
color:#1AAB8A;
}
.btn a{
text-decoration: none;
}
</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>All category</title>
</head>
```

```
<body>

<%
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

    Statement st = con.createStatement();
    String q = "select * from category order by
c_id";
    ResultSet rs = st.executeQuery(q);

%>
<!--Nav bar-->
<div class="main">
    <div class="logo1">
        
    </div>

    <div class="menu-bar">
        <ul>
```

```

<li class="active"><a href="index.jsp">Home</a></li>
    <li class="active"><a href="contact_us.jsp">Contact Us</a></li>
        <li class="active"><a href="about_us.jsp">About Us</a></li>
            <!--<li class="active"><a href="#">Help</a></li>-->
            <li class="active"><a href="index.jsp">back</a></li>

            <li class="active"><a href="#"><i class="fa fa-power-off" style="color: white"></i></a></li>
        </ul>
    </div>
</div>
<%
    out.println("<div class=container>");
    out.println("<h1 class=heading>our services</h1>");

    out.println("<div class=box-container >");
    int k = 1;

```

```
while (rs.next()) {  
    String xcid = rs.getString(1);  
    String xname = rs.getString(2);  
    String xdec = rs.getString(3);  
    String ximg = rs.getString(4);  
    //           out.println(xcid);  
%>  
  
<div class="box1">  
    <a href='all_subcat.jsp?c_id=<%= xcid%>'>  
        <div class="image">  
              
        </div>  
  
        <h3><%= xname%></h3>  
        <textarea rows=4 columns=50 ><%=  
xdec%></textarea>  
    </a>  
</div>  
  
<%  
    k++;  
    if (k > 3) {
```

```
        out.println("</br>");  
        out.println("</div>");  
        out.println("<div class=box-container  
>");  
        k = 1;  
  
    }  
}  
  
        out.println("</div>");  
        out.println("</div>");  
} catch (Exception e) {  
    out.println(e);  
}  
  
%>  
<!--footer-->  
<footer>  
    <div class="container1">  
        <div class="row">  
            <div class="col" id="company">  
                  
                <p>
```

```
</p>
<div class="social">
    <a href="https://www.facebook.com/"><i class="fab fa-facebook"></i></a>
    <a href="https://www.instagram.com/"><i class="fab fa-instagram"></i></a>
    <a href="https://www.youtube.com/"><i class="fab fa-youtube"></i></a>
        <a href="https://twitter.com/"><i class="fab fa-twitter"></i></a>
        <a href="https://in.linkedin.com/"><i class="fab fa-linkedin"></i></a>
    </div>
</div>
<div class="col" id="services">
    <h3>Services</h3>
    <div class="links1">
        <a href="#">Clening Services</a>
```

```
<a href="#">AC Reapair &  
Installation</a>  
    <a href="#">Plumbing services</a>  
    <a href="#">Find Hotel &  
Restaurant</a>  
    <a href="#">Find Hospitals</a>  
    <a href="#">Mechanic Services</a>  
  
</div>  
</div>  
  
<div class="col" id="useful-links">  
    <h3>Links</h3>  
    <div class="links">  
        <a href="about_us.jsp">About</a>  
        <a href="contact_us.jsp">Contact  
Us</a>  
        <a href="#">Our Policy</a>  
        <a href="#">Help</a>  
    </div>  
</div>  
  
<div class="col" id="contact">  
    <h3>Contact</h3>
```

```
<div class="contact-details">
    <i class="fa fa-location"></i>
    <p>Shop No 7895 <br>MG Road,
        Porbandar,Gujarat 360578</p>
</div>
<br><br>
<div class="contact-details">
    <i class="fa fa-phone"></i>
    <p>+91-8879875684</p>
</div>
</div>

<div class="row">


    <div class="feedback">
        <a
        href="feedback1.jsp">Feedback</a>
    </div>

</div>
```

```
</div>
</footer>

</body>
</html>
```

ALL SUB-CATEGORY



➤ all_subcat.jsp (all sub-category)

```

<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<%@page import = "java.sql.*"%>
<!DOCTYPE html>
<html>
    <head>

        <style>
            *{
                font-family: 'Poppins', sans-serif;
                margin:0; padding:0;

```

```
box-sizing: border-box;
outline: none; border:none;
text-decoration: none;
text-transform: capitalize;
transition: .2s linear;
}
body{
    width: 100%;
    height: 100%;
    background: url(image/modernblue.jpg);
    background-repeat: no-repeat;
    background-size: cover;
}

.main{
    top: 0;
    width: 100%;
    height: 70px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    /*position:fixed;*/
    /*z-index: 99;*/
```

```
        box-shadow: 0 10px 25px  
        rgba(0,0,0,0.8);  
        background: rgb(5, 68, 104);  
/*         border-radius: 5px;  
*/  
    }
```

```
.logo1 img{  
    float: left;  
    width: 100%;  
    height: 50px;  
    margin-top:5px;  
    margin-left:10px;  
}
```

```
.menu-bar{  
    background:transparent;  
    text-align: center;  
    float: right;  
}  
.menu-bar ul{  
    display: flex;
```

```
list-style: none;  
color: #fff;  
margin-right: 0px;  
font-size: 18px;  
  
}  
.menu-bar ul li{  
width: 110px;  
margin: 5px;  
padding: 2px;  
}  
.menu-bar ul li a{  
text-decoration: none;  
color: #fff;  
}  
.active.menu-bar ul li:hover{  
background: #000000ff;  
border-radius: 3px;  
}  
.submenu{  
display: none;  
}  
.menu-bar ul li:hover .submenu{  
display: block;
```

```
position: absolute;
background:rgb(5, 68, 104);
/*margin-top: 15px;*/
margin-left: -15px;
border-radius: 3px;
}

.menu-bar ul li:hover .submenu ul{
    display: block;
    margin: 10px;

}

.menu-bar ul li:hover .submenu ul li{
    width: 80px;
    padding: 10px;
    border-bottom: 1px dotted #FFFFFF;
    background: transparent;
    border-radius: 0;
    text-align: left;
}

.container{
    /*background:linear-gradient(45deg,
#B9D9EB,#72A0C1);*/
    padding:15px 9%;
    padding-bottom: 100px;
```

```
/*margin-top: 60px;*/  
  
}  
  
.container .heading{  
    text-align: center;  
    padding-bottom: 15px;  
    color:#fff;  
    text-shadow: 0 5px 10px rgba(0,0,0,.2);  
    font-size: 50px;  
}  
  
.container .box-container{  
    display: grid;  
    grid-template-columns: repeat(auto-fit,  
minmax(270px, 1fr));  
    gap:25px;  
}  
.container .box-container .box1 textarea{  
    resize: none;  
    color:#777;  
    margin-top: 20px;  
    font-size: 18px;  
    line-height: 1.8;
```

```
width: 100%;  
/*text-align: center;*/  
}  
  
.container .box-container .box1{  
    box-shadow: 0 5px 10px rgba(0,0,0,.2);  
    border-radius: 5px;  
    background: white;  
    text-align: center;  
    padding: 30px 20px;  
    width: 300px;  
    height: 400px;  
    margin-top: 40px;  
}  
  
.container .box-container .box1:hover{  
    box-shadow: 0 10px 15px rgba(0,0,0,.3);  
    transform: scale(1.03);  
}  
  
.container .box-container a{  
    text-decoration: none;  
    color: black;
```

```
}
```

```
@media (max-width:768px){
```

```
    .container{
```

```
        padding:20px;
```

```
    }
```

```
}
```

```
    footer{
```

```
        background-color: #000000ff;
```

```
        position: relative;
```

```
        width: 100%;
```

```
        min-height: 350px;
```

```
        padding: 3rem 1rem;
```

```
}
```

```
.container1 {
```

```
    max-width: 1140px;
```

```
    margin: 0 auto;
```

```
    display: flex;
```

```
/*justify-content: center;*/
```

```
    align-items: center;
```

```
    flex-direction: column;
```

```
    height: 350px;
```

```
}
```

```
.row{
```

```
display: flex;  
justify-content: space-between;  
/*align-items: center;*/  
}  
  
.col{  
    min-width: 250px;  
    color:white;  
    font-family: poppins;  
    padding:0 2rem;  
}  
.col .logo{  
    width: 90%;  
    margin-bottom:45px;  
    left: 0;  
}  
.col h3{  
    color:#3CD3AD;  
    margin-bottom: 20px;  
    position: relative;  
    cursor: pointer;  
}  
.col h3::after{  
    content: " ";
```

```
height:3px;  
width:0px;  
background-color: #3CD3AD;  
position: absolute;  
bottom: 0;  
left:0;  
transition: 0.3s ease;  
  
}  
.col h3:hover::after{  
width:80px  
}  
.col .social a i{  
color:#3CD3AD;  
margin-top:2px;  
margin-right: 5px;  
margin-bottom: 150px;  
transition: 0.3s ease;  
  
}  
.col .social a i:hover{  
transform: scale(1.5);  
color: darkcyan;  
}
```

```
.col .links1 a{  
    display: block;  
  
    text-decoration: none;  
    color:#f2f2f2;  
    margin-bottom: 16px;  
    position: relative;  
    transition: 0.3s ease;  
}  
.col .links1 a::before{  
    content:"";  
    height: 16px;  
    width:3px;  
    position: absolute;  
    top:5px;  
    left:-10px;  
    color:#3CD3AD;  
    transition: 0.5s ease;  
    opacity: 0;  
}  
.col .links1 a:hover::before{  
    opacity: 1;  
}  
.col .links1 a:hover{
```

```
        transform: translateX(-8px);
        color:#3CD3AD;
    }
.col .links a{
    display: block;

    text-decoration: none;
    color:#f2f2f2;
    margin-bottom: 30px;
    position: relative;
    transition: 0.3s ease;
}
.col .links a::before{
    content:"";
    height: 16px;
    width:3px;
    position: absolute;
    top:5px;
    left:-10px;
    background-color:#3CD3AD;
    transition: 0.5s ease;
    opacity: 0;
}
.col .links a:hover::before{
```

```
    opacity: 1;
}
.col .links a:hover{
    transform: translateX(-8px);
    color:#3CD3AD;
}
.col .contact-details{
    display: inline-flex;
    justify-content: space-between;
}

.col .contact-details i{
    margin-right:15px;
}

.row .feedback{

    margin-left: 30px;
}
.feedback a{
    text-decoration: none;
    font-size: 30px;
    color:#66ffff;
    text-align: center;
```

```
margin: 20px;  
/*border: 2px solid ;*/  
background:transparent ;  
transition: 0.3s ease;  
}  
.feedback:hover {  
    transform: scale(1.5);  
/*color:#5B42F3;*/  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
    <title>All sub-category</title>  
</head>  
<body>  
  
<%  
    String xc_id = request.getParameter("c_id");  
//        out.println(xc_id);  
  
try {  
  
    Class.forName("com.mysql.jdbc.Driver");
```

```

Connection con =
(Connection)DriverManager.getConnection("jdbc:
mysql://localhost:3306/project5","root","");
Statement st = con.createStatement();
String q = "select * from subcat where c_id
="+xc_id;
ResultSet rs = st.executeQuery(q);
%>
<!--Nav bar-->
<div class="main">
<div class="logo1">

</div>

<div class="menu-bar">
<ul>
<li class="active"><a
href="dash_2.jsp">Home</a></li>
<li class="active"><a
href="contact_us.jsp">Contact Us</a></li>
<li class="active"><a
href="about_us.jsp">About Us</a></li>

```

```
<li class="active"><a href="index.jsp">back</a></li>
</ul>
</div>
</div>

<%
    out.println("<div class=container>");
    out.println("<h1 class=heading>our
services</h1>");
    out.println("<div class=box-container >");
    int k=1;

    while(rs.next()) {
        String xsid = rs.getString(1);
        String xname = rs.getString(3);
        String xdec = rs.getString(4);

        //      out.println(xcid);
        %>

        <a href='all_provider.jsp?p_id=<%= xsid
%>'>
            <div class="box1">
```

```
<h3><%= xname %></h3>
<textarea rows=8 columns=50><%=

xdec %></textarea>

</div>
</a>
<%
    k++;
    if (k>3)
    {

        out.println("</br>");
        out.println("</div>");
        out.println("<div class=box-
container >");

        k=1;

    }
}

out.println("</div>");
out.println("</div>");
}

catch (Exception e) {
```

```
    out.println(e);
}

%>
<!--footer-->
<footer>
    <div class="container1">
        <div class="row">
            <div class="col" id="company">
                
                <p>

            </p>
            <div class="social">
                <a
                    href="https://www.facebook.com/"><i class="fab
fa-facebook"></i></a>
                <a
                    href="https://www.instagram.com/"><i class="fab
fa-instagram"></i></a>
                <a
                    href="https://www.youtube.com/"><i class="fab
fa-youtube"></i></a>
```

```
<a href="https://twitter.com/"><i  
class="fab fa-twitter"></i></a>  
  
<a  
href="https://in.linkedin.com/"><i class="fab fa-  
linkedin"></i></a>  
</div>  
</div>  
<div class="col" id="services">  
<h3>Services</h3>  
<div class="links1">  
<a href="#">Clening Services</a>  
<a href="#">AC Reapair &  
Installation</a>  
<a href="#">Plumbing services</a>  
<a href="#">Find Hotel &  
Restaurant</a>  
<a href="#">Find Hospitals</a>  
<a href="#">Mechanic Services</a>  
  
</div>  
</div>  
  
<div class="col" id="useful-links">  
<h3>Links</h3>
```

```
<div class="links">

    <a href="about_us.jsp">About</a>
    <a href="contact_us.jsp">Contact
Us</a>
    <a href="#">Our Policy</a>
    <a href="#">Help</a>
</div>
</div>


<div class="col" id="contact">
    <h3>Contact</h3>
    <div class="contact-details">
        <i class="fa fa-location"></i>
        <p>Shop No 7895 <br>MG Road,
            Porbandar,Gujarat 360578</p>
    </div>
    <br><br>
    <div class="contact-details">
        <i class="fa fa-phone"></i>
        <p>+91-8879875684</p>
    </div>
</div>
</div>
```

```
<div class="row">
    <div class="feedback">
        <a href="feedback1.jsp">Feedback
    </a>
    </div>

</div>
</footer>

</body>
</html>
```

ALL PROVIDER



➤ all_provider.jsp

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<%@page import = "java.sql.*"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
                font-family: 'Poppins', sans-serif;
                margin:0;
            }
        </style>
    </head>
    <body>
```

```
padding:0;  
box-sizing: border-box;  
outline: none;  
border:none;  
text-decoration: none;  
text-transform: capitalize;  
transition: .2s linear;  
}  
  
body{  
width: 100%;  
height: 100%;  
background:  
url(image/modernblue.jpg);  
background-repeat: no-repeat;  
background-size: cover;  
}  
  
.main{  
top: 0;  
width: 100%;  
height: 70px;  
display: flex;
```

```
justify-content: space-between;
align-items: center;
/*position:fixed;*/
/*z-index: 99;*/
box-shadow: 0 10px 25px
rgba(0,0,0,0.8);
background: rgb(5, 68, 104);
/* border-radius: 5px;
*/
}
```

```
.logo1 img{
float: left;
width: 100%;
height: 50px;
margin-top:5px;
margin-left:10px;
}


```

```
.menu-bar{
```

```
background:transparent;  
text-align: center;  
float: right;  
}  
.menu-bar ul{  
display: flex;  
list-style: none;  
color: #fff;  
margin-right: 0px;  
font-size: 18px;  
  
}  
.menu-bar ul li{  
width: 110px;  
margin: 5px;  
padding: 2px;  
}  
.menu-bar ul li a{  
text-decoration: none;  
color: #fff;  
}  
.active.menu-bar ul li:hover{
```

```
background: #000000ff;  
border-radius: 3px;  
}  
.submenu{  
display: none;  
}  
.menu-bar ul li:hover .submenu{  
display: block;  
position: absolute;  
background:rgb(5, 68, 104);  
/*margin-top: 15px;*/  
margin-left: -15px;  
border-radius: 3px;  
}  
.menu-bar ul li:hover .submenu ul{  
display: block;  
margin: 10px;  
}  
.menu-bar ul li:hover .submenu ul li{  
width: 80px;  
padding: 10px;
```

```
border-bottom: 1px dotted #FFFFFF;  
background: transparent;  
border-radius: 0;  
text-align: left;  
}  
.container{  
/*background:linear-gradient(45deg,  
#B9D9EB,#72A0C1);*/  
padding:15px 9%;  
padding-bottom: 100px;  
/*margin-top: 60px;*/  
}  
  
.container .heading{  
text-align: center;  
padding-bottom: 15px;  
color:#fff;  
text-shadow: 0 5px 10px  
rgba(0,0,0,.2);  
font-size: 50px;  
}
```

```
.container .box-container{  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(470px, 1fr));  
    gap:25px;  
}  
  
.container .box-container .box1{  
    box-shadow: 0 5px 10px  
rgba(0,0,0,.2);  
    border-radius: 5px;  
    background: #fff;  
    text-align: center;  
    padding: 30px 20px;  
    width: 500px;  
    height: 400px;  
    margin-top: 40px;  
}  
.container .box-container .box1  
textarea{  
    resize: none;  
}
```

```
.container .box-container .box1 .image  
img{  
    max-height: 100%;  
    max-width: 100%;  
}  
.container .box-container .box1 .image{  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    width: auto;  
    height:60%;  
/*background-color: #cccccc;*/  
}  
.container .box-container .box1 h3{  
    color:#444;  
    font-size: 22px;  
    padding:10px 0;  
}  
  
.container .box-container .box1  
textare{  
    color:#777;
```

```
    font-size: 15px;
    line-height: 1.8;
    width: 100%;
}
.container .box-container .box1:hover{
    box-shadow: 0 10px 15px
    rgba(0,0,0,.3);
    transform: scale(1.03);
}

@media (max-width:768px){
    .container{
        padding:20px;
    }
}
footer{
    background-color: #000000ff;
    position: relative;
    width: 100%;
    min-height: 350px;
    padding: 3rem 1rem;
}
```

```
.container1 {  
    max-width: 1140px;  
    margin: 0 auto;  
    display: flex;  
    /*justify-content: center;*/  
    align-items: center;  
    flex-direction: column;  
    height: 350px;  
  
}  
.row{  
    display: flex;  
    justify-content: space-between;  
    /*align-items: center;*/  
}  
  
.col{  
    min-width: 250px;  
    color:white;  
    font-family: poppins;  
    padding:0 2rem;  
}
```

```
.col .logo{  
    width: 90%;  
    margin-bottom:45px;  
    left: 0;  
}  
.col h3{  
    color:#3CD3AD;  
    margin-bottom: 20px;  
    position: relative;  
    cursor: pointer;  
}  
.col h3::after{  
    content: " ";  
    height:3px;  
    width:0px;  
    background-color: #3CD3AD;  
    position: absolute;  
    bottom: 0;  
    left:0;  
    transition: 0.3s ease;  
}
```

```
.col h3:hover::after{  
    width:80px  
}  
.col .social a i{  
    color:#3CD3AD;  
    margin-top:2px;  
    margin-right: 5px;  
    margin-bottom: 150px;  
    transition: 0.3s ease;  
  
}  
.col .social a i:hover{  
    transform: scale(1.5);  
    color: darkcyan;  
}  
.col .links1 a{  
    display: block;  
  
    text-decoration: none;  
    color:#f2f2f2;  
    margin-bottom: 16px;  
    position: relative;
```

```
    transition: 0.3s ease;
}

.col .links1 a::before{
    content:"";
    height: 16px;
    width:3px;
    position: absolute;
    top:5px;
    left:-10px;
    color:#3CD3AD;
    transition: 0.5s ease;
    opacity: 0;
}

.col .links1 a:hover::before{
    opacity: 1;
}

.col .links1 a:hover{
    transform: translateX(-8px);
    color:#3CD3AD;
}

.col .links a{
    display: block;
```

```
text-decoration: none;  
color:#f2f2f2;  
margin-bottom: 30px;  
position: relative;  
transition: 0.3s ease;  
}  
.col .links a::before{  
content:"";  
height: 16px;  
width:3px;  
position: absolute;  
top:5px;  
left:-10px;  
background-color:#3CD3AD;  
transition: 0.5s ease;  
opacity: 0;  
}  
.col .links a:hover::before{  
opacity: 1;  
}  
.col .links a:hover{
```

```
    transform: translateX(-8px);
    color:#3CD3AD;
}
.col .contact-details{
    display: inline-flex;
    justify-content: space-between;
}

.col .contact-details i{
    margin-right:15px;
}

.row .feedback{

    margin-left: 30px;
}
.feedback a{
    text-decoration: none;
    font-size: 30px;
    color:#66ffff;
    text-align: center;
    margin: 20px;
}
```

```
/*border: 2px solid ;*/
background:transparent ;
transition: 0.3s ease;
}

.feedback:hover {
    transform: scale(1.5);
/*color:#5B42F3;*/

}
</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>all provider </title>
</head>
<body>
<%
    String xsid =
request.getParameter("p_id");
//        out.println(xc_id);

try {

Class.forName("com.mysql.jdbc.Driver");
```

```
Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://l
ocalhost:3306/project5", "root", "");
```

```
Statement st =
con.createStatement();
String q = "select * from servpro
where s_id =" + xsid;
//      out.println(q);
ResultSet rs = st.executeQuery(q);
%>
<!--Nav bar-->
<div class="main">
<div class="logo1">

</div>

<div class="menu-bar">
<ul>
<li class="active"><a
href="dash_2.jsp">Home</a></li>
```

```
<li class="active"><a href="contact_us.jsp">Contact Us</a></li>
    <li class="active"><a href="about_us.jsp">About Us</a></li>
        <li class="active"><a href="index.jsp">back</a></li>
    </ul>
</div>
</div>
<%
    out.println("<div class=container>");
    out.println("<h1 class=heading>our services</h1>");
    out.println("<div class=box-container");
>");

int k = 1;
while (rs.next()) {
    String xpid = rs.getString(1);
    String xname = rs.getString(4);
    String xaddr = rs.getString(5);
    String xemail = rs.getString(9);
    String xmob = rs.getString(10);
```

```
//          out.println(xcid);
%>
<a href='allpro_det.jsp?c_id=<%=xpid%>'>
    <div class="box1">
        <h3>Name :<%= xname%></h3>
        <h3>Address :<%= xaddr%></h3>
        <h3>Email ID :<%= xemail%> </h3>
        <h3>Phone no :<%= xmob%></h3>

    </div>
</a>
<%
    k++;
    if (k > 3) {

        out.println("</br>");
        out.println("</div>");
        out.println("<div class=box-
container >");

    k = 1;
```

```
        }
    }
    out.println("</div>");
    out.println("</div>");

} catch (Exception e) {
    out.println(e);
}

%>
<!--footer-->
<footer>
    <div class="container1">
        <div class="row">
            <div class="col" id="company">
                
                <p>

            </p>
            <div class="social">
```

```
<a href="https://www.facebook.com/"><i class="fab fa-facebook"></i></a>

<a href="https://www.instagram.com/"><i class="fab fa-instagram"></i></a>

<a href="https://www.youtube.com/"><i class="fab fa-youtube"></i></a>

<a href="https://twitter.com/"><i class="fab fa-twitter"></i></a>

<a href="https://in.linkedin.com/"><i class="fab fa-linkedin"></i></a>

</div>
</div>
<div class="col" id="services">
    <h3>Services</h3>
    <div class="links1">
        <a href="#">Clening Services</a>
```

AC Reapair &
Installation
Plumbing
services
Find Hotel &
Restaurant
Find
Hospitals
Mechanic
Services

</div>
</div>

<div class="col" id="useful-links">
<h3>Links</h3>
<div class="links">

About
Contact Us

```
<a href="#">Our Policy</a>
<a href="#">Help</a>
</div>
</div>

<div class="col" id="contact">
<h3>Contact</h3>
<div class="contact-details">
<i class="fa fa-location"></i>
<p>Shop No 7895 <br>MG
Road,
Porbandar,Gujarat
360578</p>
</div>
<br><br>
<div class="contact-details">
<i class="fa fa-phone"></i>
<p>+91-8879875684</p>
</div>
</div>
</div>
```

```
<div class="row">
    <div class="feedback">
        <a
        href="feedback1.jsp">Feedback</a>
    </div>
</div>
</div>
</body>
</html>
```

ALL PROVIDER SERVICE DETAILS

The screenshot shows a web browser window with three tabs open. The active tab displays the 'Our Services' section of a website titled 'CITYGUIDE'. The page features a blue geometric background. It contains three main service cards:

- Home Interior Design**: Shows six small images of interior rooms. Below them is a heading and a detailed description.
- Office Interior Designer**: Shows a large image of a modern office space with desks and chairs. Below it is a heading and a description.
- Cafe & Restaurant Interior Design**: Shows a large image of a vibrant restaurant interior. Below it is a heading and a description.

The browser's address bar shows the URL: `localhost:8084/web_pbr/allpro_det.jsp?c_id=14`. The taskbar at the bottom shows various application icons.

➤ allpro_det.jsp

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<%@page import = "java.sql.*"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
                font-family: 'Poppins', sans-serif;
                margin:0;
                padding:0;
                box-sizing: border-box;
                outline: none;
                border:none;
                text-decoration: none;
                text-transform: capitalize;
                transition: .2s linear;
            }
            body{
                width: 100%;
                height: 100%;
                background: url(image/modernblue.jpg);
                background-repeat: no-repeat;
            }
        </style>
    </head>
    <body>
        <h1>CITY GUIDE PORBANDAR</h1>
        <p>This is a simple City Guide for Porbandar, India. It provides basic information about the city, including its history, culture, and tourism highlights. The guide is designed to be user-friendly and informative, helping visitors to plan their trip to Porbandar. The guide includes sections on local landmarks, dining options, and travel tips. It also features a map of the city and a list of recommended accommodations. The guide is updated regularly to ensure it remains accurate and relevant. We hope you find it useful during your visit to Porbandar!</p>
        <h2>History of Porbandar</h2>
        <p>Porbandar is a city located in the Indian state of Gujarat. It is known for its rich history, which dates back to ancient times. The city was founded by King Dantidhar in the 1st century AD. It became a major port during the Mughal era and was an important center of trade and commerce. The city is also known for its association with Mahatma Gandhi, who spent several years here during his exile. Today, Porbandar is a popular tourist destination, with many historical sites and cultural attractions to explore. The city is also known for its beautiful beaches and natural beauty. We hope you enjoy your stay in Porbandar and learn more about its fascinating history and culture.</p>
        <h2>Culture of Porbandar</h2>
        <p>Porbandar is a melting pot of different cultures and traditions. The city is home to a diverse population, including Hindus, Muslims, Christians, and Jains. The local culture is influenced by the surrounding regions, particularly the Kathiawar Peninsula. The city is known for its vibrant festivals, such as Diwali, Holi, and Ganesh Chaturthi. The people of Porbandar are friendly and hospitable, and they take great pride in their rich cultural heritage. The city is also known for its traditional crafts, such as embroidery and pottery. We hope you have a chance to experience the unique culture of Porbandar during your visit.</p>
        <h2>Tourism in Porbandar</h2>
        <p>Porbandar is a popular destination for tourists from all over the world. The city offers a variety of attractions, including the famous Jagdish Temple, the Shri Swaminarayan Mandir, and the Kali Mata Temple. The city is also known for its beautiful beaches, such as the Jhaveri Beach and the Sardar Patel Beach. The city is also a great place to go for a walk, with many scenic spots and parks to explore. The city is also known for its delicious food, with many local restaurants serving traditional Gujarati cuisine. We hope you have a chance to explore the many attractions of Porbandar during your visit.</p>
        <h2>Accommodation in Porbandar</h2>
        <p>Porbandar has a variety of accommodation options available for tourists. There are many budget-friendly guesthouses and hotels, as well as more expensive options for those looking for a luxury stay. The city is also known for its traditional guest houses, called havelis, which offer a unique and authentic experience. The city is also a great place to stay in a homestay, where you can experience the local way of life. We hope you have a chance to find the perfect accommodation in Porbandar during your visit.</p>
        <h2>Travel Tips for Porbandar</h2>
        <p>Porbandar is a great place to visit, but there are a few things you should keep in mind before you go. First, make sure you have a valid passport and visa if you are traveling from abroad. Second, be sure to book your flights and accommodations in advance, as they can sell out quickly. Third, be prepared for the weather, as it can be quite hot and humid during the summer months. Fourth, respect the local customs and traditions, and be respectful of the local people. Finally, be sure to take plenty of photos and memories of your trip to Porbandar. We hope you have a safe and enjoyable trip to Porbandar!</p>
    </body>

```

```
background-size: cover;  
  
}  
.main{  
    top: 0;  
    width: 100%;  
    height: 70px;  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    /*position:fixed;*/  
    /*z-index: 99;*/  
    box-shadow: 0 10px 25px rgba(0,0,0,0.8);  
    background: rgb(5, 68, 104);  
    /* border-radius: 5px;  
    */  
}  
  
.logo1 img{  
    float: left;  
    width: 100%;  
    height: 50px;  
    margin-top:5px;  
    margin-left:10px;
```

}

```
.menu-bar{  
    background:transparent;  
    text-align: center;  
    float: right;  
}
```

```
.menu-bar ul{  
    display: flex;  
    list-style: none;  
    color: #fff;  
    margin-right: 0px;  
    font-size: 18px;
```

}

```
.menu-bar ul li{  
    width: 110px;  
    margin: 5px;  
    padding: 2px;
```

}

```
.menu-bar ul li a{  
    text-decoration: none;
```

```
    color: #fff;
}
.active.menu-bar ul li:hover{
    background: #000000ff;
    border-radius: 3px;
}
.submenu{
    display: none;
}
.menu-bar ul li:hover .submenu{
    display: block;
    position: absolute;
    background:rgb(5, 68, 104);
    /*margin-top: 15px;*/
    margin-left: -15px;
    border-radius: 3px;
}
.menu-bar ul li:hover .submenu ul{
    display: block;
    margin: 10px;
}
.menu-bar ul li:hover .submenu ul li{
    width: 80px;
```

```
padding: 10px;  
border-bottom: 1px dotted #FFFFFF;  
background: transparent;  
border-radius: 0;  
text-align: left;  
}  
.container{  
/*background:linear-gradient(45deg,  
#B9D9EB,#72A0C1);*/  
padding:15px 9%;  
padding-bottom: 100px;  
/*margin-top: 60px;*/  
}  
  
.container .heading{  
text-align: center;  
padding-bottom: 15px;  
color:#fff;  
text-shadow: 0 5px 10px rgba(0,0,0,.2);  
font-size: 50px;  
}  
  
.container .box-container{  
display: grid;
```

```
grid-template-columns: repeat(auto-fit,  
minmax(470px, 1fr));  
gap:25px;  
}  
  
.container .box-container .box1{  
    box-shadow: 0 5px 10px rgba(0,0,0,.2);  
    border-radius: 5px;  
    background: #fff;  
    text-align: center;  
    padding: 30px 20px;  
    width: 500px;  
    height: 400px;  
    margin-top: 40px;  
}  
.container .box-container .box1 textarea{  
    resize: none;  
}  
.container .box-container .box1 .image img{  
    max-height: 100%;  
    max-width: 100%;  
}  
.container .box-container .box1 .image{  
    display: flex;
```

```
justify-content: center;
align-items: center;
width: auto;
height:60%;
/*background-color: #cccccc; */
}

.container .box-container .box1 h3{
color:#444;
font-size: 22px;
padding:10px 0;
}

.container .box-container .box1 textarea{
color:#777;
font-size: 15px;
line-height: 1.8;
width: 100%;
}

.container .box-container .box1:hover{
box-shadow: 0 10px 15px rgba(0,0,0,.3);
transform: scale(1.03);
}

@media (max-width:768px){
```

```
.container{  
    padding:20px;  
}  
}  
footer{  
    background-color: #000000ff;  
    position: relative;  
    width: 100%;  
    min-height: 350px;  
    padding: 3rem 1rem;  
}  
.container1 {  
    max-width: 1140px;  
    margin: 0 auto;  
    display: flex;  
    /*justify-content: center;*/  
    align-items: center;  
    flex-direction: column;  
    height: 350px;  
}  
}  
.row{  
    display: flex;  
    justify-content: space-between;
```

```
/*align-items: center;*/  
}  
  
.col{  
    min-width: 250px;  
    color:white;  
    font-family: poppins;  
    padding:0 2rem;  
}  
.col .logo{  
    width: 90%;  
    margin-bottom:45px;  
    left: 0;  
}  
.col h3{  
    color:#3CD3AD;  
    margin-bottom: 20px;  
    position: relative;  
    cursor: pointer;  
}  
.col h3::after{  
    content: " ";  
    height:3px;  
    width:0px;
```

```
background-color: #3CD3AD;  
position: absolute;  
bottom: 0;  
left: 0;  
transition: 0.3s ease;  
  
}  
.col h3:hover::after{  
width: 80px  
}  
.col .social a i{  
color: #3CD3AD;  
margin-top: 2px;  
margin-right: 5px;  
margin-bottom: 150px;  
transition: 0.3s ease;  
  
}  
.col .social a i:hover{  
transform: scale(1.5);  
color: darkcyan;  
}  
.col .links1 a{  
display: block;
```

```
text-decoration: none;  
color:#f2f2f2;  
margin-bottom: 16px;  
position: relative;  
transition: 0.3s ease;  
}  
.col .links1 a::before{  
content:"";  
height: 16px;  
width:3px;  
position: absolute;  
top:5px;  
left:-10px;  
color:#3CD3AD;  
transition: 0.5s ease;  
opacity: 0;  
}  
.col .links1 a:hover::before{  
opacity: 1;  
}  
.col .links1 a:hover{  
transform: translateX(-8px);  
color:#3CD3AD;
```

```
}

.col .links a{
    display: block;

    text-decoration: none;
    color:#f2f2f2;
    margin-bottom: 30px;
    position: relative;
    transition: 0.3s ease;

}

.col .links a::before{
    content:"";
    height: 16px;
    width:3px;
    position: absolute;
    top:5px;
    left:-10px;
    background-color:#3CD3AD;
    transition: 0.5s ease;
    opacity: 0;

}

.col .links a:hover::before{
    opacity: 1;
}
```

```
.col .links a:hover{  
    transform: translateX(-8px);  
    color:#3CD3AD;  
}  
.col .contact-details{  
    display: inline-flex;  
    justify-content: space-between;  
}  
.  
}.col .contact-details i{  
    margin-right:15px;  
}  
  
.row .feedback{  
    margin-left: 30px;  
}  
.feedback a{  
    text-decoration: none;  
    font-size: 30px;  
    color:#66ffff;  
    text-align: center;  
    margin: 20px;  
/*border: 2px solid */
```

```

background:transparent ;
transition: 0.3s ease;
}
.feedback:hover {
    transform: scale(1.5);
/*color:#5B42F3;*/
}
</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>all provider detail</title>
</head>
<body>
<%
String xsid = request.getParameter("c_id");
//      out.println(xsid);
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");
Statement st = con.createStatement();

```

```
String q = "select * from servdet where
p_id=" + xsid;
//      out.println(q);
ResultSet rs = st.executeQuery(q);
%>
<!--Nav bar-->
<div class="main">
<div class="logo1">
    
</div>

<div class="menu-bar">
<ul>
    <li class="active"><a
href="index.jsp">Home</a></li>
    <li class="active"><a
href="contact_us.jsp">Contact Us</a></li>
    <li class="active"><a
href="about_us.jsp">About Us</a></li>
    <!--<li class="active"><a
href="#">Help</a></li>-->
    <li class="active"><a
href="index.jsp">back</a></li>
```

```

        <!--<li class="active"><a href="#"><i
class="fa fa-power-off" style="color: white"
siz></i></a></li>-->
        </ul>
    </div>
</div>
<%
    out.println("<div class=container>");
    out.println("<h1 class=heading>our
services</h1>");
    out.println("<div class=box-container >");
    int k = 1;
    while (rs.next()) {
        String psid = rs.getString(1);
        String xtitle = rs.getString(4);
        String xdec = rs.getString(5);
        String ximg = rs.getString(6);
        //
        out.println(xcid);
    }
%>

<div class="box1">
    <!--<a href='all_subcat.jsp?c_id=<%
psid%>'>-->
    <div class="image">

```

```

</div>

<h3><%= xtitle%></h3>
<textarea rows=4 columns=50 ><%
xdec%></textarea>
<!--</a>-->
</div>
<%
    k++;
    if (k > 2) {

        out.println("</br>");
        out.println("</div>");
        out.println("<div class=box-container
">");

        k = 1;

    }
}

out.println("</div>");
out.println("</div>");
} catch (Exception e) {
    out.println(e);
}
```

```
    }  
  
%>  
<!--footer-->  
<footer>  
  <div class="container1">  
    <div class="row">  
      <div class="col" id="company">  
          
        <p>  
          </p>  
        <div class="social">  
          <a  
            href="https://www.facebook.com/"><i class="fab  
            fa-facebook"></i></a>  
          <a  
            href="https://www.instagram.com/"><i class="fab  
            fa-instagram"></i></a>  
          <a  
            href="https://www.youtube.com/"><i class="fab  
            fa-youtube"></i></a>
```

```
<a href="https://twitter.com/"><i  
class="fab fa-twitter"></i></a>  
  
<a  
href="https://in.linkedin.com/"><i class="fab fa-  
linkedin"></i></a>  
</div>  
</div>  
<div class="col" id="services">  
<h3>Services</h3>  
<div class="links1">  
<a href="#">Clening Services</a>  
<a href="#">AC Reapair &  
Installation</a>  
<a href="#">Plumbing services</a>  
<a href="#">Find Hotel &  
Restaurant</a>  
<a href="#">Find Hospitals</a>  
<a href="#">Mechanic Services</a>  
  
</div>  
</div>  
  
<div class="col" id="useful-links">  
<h3>Links</h3>
```


```
<div class="links">

    <a href="about_us.jsp">About</a>
    <a href="contact_us.jsp">Contact
Us</a>
    <a href="#">Our Policy</a>
    <a href="#">Help</a>
</div>
</div>

<div class="col" id="contact">
    <h3>Contact</h3>
    <div class="contact-details">
        <i class="fa fa-location"></i>
        <p>Shop No 7895 <br>MG Road,
            Porbandar,Gujarat 360578</p>
    </div>
    <br><br>
    <div class="contact-details">
        <i class="fa fa-phone"></i>
        <p>+91-8879875684</p>
    </div>
</div>
</div>
```

```
<div class="row">
    <div class="feedback">
        <a
            href="feedback1.jsp">Feedback</a>
        </div>
    </div>
</div>
</body>
</html>
```

FEEDBACK



➤ Feedback1.jsp (feedback front side code)

```
<%@page import="java.util.Date"%>
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
                padding: 0;
                margin: 0;
                box-sizing: border-box;
            }
        </style>
    </head>
    <body>
        <div style="background-color: #f2f2f2; padding: 10px; border-radius: 5px; width: fit-content; margin: auto; text-align: center; border: 1px solid #ccc; box-shadow: 0 0 10px #ccc; height: fit-content; min-height: 200px; position: relative; font-family: sans-serif; font-size: 14px; color: #333; line-height: 1.5; z-index: 1; ">
            <div style="position: absolute; top: -10px; left: -10px; width: 20px; height: 20px; background-color: white; border-radius: 50%; border: 1px solid #ccc; z-index: 2; ></div>
            <div style="position: absolute; top: -10px; right: -10px; width: 20px; height: 20px; background-color: white; border-radius: 50%; border: 1px solid #ccc; z-index: 2; ></div>
            <div style="position: absolute; bottom: -10px; left: -10px; width: 20px; height: 20px; background-color: white; border-radius: 50%; border: 1px solid #ccc; z-index: 2; ></div>
            <div style="position: absolute; bottom: -10px; right: -10px; width: 20px; height: 20px; background-color: white; border-radius: 50%; border: 1px solid #ccc; z-index: 2; ></div>
            <div style="margin-top: 20px; margin-bottom: 10px; border-bottom: 1px solid #ccc; padding-bottom: 5px; >
                <div style="display: flex; justify-content: space-between; align-items: center; >
                    <div style="flex-grow: 1; >
                        <img alt="Feedback icon" style="width: 20px; height: 20px; margin-right: 10px; >
                        <div style="font-weight: bold; font-size: 1.2em; >Feedback</div>
                    </div>
                    <div style="border: 1px solid #ccc; padding: 2px; border-radius: 5px; >.....</div>
                </div>
            </div>
            <div style="margin-bottom: 10px; >
                <div style="display: flex; justify-content: space-between; align-items: center; >
                    <div style="flex-grow: 1; >
                        <div style="font-size: 0.9em; >Enter Email : .....</div>
                    </div>
                    <div style="border: 1px solid #ccc; padding: 2px; border-radius: 5px; >.....</div>
                </div>
            </div>
            <div style="margin-bottom: 10px; >
                <div style="display: flex; justify-content: space-between; align-items: center; >
                    <div style="flex-grow: 1; >
                        <div style="font-size: 0.9em; >Enter Feedback : .....</div>
                    </div>
                    <div style="border: 1px solid #ccc; padding: 2px; border-radius: 5px; >Submit</div>
                </div>
            </div>
        </div>
    </body>
</html>
```

```
}

body{

    background:
url(image/25_afcas12.jpg);
    background-repeat: no-repeat;
    background-size: cover;
    display: flex;
    align-items: center;
    justify-content: center;
    height: 100vh;
    width: 100vw;

}

.box{

    display: flex;
    height: 400px;
    width: 800px;
    margin: auto;
    margin-top: 120px;
    background-color:white;
```

```
    box-shadow: 15px 15px 10px  
    #cccccc;  
    /*border: 1px solid ;*/  
    border-radius: 3%;  
    opacity: 60%;  
  
}  
.form h1{  
    margin-bottom: 50px;  
    color: #D878D2;  
    margin-left:120px;  
  
}  
.form{  
    margin-top: 5%;  
    display: flex;  
    flex-direction: column;  
    /*width: 70%;*/  
    /*align-items: center;*/  
    padding-top: 20px;  
  
}
```

```
.text{  
    font-size: 22px;  
}  
  
textarea{  
    resize: none;  
    border: none;  
    border-bottom: 2px dotted black;  
    font-size: 22px;  
    width: 150px;  
    background: transparent;  
    /*margin: 4px;*/  
}  
  
.text h2{  
    font-size: 22px;  
    margin-left: 55px;  
    margin: 20px;  
}  
  
.text input{  
    border: none;  
    border-bottom: 2px dotted black;  
    font-size: 22px;
```

```
width: 200px;  
background: transparent;  
/*margin: 4px;*/  
}  
  
#submit{  
padding: 12px 30px;  
width: 40%;  
margin-top: 20px;  
background-color:#E7A5E2;  
color: white;  
margin-left: 115px;  
font-weight: bold;  
border: none;  
align-items: center;  
outline: none;  
font-size: 22px;  
border-radius: 20px;  
}  
  
#submit:hover{  
cursor: pointer;  
background-color: #00cccc;  
color: white;
```

```
    font-size: 30px;  
}  
.side{  
    display: flex;  
  
    justify-content: center;  
    align-items: center;  
  
}  
img{  
    width: 350px;  
/*height: 200px;*/  
}  
</style>  
  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
    <title>feedback</title>  
</head>  
<body>  
    <%  
        Date d = new Date();
```

```
// out.println(d. d.toString());  
%>  
<div class="box">  
  
<div class="side">  
      
    </div>  
<div class="form">  
    <form action="feedback2.jsp"  
method="POST">  
        <h1>Feedback</h1>  
        <div class="text">  
            <h2>Enter Email :  
            <input type="email"  
name="eml" required></h2>  
            <h2>Enter Feedback :  
            <textarea name="feed"  
required rows="2"  
cols="3"></textarea><br></h2>  
        </div>
```

```
<button id="submit">  
Submit</button>  
</form>  
</div>  
</div>  
  
</body>  
</html>
```

➤ Feedback2.jsp (feedback back side code)

```
<%@page import = "java.sql.*" %>  
<%@page import="java.util.Date"%>  
<%@page contentType="text/html"  
pageEncoding="UTF-8"%>  
<!DOCTYPE html>  
<html>  
<head>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
<title>JSP Page</title>  
</head>  
<body>
```


```
<%
    String xeml =
request.getParameter("eml");
    String xdesc =
request.getParameter("feed");
    Date d = new Date();
    String dt = d.toString();
    try {

Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://I
ocalhost:3306/project5", "root", "");
    Statement st =
con.createStatement();

    String q = "insert into feedback
values(null,'" + dt + "','" + xeml + "','" + xdesc +
"')";
    int r = st.executeUpdate(q);
    if (r > 0) {
```

```
response.sendRedirect("index.jsp");
} else {
    out.println("sorrry");
}
} catch (Exception e) {
    out.println(e);
}
%>
</body>
</html>
```

FORGOT PASSWORD



➤forgot1.jsp

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<%@page import= "java.sql.*" %>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
                padding: 0;
                margin: 0;
                box-sizing: border-box;
            }
            body{
                background:
                    url(image/25_afcas12.jpg);
                background-repeat: no-repeat;
                background-size: cover;
                display: flex;
                align-items: center;
```

```
justify-content: center;
height: 100vh;
width: 100vw;
}

.box{
    display: flex;
    height: 500px;
    width: 800px;
    margin: auto;
    margin-top: 50px;
    background-color: white;
    box-shadow: 15px 15px 10px
#cccccc;
/*border: 1px solid;*/
border-radius: 3%;
opacity: 70%;

}

.form{
    display: flex;
    flex-direction: column;
    width: 50%;
    align-items: center;
```

```
}

.form h1{
    font-size: 38px;
    margin-top: 20%;
    margin-left: 50px;
    margin-bottom: 50px;

}

form h2{
    font-size: 22px;
    margin-left: 55px;
}

input{
    width: 250px;
    /*height: 80px;*/
    margin: 15px;
    margin-left: 65px;
    border: none;
    outline: none;

    font-size: 22px;
```

```
background: transparent;  
border-bottom: 2px dotted #000;  
}  
  
#submit{  
padding: 12px 30px;  
width: 40%;  
margin-top: 40px;  
background-color: #6CACEA;  
color: white;  
margin-left: 115px;  
font-weight: bold;  
border: none;  
align-items: center;  
outline: none;  
font-size: 22px;  
border-radius: 20px;  
}  
  
#submit:hover{  
cursor: pointer;  
background-color: black;  
color: white;
```

```
    }
    .side{
        display: flex;
        justify-content: center;
        align-items: center;
        width: 50%;
    }

</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<link href="https://pin.it/3DV08I7"
rel="stylesheet">


<title>forgot password</title>
</head>
<body>
    <div class="box">
        <div class="side">
            
        </div>
```

```
<div class="form">
    <form action="forgot2.jsp">
        <h1>Forgot Password ? </h1>
        <h2>Enter User-Name or Email
    :</h2>
        <input type="text" name ="name"
required class='input'>

        <button
id='submit'>Submit</button>
    </div>
</div>
</form>

</body>
</html>
```

➤forgot2.jsp



```
<%@page import = "java.sql.*"%>
```

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
                padding: 0;
```

```
margin: 0;  
box-sizing: border-box;  
}  
  
body{  
  
background: url(image/25_afcas12.jpg);  
background-repeat: no-repeat;  
background-size: cover;  
display: flex;  
align-items: center;  
justify-content: center;  
height: 100vh;  
width: 100vw;  
}  
.box{  
display: flex;  
height: 500px;  
width: 800px;  
margin: auto;  
margin-top: 50px;  
background-color: whitesmoke;  
box-shadow: 15px 15px 10px #cccccc;  
/*border: 1px solid */
```

```
border-radius: 3%;  
opacity: 70%;  
}  
.form{  
margin-top: 10%;  
display: flex;  
flex-direction: column;  
width: 50%;  
/*align-items: center;*/  
padding-top: 30px;  
  
}  
  
.form h2{  
font-size: 22px;  
margin-left: 55px;  
margin: 20px;  
}  
.text input{  
border: none;  
border-bottom: 2px dotted black;  
font-size: 22px;  
width: 150px;  
background: transparent;
```

```
margin: 4px;  
}  
  
#submit{  
    padding: 12px 30px;  
    width: 40%;  
    margin-top: 40px;  
    background-color: #6CACEA;  
    color: white;  
    margin-left: 115px;  
    font-weight: bold;  
    border: none;  
    align-items: center;  
    outline: none;  
    font-size: 22px;  
    border-radius: 20px;  
}  
  
#submit:hover{  
    cursor: pointer;  
    background-color: black;  
    color: white;  
}  
  
.side{  
    display: flex;  
    justify-content: center;
```

```
    align-items: center;
    width: 50%;
}
</style>
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>forgot password</title>
</head>
<body>
<%
String xname = request.getParameter("name");
try {
    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");
    Statement st = con.createStatement();
    String q = " select * from servpro where
p_name=" + xname + "or p_email=" + xname + ""
";
    ResultSet rs = st.executeQuery(q);
    if (rs.next()) {
        String xp_id = rs.getString(1);
        String xp_name = rs.getString(4);
```


```
String xforquery = rs.getString(7);
String xforanswer = rs.getString(8);

%>
<div class="box">
    <div class="side">
        
    </div>
    <div class="form">
        <h2> UserName or Email : <%= 
xp_name%></h2>
        <h2>Forgot Query :<%= 
xforquery%></h2>
        <div class="text">
            <form action="forgot3.jsp" >
                <h2>Enter Answer :<input type="text"
class="input1" name="answer" required></h2>
            </div>
            <button id="submit">Submit</button>
        </form>
    </div>
</div>

<%
}
```

```
} catch (Exception e) {  
    out.println(e);  
}  
%>  
</body>  
</html>
```

➤ forgot3.jsp



```
<%@page import = "java.sql.*"%>
```

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <script lang="javascript">
function dobu(){
    var p1 ,p2;
    p1= document.f1.password.value;
    p2= document.f1.confirm.value;
    if(p1 === p2)
    {
        return true;
    }
    else{
        alert("password not matched");
        return false;
    }
}
</script>
<style>
*{
    padding: 0;
```

```
margin: 0;  
box-sizing: border-box;  
}  
  
body{  
  
background: url(image/25_afcas12.jpg);  
background-repeat: no-repeat;  
background-size: cover;  
display: flex;  
align-items: center;  
justify-content: center;  
height: 100vh;  
width: 100vw;  
}  
.box{  
display: flex;  
top:50%;  
left: 50%;  
height: 400px;  
width: 800px;  
margin: auto;  
margin-top: 50px;  
background-color: white;
```

```
    box-shadow: 15px 15px 10px #cccccc;  
    /*border: 1px solid ;*/  
    border-radius: 3%;  
    opacity: 70%;  
  
}  
.form h1{  
    margin-bottom: 50px;  
    color: rgb(0,124,255);  
}  
.form{  
    margin-top: 5%;  
    display: flex;  
    flex-direction: column;  
    /*width: 70%;*/  
    /*align-items: center;*/  
    padding-top: 30px;  
  
}  
.text{  
    font-size: 22px;  
    /*margin-left: 55px;*/  
    /*margin: 40px;*/  
    /*padding: 20px;*/
```

```
}

.text input{
    border: none;
    border-bottom: 2px dotted black;
    font-size: 22px;
    width: 150px;
    background: transparent;
    margin: 4px;
}

.text .input1{
    border: none;
}

#submit{
    padding: 12px 30px;
    width: 40%;
    margin-top: 40px;
    background-color: #6CACEA;
    color: white;
    margin-left: 115px;
    font-weight: bold;
    border: none;
    align-items: center;
    outline: none;
    font-size: 22px;
}
```

```
border-radius: 20px;  
}  
#submit:hover{  
    cursor: pointer;  
    background-color: black;  
    color: white;  
  
}  
.side{  
    display: flex;  
  
    justify-content: center;  
    align-items: center;  
  
}  
img{  
    width: 400px;  
/*height: 200px;*/  
}  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
<title>new password</title>  
</head>
```

```
<body>
<%
    String xanswer =
request.getParameter("answer");
//      out.println(xanswer);

try {

Class.forName("com.mysql.jdbc.Driver");
    Connection con =
(Connection)DriverManager.getConnection("jdbc:
mysql://localhost:3306/project5","root","");
}

Statement st = con.createStatement();
String q = " select * from servpro where
p_for_ans='"+xanswer+"'";

ResultSet rs = st.executeQuery(q);
if(rs.next()){
    String xid = rs.getString(1);
    String username = rs.getString(4);
%>
<div class="box">
```

```
<div class="side">
    
</div>
<div class="form">
    <form name="f1"
        action="forgotupdate.jsp" method="post"
        onsubmit="return dobu()">
        <h1>Reset Password</h1>
        <div class="text">
            UserName :
            <input type="text" value=<%=
username %> name="name" class="input1"
            readonly> <br>
            Enter new Password :
            <input type="password"
            name="password" required><br>
            Enter confirm Password :
            <input type="password"
            name="confirm" required><br>
        </div>
        <input type="submit" id="submit"
            name="submit" value="Submit" >
```

```
</form>
</div>
</div>

<%
}

else
{
    out.println("<lable>Answer not
found</lable>");

}

catch (Exception e)
{
}

%>
</body>
</html>
```

➤ forgotupdate.jsp (forgot password update code)

```
<%@page import = "java.sql.*"%>


<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
        <title>password update</title>
    </head>
    <body>
        <%
            String xpwd =
request.getParameter("password");
            String xname =
request.getParameter("name");
//        out.println(xpwd);
//        out.println(xid);
            try {
```

```
Class.forName("com.mysql.jdbc.Driver");
Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");

Statement st = con.createStatement();
int count = st.executeUpdate("update
servpro set p_pwd = '" + xpwd + "' where p_name
= '" + xname + "'");
if (count > 0) {
//      out.print("Password Update
successful");
    response.sendRedirect("pro_log.jsp");
} else {
    out.println("sorry");
}

} catch (Exception e) {
    out.println(e);
}
%>
</body>
</html>
```

CONTACT US



➤ Contact_us.jsp (contact us front side code)

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *{
```

```
margin: 0;  
padding: 0;  
font-family: 'Lexend Peta', sans-serif;  
box-sizing: border-box;  
}  
  
body{  
padding: 50px 100px;  
display: flex;  
justify-content: center;  
align-items: center;  
  
flex-direction: column;  
background: url(image/25_afcas12.jpg);  
background-size: cover;  
}  
  
.header{  
display: flex;  
justify-content: center;  
font-size: 58px;  
color: #000000;  
margin-bottom: 30px;  
}  
  
.content p{
```

```
font-size: 22px;
display: flex;
text-align: left;
color: #000000;
}

.container{
    width: 100%;
    display: flex;
    justify-content: center;
    align-items: center;
    margin-top: 30px;
        background: rgba(0,0,0,.6);
    box-shadow: 0 15px 25px rgba(0,0,0,.6);
    border-radius: 10px;

}

.container .contactInfo{
    width: 50%;
    display: flex;
    flex-direction: column;
}

.container .contactInfo .box{
    position: relative;
    padding: 20px 0;
```

```
display: flex;
}

.container .contactInfo .box .icon{
    min-width: 60px;
    height: 60px;
    background: #fff;
    display: flex;
    justify-content: center;
    align-items: center;
    border-radius: 50%;
    font-size: 22px;
}

.container .contactInfo .box .text h3{
    display: flex;
    margin-left: 20px;
    font-size: 16px;
    color: rgb(217, 255, 0);
    /* flex-direction: column; */
    font-weight: 500;
}

.container .contactInfo .box .text p{
    display: flex;
    margin-left: 20px;
    font-size: 16px;
}
```

```
color: rgb(255, 255, 255);
/* flex-direction: column; */
font-weight: 300;

}

.contactForm{
    width: 40%;
    padding: 40px;
}

.contactForm h2{
    font-size: 30px;
    color: #fff;
    font-weight: 500;
    margin-bottom: 30px;
}

.contactForm .inputBox{
    position: relative;
    width: 100%;
    margin-top: 10px;
}

.contactForm .inputBox input,
.contactForm .inputBox textarea{
    width: 100%;
```

```
background: transparent;
color: #fff;
padding: 5px 0;
font-size: 16px;
margin: 10px 0;
border: none;
border-bottom: 2px solid #333;
outline: none;
resize: none;
}

.contactForm .inputBox span{
position: absolute;
left: 0;
padding: 5px 0;
font-size: 22px;
margin: 10px 0;
pointer-events: none;
transition: 0.5s;
color: #fff;
}

.contactForm .inputBox input:focus ~ span,
.contactForm .inputBox input:valid ~ span,
.contactForm .inputBox textarea:focus ~
span,
```

```
.contactForm .inputBox textarea:valid ~  
span{  
    color: #0c63e4;  
    font-size: 22px;  
    transform: translateY(-20px);  
}  
.contactForm .inputBox  
input[type="submit"]{  
    width: 100px;  
    background: #00bcd4;  
    color: #fff;  
    border: none;  
    cursor: pointer;  
    padding: 10px;  
    font-size: 18px;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
  <link rel="stylesheet"  
  href="https://stackpath.bootstrapcdn.com/font-  
awesome/4.7.0/css/font-awesome.min.css"  
  integrity="sha384-  
  ...
```

wvfXpqpZZVQGK6TAh5PVIGOfQNHSoD2xbE+QkPx
CAFINEevoEH3SI0sibVcOQVnN"
crossorigin="anonymous">
 <title>Contact Us</title>
 </head>
 <body>
 <h1 class="header">Contact Us</h1>

<div class="content">

 <p>Do you have questions, suggestions,
or feedback? We're here to listen. Feel free to
reach
 out to us with any inquiries or comments.
We value your input as we strive to continually
 improve our platform to better serve the
needs of City Guide.

 Thank you for choosing City Guide
Porbandar as your go-to resource for essential
 services. Together, we can make City
Guide an even more vibrant and convenient place
to
 live and visit.</p>

```
</div>
<div class="container">
    <div class="contactInfo">
        <div class="box">
            <div class="icon"><i class="fa fa-map-marker" aria-hidden="true"></i></div>
            <div class="text">
                <h3>Address</h3>
                <p>Shop NO 5867 M.G
Road,<br>Porbandar,Gujarat,India,<br>360575</p>
            >
            </div>
        </div>
        <div class="box">
            <div class="icon"><i class="fa fa-phone" aria-hidden="true"></i></div>
            <div class="text">
                <h3>Phone</h3>
                <p>12345678</p>
            </div>
        </div>
        <div class="box">
            <div class="icon"><i class="fa fa-envelope-o" aria-hidden="true"></i></i></div>
```

```
<div class="text">
    <h3>Email</h3>

<p>cityguideporbandar@gmail.com</p>
    </div>
    </div>
</div>
<div class="contactForm">
    <form action="contact2.jsp"
method="post">
        <h2>Send Message</h2>
        <div class="inputBox">
            <input type="text" name="name"
required="required">
                <span>Full Name</span>
            </div>
        <div class="inputBox">
            <input type="email" name="email"
required="required">
                <span>Email</span>
            </div>
        <div class="inputBox">
            <textarea name="message" id="">
                <span>Message</span>
            </div>
        <div class="inputBox">
            <input type="submit" value="Send Message">
        </div>
    </form>
</div>
```

```
<span>Type your  
Message...</span>  
    </div>  
    <div class="inputBox">  
        <input type="submit"  
value="Send">  
    </div>  
    </form>  
    </div>  
</div>  
  
</body>  
</html>
```

➤ Contact2.jsp (contact us back side code)


```
<%@page contentType="text/html"  
pageEncoding="UTF-8"%>  
<!DOCTYPE html>  
<%@page import = "java.sql.*"%>  
<html>  
    <head>
```

```
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
<title>contact us data save</title>
</head>
<body>
<%
    String xname =
request.getParameter("name");
    String xemail =
request.getParameter("email");
    String ctxt =
request.getParameter("message");
try {

    Class.forName("com.mysql.jdbc.Driver");
    Connection con = (Connection)
DriverManager.getConnection("jdbc:mysql://local
host:3306/project5", "root", "");
    Statement st = con.createStatement();
    String q = "insert into contact values(" +
null + "','" + xname + "','" + xemail + "','" + ctxt +
")";
    int r = st.executeUpdate(q);
```

```
if (r > 0) {  
    response.sendRedirect("index.jsp");  
} else {  
  
    out.print("<h1 align=center >data  
invalid</h1>");  
  
}  
} catch (Exception e) {  
    out.print(e);  
}  
%>  
</body>  
</html>
```


ABOUT US



Welcome to City Guide Porbandar – Your Trusted Resource for Essential Services in Porbandar! At City Guide Porbandar, we understand the importance of reliable and convenient access to essential services for both our valued locals and visitors. Our mission is to bridge the gap between service providers and those in need of services, making life in Porbandar more convenient and efficient.

Our Mission

Our mission is to provide a comprehensive platform that connects the residents and visitors of Porbandar



Popular Categories

Body Massage Centres Cinema Halls Schools Beauty Spas Dermatologists Hospitals Malls Gyms Beauty Parlours Estate Agents Banquet Halls ENT Doctors Book Shops Bike On Rent Sexologist Doctors Neurologists Gynaecologist & Obstetrician Doctors Tiffin Services Travel Agents Paying Guest Accommodations General Physician Doctors Dentists Orthopaedic Doctors Chemists Motor Training Schools Gastroenterologists Car Rental Salons Courier Services Dance Classes Pathology Labs Taxi Services Cake Shops AC Repair & Services Mobile Phone Dealers Pet Shops Dmart Packers And Movers Psychiatrists Dharamshala Urologist Doctors Bakeries Bicycle Dealers Coffee Shops Paediatricians Sonography Centres Yoga Classes Hostels Cardiologists Electrical Shops Skin Care Clinics Diagnostic Centres Homeopathic Doctors Physiotherapists Photo Studios Plumbers Music Classes Electricians Sports Goods Dealers Shoe Dealers Hair Stylists Gift Shops Ophthalmologists Car Repair & Services Ayurvedic Doctors Eye Clinics Restaurants Carpenters Jewellery Showrooms Cooks On Hire Stationery Shops Nephrologists Caterers Interior Designers Rehabilitation Center Drug De Addiction Center Grocery Stores AC Repair Hotels Cab & Car Rental Spa & Salon Car service etc

[Back](#)

➤about_us.jsp

```
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <style>
            *
{
    margin: 0px;
    padding: 0px;
}
body{
    background: url(image/v1016-a-
08.jpg);
    background-repeat: no-repeat;
    background-size: cover;
}
.divider {
    display: flex;
```

```
&:before,  
  &:after {  
    content: "";  
    flex: 1;  
  }  
}  
.header {  
  overflow: hidden;  
  align-items: center;  
 /*background: hsl(50, 100%, 50%);*/  
  background: rgba(0,0,0,.6);  
  color:#fff;  
  font-size: 35px;  
  height: 70px;  
  opacity: 70%;  
  &:before,  
    &:after {  
      background: whitesmoke;  
      padding: 50px 0;  
      height: 0;  
      transform: rotate(45deg);  
    }  
}
```

```
}

.box{
    background: rgba(0,0,0,.6);
    box-shadow: 0 15px 25px
    rgba(0,0,0,.6);
    height: 100%;
    width: 80%;
    color: white;
    margin-bottom: 20%;
    margin-left: auto;
    margin-right: auto;
    margin-top: 6%;
    border-radius: 5px;
    opacity: 70%;

}

.logo1{
    margin-top: 10%;

}

.logo1 img{
    display: flex;
    margin-left: auto;
    margin-right: auto;
```

```
width: 40%;  
height: 40%;  
/*margin-top:200px;*/  
/*margin-bottom: 10%;*/
```

```
}
```

```
p1{
```

```
margin-top: 10%;  
margin-left: 50px;  
margin-right: 50px;  
font-size: 25px;  
display: flex;  
margin-bottom: 10px;
```

```
}
```

```
p2{
```

```
display: flex;  
margin-top: 10px;  
margin-left: 80px;  
margin-right: 50px;
```

font-size: 22px;

}

p3{

display: flex;

margin-top: 10px;

margin-left: 150px;

margin-right: 50px;

font-size: 22px;

}

h1{

margin-top: 20px;

margin-left: 50px;

}

h3{

margin-top: 20px;

margin-left: 100px;

}

.submit{

background:#1AAB8A;

```
color:#fff;  
border:none;  
position:relative;  
height:40px;  
width: 150px;  
bottom: 50px;  
left: 10%;  
margin-top: 10%;  
font-size:18px;  
padding:5px;  
border-radius: 10px;  
cursor:pointer;  
transition:800ms ease all;  
outline:none;  
}  
.submit:hover{  
background:#3CD3AD;  
font-size: 25px;  
color:#1AAB8A;  
}  
  
.submit a{
```

```
background:transparent;  
text-decoration: none;  
font-size: 28px;  
color: white;  
}  
  
</style>  
<meta http-equiv="Content-Type"  
content="text/html; charset=UTF-8">  
  <title>About Us</title>  
</head>  
<body>  
  <h2 class="divider header">ABOUT  
US</h2>  
  <div class ="box">  
    <div class="logo1">  
        
    </div>
```

<p1>Welcome to City Guide Porbandar – Your Trusted Resource for Essential Services in Porbandar!

At City Guide Porbandar, we understand the importance of reliable and convenient access to essential services for both our valued locals and visitors.

Our mission is to bridge the gap between service providers and those in need of services, making life in Porbandar more convenient and efficient.</p1>

<h1>Our Mission</h1>

<p2> Our mission is to provide a comprehensive platform that connects the residents and visitors of Porbandar with a wide range of essential services.

Whether you're a long-time local or a newcomer exploring our city, we're here to ensure that you can easily find and connect with trusted professionals for various needs.</p2>

<h1>What We Offer</h1>

<h3>Find Services:</h3> <p3> Explore an extensive directory of service providers in Porbandar City, ranging from doctors and mechanics to electricians and plumbers. Our user-friendly platform makes it simple to find the right professional for the job.</p3>

<h3>Local Experts:</h3><p3> We pride ourselves on partnering with experienced and skilled service

providers who have earned the trust of the City Guide community.

You can rely on the expertise of our listed professionals.</p3>

<h3>Convenience:</h3><p3> Whether you're facing a plumbing emergency, need medical assistance,

or require any other service, our platform is designed to provide quick and easy access to

the help you need, when you need it.</p3>

<h3>Verified Listings:</h3><p3> Our team rigorously verifies the authenticity and credibility of each

service provider before they are listed on our platform. This ensures that you can trust

the professionals you find here.</p3>

<h3>Community:</h3><p3> City Guide Porbandar is more than just a directory – it's a community that thrives on the relationships between service providers and the people they serve. We take pride in contributing to the growth and well-being of our city.</p3>

<h1> Our Team</h1>

<p2>

Our dedicated team at City Guide Porbandar comprises individuals who are passionate about making a positive impact on the lives of our fellow residents.

With a blend of technological expertise and a deep connection to City Guide , we are committed to enhancing

the quality of services available to all.

</p2>

<h1>Popular Categories</h1>

<p2>Body Massage Centres Cinema
Halls Schools Beauty Spas Dermatologists
Hospitals Malls
Gyms Beauty Parlours Estate
Agents Banquet Halls ENT Doctors Book Shops
Bike On Rent
Sexologist Doctors Neurologists
Gynaecologist & Obstetrician Doctors Tiffin
Services
Travel Agents Paying Guest
Accommodations General Physician Doctors
Dentists
Orthopaedic Doctors Chemists
Motor Training Schools Gastroenterologists
Car
Rental Salons Courier Services
Dance Classes Pathology Labs Taxi Services
Cake Shops AC Repair & Services
Mobile Phone Dealers Pet Shops Dmart
Packers And Movers Psychiatrists
Dharamshala s Urologist Doctors Bakeries
Bicycle Dealers

Coffee Shops Paediatricians
Sonography Centres Yoga Classes Hostels
Cardiologists Electrical Shops
Skin Care Clinics Diagnostic Centres
Homeopathic Doctors Physiotherapists Photo
Studios
Plumbers Music Classes Electricians
Sports Goods Dealers Shoe Dealers Hair
Stylists Gift Shops
Ophthalmologists Car Repair &
Services Ayurvedic Doctors Eye Clinics
Restaurants Carpenters
Jewellery Showrooms Cooks On
Hire Stationery Shops Nephrologists Caterers
Interior Designers
Rehabilitation Center Drug De
Addiction Center Grocery Stores AC Repair
Hotels Cab & Car Rental
Spa & Salon Car service etc</p><p>

<button class="submit">Back</button>

```
<br><br>
</div>
</body>
</html>
```

BIBLIOGRAPHY

- ❖ **Search Engine** - www.goolge.co.in
- ❖ **Reference Book** - [Java reference books](#)
- ❖ **Sites** - www.tutorialsponit.com
www.javatpoint.com

