#### 1

# Matrix Theory Assignment 1

### Abhishek Thakur

Abstract—This documnet contains the solution to a Lines and planes problem.

Download all python codes from

https://github.com/abhishekt711/EE5609/codes

#### 1 Problem

60. A person standing at the junction of two straight paths represented by the equations

$$(2 -3)\mathbf{x} = 4$$
$$(3 \ 4)\mathbf{x} = 5$$

want to reach the path whose equation is

$$\begin{pmatrix} 6 & -7 \end{pmatrix} \mathbf{x} = 8$$

in the least time. Find the equation of the path that he should follow.

## 2 Solution

Step1: we need to find the solution of equation:

$$\begin{pmatrix} 2 & -3 \end{pmatrix} \mathbf{x} = 4 \tag{2.0.1}$$

$$(3 \quad 4)\mathbf{x} = 5 \tag{2.0.2}$$

$$\begin{pmatrix}
2 & -3 & 4 \\
3 & 4 & 5
\end{pmatrix}$$
(2.0.3)

Transforming the matrix into row-echelon form

$$\begin{pmatrix} 2 & -3 & 4 \\ 3 & 4 & 5 \end{pmatrix} \stackrel{R1 \leftarrow \frac{4}{17} * (R1 + \frac{3}{4}R2)}{\longleftarrow}$$

$$\begin{pmatrix} 1 & 0 & 31/17 \\ 3 & 4 & 5 \end{pmatrix}$$
(2.0.4)

$$\begin{pmatrix} 1 & 0 & 31/17 \\ 3 & 4 & 5 \end{pmatrix} \xrightarrow{R2 \leftarrow \frac{1}{4}(R2 - 3 * R1)}$$

$$\begin{pmatrix} 1 & 0 & 31/17 \\ 0 & 1 & -2/17 \end{pmatrix}$$
(2.0.5)

After solving this two equation we will get the junction point, which is intersection of this line segments. Thus, Junction Point is (31/17 -2/17) To reach in the least time, he should follow the shortest path, i.e, perpendicular from the junction point to the line give by this equation:

$$\begin{pmatrix} 6 & -7 \end{pmatrix} \mathbf{x} = 8 \tag{2.0.6}$$

normal vector to the given line is:

$$\mathbf{n} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} 6 \\ -7 \end{pmatrix} \tag{2.0.7}$$

$$\mathbf{n} = \begin{pmatrix} 7 \\ 6 \end{pmatrix} \tag{2.0.8}$$

The equation of the line in terms of normal vector




Fig. 1: The Required path is PQ.

passing through a given point is obtained as

$$\mathbf{n}^T(\mathbf{x} - \mathbf{A}) = 0 \tag{2.0.9}$$

$$\mathbf{n}^T \mathbf{x} = \mathbf{n}^T \mathbf{A} \tag{2.0.10}$$

Hence, he should follow this path PQ:

$$(7 6) \mathbf{x} = \frac{205}{17} (2.0.11)$$