

Matrix Representation - Part II

Detailed Course 2.0 on Linear Algebra For IIT JAM' 23




Ace your preparation with Top Educators

Get **20% off*** on **IIT JAM** subscriptions


Limited period offer



Unlimited access to Live and Recorded Classes



PYQs, Live Test and Quizzes



In class doubt solving by Top Educators



Structured Batches & courses

Subscribe Now

Use code
GPSIR

For more details, contact: **8585858585**

*T&C apply, as available on the platform.

20



Ace your preparation with Top Educators

Get **20% off*** on **CSIR-UGC NET** subscriptions

Limited period offer



Unlimited access to Live and Recorded Classes



Learn from Top Educators



Comprehensive Notes and PDFs



Prepare with Unacademy Lite Subscription

Subscribe Now

Use code

For more details, contact: **8585858585**

*T&C apply, as available on the platform.

20



Gajendra Purohit ✓

Legend in CSIR-UGC NET & IIT-JAM

~ Unlock Code : GPSIR ~ PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins

3M Watch mins (last 30 days)

44K Followers

2K Dedications

➡ **TOP EDUCATOR ON UNACADEMY
FOR CSIR NET & IIT JAM**

YouTuber with 800K Subscribers

➡ **AUTHOR OF BEST SELLER BOOK
FOR CSIR NET & IIT JAM**

**Get
10% Off**

Referral Code : GP SIR





RANK BOOSTER COURSE UNIT 2 CSIR NET 2022

23rd AUGUST

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



DETAILED COURSE 2.0 LINEAR ALGEBRA FOR IIT JAM **2023**

8th SEPTEMBER

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,074~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

Rank of matrix : If A is matrix then a non-negative integer is said to be rank of A . if \exists a non-singular submatrix of order r of A and all matrix of order greater than r are singular.

Note :

- (1) A matrix $A_{n \times n}$ is a non-singular iff $\text{rank}(A) = n$
- (2) Rank of matrix is denoted by $\rho(A)$
- (3) If $|A| \neq 0$ then $\rho(A) = n$ where n is order of A

Elementary Transformation : Those transformation that does not effect on rank of matrix are called elementary transformation.

There are 3 elementary row (column) transformation.

Elementary matrix : A matrix obtained by a single elementary operation over identity matrix is known as elementary matrix.

Q.1. Find elementary matrix

(a) $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

(b) $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$

(c) $\begin{bmatrix} 1 & 2 & 3 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{bmatrix}$

(d) $\begin{bmatrix} 3 & 2 & 0 \\ 1 & 2 & 0 \\ 1 & 2 & 2 \end{bmatrix}$

Note :

- (1) Every elementary matrix is non-singular.
- (2) Every permutation matrix is elementary matrix.

Q.2. Let $A = \begin{bmatrix} 1 & 2 & 3 & 4 \\ 5 & 6 & 7 & 8 \\ 9 & 10 & 11 & 12 \\ 151 & 262 & 373 & 484 \end{bmatrix}$.

Then Rank(A) is

(a) 1

(b) 2

(c) 3

(d) 4

Q.3. Let $A = \begin{bmatrix} 1 & 1 & 1 & \dots & 1 \\ 1 & 2 & 2 & \dots & 2 \\ 1 & 2 & 3 & \dots & 3 \\ 1 & 2 & 3 & \dots & 4 \\ \vdots & & & & \\ 1 & 2 & 3 & \dots & n \end{bmatrix}$, then $\rho(A)$ is

(a) 0

(b) 1

(c) 2

(d) n

Property :

1. A matrix is of Rank zero iff A is null matrix i.e. if A is non-null matrix then $\rho(A) \geq 1$
2. Rank of idempotent matrix of order n are always less than n except identity matrix.
3. Rank of involutory matrix of order n are always n because determinant of involutory matrix are non-zero.
4. Rank of orthogonal matrix of order n is n.
5. Rank of nilpotent matrix of order n are always less than n.



Q.4. Let $S = \{A = [a_{ij}]_{n \times n} \mid A^k = 0 \text{ \& } \rho(A) = n, \text{ for some } k\}$
then cardinality of S is

(a) ϕ

(b) 1




(c) 2

(d) n



▲ 1 • Asked by Nitesh

Please help me with this doubt

12:29 PM | 0.9KB/s



< Test 5



Syllabus

Mathematics




- Range & Null Space
- Linear Independence of Vectors
- Basis & Dimension
- Linear Transformations
- Solution of Linear Eqn.
- Rank & Inverse of a Matrix
- Determinant
- Finite Dimension Vector Space
- Connected & Compact Sets
- Taylor's Series
- Power Series Differentiation
- Interior & Limit Points
- Integration of Power Series
- Eigenvalues & Eigenvectors
- Matrix Representation
- Radius & Interval Convergence
- Cayley-Hamilton Theorem
- Open, Closed & Bounded Sets
- Group Homomorphisms
- Completeness of R. Power Series
- Consistency Conditions
- Lagrange's Theory-Finite Group

Instructions

Time Duration = 30 minutes
Total number of questions = 20

Test Series

Result will be available after live test is over



(6) Let A be a matrix of order $m \times n$ then

$$\rho(A) \leq \min\{m, n\}$$

(7) Let A & B are matrix of order $m \times n$ & $n \times p$, then $\rho(A) + \rho(B) - n \leq \rho(AB) \leq \min\{\rho(A), \rho(B)\}$

(8) Let A and A^T are matrix then $\rho(A) = \rho(A^T)$

(9) $\rho(A + B) \leq \rho(A) + \rho(B)$

COMPLETE COURSE ON
MATHEMATICS
FOR IIT-JAM 2022

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINEAR ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,974~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

FOUNDATION COURSE OF
MATHEMATICS
FOR CSIR-NET

Q.5. Let $A = [a_1 \ a_2 \ \dots \ a_n]^T_{1 \times n}$ and $B = [b_1 \ b_2 \ \dots \ b_n]_{1 \times n}$ both are non-zero matrix then $\rho(AB)$ is

(a) 1

(b) n

(c) $n + 1$

(d) $n - 1$

Q.6 Let A be a 3×4 matrix and B be a 4×3 matrix with real entries such that AB is non-singular. Consider the following statements :

P : Nullity of A is 0.

Q : BA is a non-singular matrix.

Then

- (a) both P and Q are true
- (b) P is true and Q is false
- (c) P is false and Q is true
- (d) Both P and Q are false

Q.7. Let A be an $n \times n$ matrix such that the first 3 rows of A are linearly independent and the first 5 columns of A are linearly independent. Which of the following statements are true?

(a) A has at least 5 linearly independent rows

(b) $3 \leq \text{rank } A \leq 5$

(c) $\text{Rank } A \geq 5$

(d) $\text{Rank } A^2 \geq 5$

Q.8. What is the rank of the matrix

$$\begin{pmatrix} 1 & 1 & 1 & 1 & 1 \\ 1 & 2 & 2 & 2 & 2 \\ 1 & 2 & 3 & 3 & 3 \\ 1 & 2 & 3 & 4 & 4 \\ 1 & 2 & 3 & 4 & 5 \end{pmatrix}.$$

(a) 2

(b) 3

(c) 4

(d) 5

Q.9 Let J denote the matrix of order $n \times n$ with all entries 1

and let B be a $(3n) \times (3n)$ matrix given by $B = \begin{pmatrix} 0 & 0 & J \\ 0 & J & 0 \\ J & 0 & 0 \end{pmatrix}$

. Then the rank of B is


- | | |
|----------|--------------|
| (a) $2n$ | (b) $3n - 1$ |
| (c) 2 | (d) 3 |

Q.10. Let A be an $n \times m$ matrix with each entry equal to $+1$, -1 or 0 such that every column has exactly one $+1$ and exactly one -1 . We can conclude that

- | | |
|---------------------------------|--------------------------|
| (a) $\text{Rank } A \leq n - 1$ | (b) $\text{Rank } A = m$ |
| (c) $n \leq m$ | (d) $n - 1 \leq m$ |

▲ 1 • Asked by Srinibas

Please help me with this doubt



Q.11 Let A and B be $n \times n$ real matrices such that $AB = BA = 0$ and $A + B$ is invertible.

Which of the following are always true?

- (a) $\text{Rank}(A) = \text{rank}(B)$
- (b) $\text{Rank}(A) + \text{rank}(B) = n$
- (c) $\text{Nullity}(A) + \text{nullity}(B) = n$
- (d) $A - B$ is invertible



RANK BOOSTER COURSE UNIT 2 CSIR NET 2022

23rd AUGUST

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



DETAILED COURSE 2.0 LINEAR ALGEBRA FOR IIT JAM **2023**

8th SEPTEMBER

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



Educator Profile



Gajendra Purohit ✓

#5 Educator in CSIR-UGC NET

Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

Follow

11M Watch mins

1M Watch mins (last 30 days)

22k Followers

1k Dedications



CSIR-UGC NET

SEE ALL

Educator highlights

- Works at Pacific Science College
- Studied at M.Sc., NET, PhD(Algebra), MBA(Finance), BEd
- PhD, NET | Plus Educator For CSIR NET | Youtuber (260K+Subs.) | Director Pacific Science College |
- Lives in Udaipur, Rajasthan, India
- Unacademy Educator since



HINDI MATHEMATICAL SCIENCES

Course on Linear Algebra, Partial Diff. Equation & Calculus

Starts on Mar 1, 2021 • 24 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Course on Complex Analysis & Integral Equation

Starts on Jan 14, 2021 • 16 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Foundation Course on Mathematics for CSIR 2021

Starts on Dec 7, 2020 • 20 lessons

Gajendra Purohit

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,074~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: [GPSIR](#)