



Gajendra Purohit ✓

Legend in CSIR-UGC NET & IIT-JAM

~ Unlock Code : GPSIR ~ PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins

3M Watch mins (last 30 days)

44K Followers

2K Dedications

➔ **TOP EDUCATOR ON UNACADEMY
FOR CSIR NET & IIT JAM**

YouTuber with 800K Subscribers

➔ **AUTHOR OF BEST SELLER BOOK
FOR CSIR NET & IIT JAM**

**Get
10% Off**

Referral Code : GP SIR





Detailed Course 2.0 on Sequence and Series For IIT JAM' 23

October 26
9:00 AM

Gajendra Purohit

Enroll Now

Use code GPSIR for 10% off



DETAILED COURSE 2.0 GROUP THEORY FOR IIT JAM 2023

6th OCTOBER

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,974~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

Limit point / Cluster point :

- (i) **Terms of Sequence :** Let $\langle a_n \rangle$ be a sequence then a_1, a_2, \dots, a_n are called term of sequence.

Definition : A number p is said to be a limit point of a sequence $\langle a_n \rangle$, if every neighbourhood of p contain infinite terms of $\langle a_n \rangle$.

Another Definition : A number 'p' repeated infinitely times, then p is said to be limit points of $\langle a_n \rangle$.

Note : Let $\langle a_n \rangle$ be a sequence of real number and let p be a real number, if there exist a neighbourhood of p which contain only finite terms of sequence, then p is not limit point.

Result :

- (1) **Bolzano – Weierstrass Theorem** : Every bounded sequence has a limit point.
- (2) Unbounded sequence may have limit point.

Limit of a sequence : Let $\langle a_n \rangle$ be a sequence, limit of the sequence is denoted by $\lim_{n \rightarrow \infty} a_n$.

Result :

- (1) A sequence can have atmost one limit.
- (2) Unbounded sequence cannot have limit

Example : $a_n = \begin{cases} 2 & \text{if } n \text{ is prime} \\ n & \text{if } n \text{ is not prime} \end{cases}$

It has no limit because it is unbounded but it has a limit point.

- (3) A non-monotonic sequence can have limit.

- (4) A bounded sequence may not have limit
- (5) If limit point of a sequence is unique, then it is limit of sequence.
- (6) If limit points of a sequence are more than one then sequence cannot have limit.
- (7) Limit of a sequence is also a limit point of a sequence but conversely need not be true.

Q1 . Which of the following is true

- (a) Every sequence has a limit point
- (b) A limit point is a limit of sequence
- (c) Unbounded sequence may have a limit
- (d) Unbounded sequence may have limit point

Q2. Consider the interval $(-1, 1)$ and a sequence $\{a_n\}_{n=1}^{\infty}$ of elements in $(-1, 1)$. Then

- (a) Every limit point of $\{a_n\}$ is in $(-1, 1)$
- (b) Every limit point of $\{a_n\}$ is in $[-1, 1]$
- (c) The limit points of $\{a_n\}$ can only be in $\{-1, 0, 1\}$
- (d) The limit points of $\{a_n\}$ cannot be in $\{-1, 0, 1\}$

COMPLETE COURSE ON
MATHEMATICS
FOR IIT-JAM 2022

TOPICS TO BE COVERED

- **REAL ANALYSIS**
- **FUNCTION OF ONE & TWO VARIABLE**
- **LINEAR ALGEBRA**
- **MODERN ALGEBRA**

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,074~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

FOUNDATION COURSE OF
MATHEMATICS
FOR CSIR-NET

Q3. Which of the following statement is true?

- (a) A number 'p' is said to be limit point of sequence $\langle a_n \rangle$ if every neighbourhood of 'p' contain infinite number of terms of $\langle a_n \rangle$
- (b) A number 'q' is said to be limit point of sequence $\langle b_n \rangle$ if every neighbourhood of 'q' contain finite number of terms of $\langle b_n \rangle$.
- (c) Any point of a sequence is said to be limit point of a sequence if every neighbourhood of this point contain atmost two point of given sequence.
- (d) None of these

Q.4. Define $S = \lim_{n \rightarrow \infty} \left(1 - \frac{1}{2^2}\right) \left(1 - \frac{1}{3^2}\right) \dots \left(1 - \frac{1}{n^2}\right)$ **IIT JAM 2021**

(a) $3/4$

(b) 1

(c) $1/2$

(d) $1/4$

Q.5. Let $\langle a_n \rangle$ be the sequence of the real numbers such that $a_1 = 1$ and $a_{n+1} = a_n + a_n^2$ for all $n \geq 1$ Then **IIT JAM 2019**

(a) $a_4 = a_1(1 + a_1)(1 + a_2)(1 + a_3)$

(b) $\lim_{n \rightarrow \infty} \frac{1}{a_n} = 0$

(c) $\lim_{n \rightarrow \infty} \frac{1}{a_n} = 1$

(d) $\lim_{n \rightarrow \infty} a_n = 0$

Q6. Let $a_n = \frac{b_{n+1}}{b_n}$, where $b_1 = 1$, $b_2 = 1$ and $b_{n+2} = b_n + b_{n+1}$, $n \in \mathbb{N}$.

Then $\lim_{n \rightarrow \infty} a_n$ is **IIT-JAM – 2018**

(a) $\frac{1-\sqrt{5}}{2}$

(b) $\frac{1-\sqrt{3}}{2}$

(c) $\frac{1+\sqrt{3}}{2}$

(d) $\frac{1+\sqrt{5}}{2}$

Q7. Let $\langle S_n \rangle$ be a sequence of positive real numbers satisfying $2S_{n+1} = S_n^2 + \frac{3}{4}$, $n \geq 1$, if α and β are the roots of the equation $x^2 - 2x + \frac{3}{4} = 0$ and $\alpha < S_1 < \beta$, then which of the following is true? **IIT-JAM 2016**

(a) $\langle S_n \rangle$ is monotonically decreasing

(b) $\langle S_n \rangle$ is monotonically increasing

(c) $\lim_{n \rightarrow \infty} S_n = \alpha$

(d) $\lim_{n \rightarrow \infty} S_n = \beta$



Detailed Course 2.0 on Sequence and Series For IIT JAM' 23

October 26
9:00 AM

Gajendra Purohit

Enroll Now

Use code GPSIR for 10% off



DETAILED COURSE 2.0 GROUP THEORY FOR IIT JAM 2023

6th OCTOBER

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



Educator Profile



Gajendra Purohit ✓

#5 Educator in CSIR-UGC NET

Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

Follow

11M Watch mins

1M Watch mins (last 30 days)

22k Followers

1k Dedications



CSIR-UGC NET

SEE ALL

Educator highlights

- Works at Pacific Science College
- Studied at M.Sc., NET, PhD(Algebra), MBA(Finance), BEd
- PhD, NET | Plus Educator For CSIR NET | Youtuber (260K+Subs.) | Director Pacific Science College |
- Lives in Udaipur, Rajasthan, India
- Unacademy Educator since



HINDI MATHEMATICAL SCIENCES

Course on Linear Algebra, Partial Diff. Equation & Calculus

Starts on Mar 1, 2021 • 24 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Course on Complex Analysis & Integral Equation

Starts on Jan 14, 2021 • 16 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Foundation Course on Mathematics for CSIR 2021

Starts on Dec 7, 2020 • 20 lessons

Gajendra Purohit

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,974~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: [GPSIR](#)