Gajendra Purohit

Legend in CSIR-UGC NET & IIT-JAM

~ Unlock Code : GPSIR ~ PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins | 3M Watch mins (last 30 days) | 44K Followers | 2K Dedications

TOP EDUCATOR ON UNACADEMY
FOR CSIR NET & IIT JAM

YouTuber with 800K Subscribers

AUTHOR OF BEST SELLER BOOK
FOR CSIR NET & IIT JAM

Get 10% Off

Referral Code : GP SIR

unacademy

Save up to 20% on your IIT JAM Subscriptions!*

Now available at the lowest prices!*

Plus

Duration	Current Price	Price Drop	What you Pay	What you save
3 Months	~~₹ 6,807~~	₹ 1,361	₹ 5,446	20%

Hurry, offer valid till November 24

Subscribe Now

Use code GPSIR

Call 8585858585 for more details

*T&C apply, as available on the platform.


unacademy
Detailed Course on Group Theory
For CSIR NET 2023
Gajendra Purohit
November 3
Enroll Now
unacademy


unacademy
Detailed Course 2.0 on
Sequence and Series For IIT JAM' 23
October 26
9:00 AM
Gajendra Purohit
Enroll Now
Use code GPSIR for 10% off
unacademy

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months — ₹ 908 / mo
Save 67% — Total ₹ 21,780
You get 6 months extra for free — Offer expires 15 Jun 2022

12 months — ₹ 1,248 / mo
Save 54% — Total ₹ 14,974
You get 6 months extra for free — Offer expires 15 Jun 2022

9 months — ₹ 1,497 / mo
Save 45% — Total ₹ 13,475

6 months — ₹ 2,042 / mo
Save 25% — Total ₹ 12,252

3 months — ₹ 2,269 / mo
Save 17% — Total ₹ 6,807

1 month — ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get 10% Off

After Using My Referral Code

GPSIR

Awesome! You get 10% off

No cost EMI available on 6 months & above subscription plans

24 months — ₹ 817 / mo
Save 67% — ₹ ~~21,780~~ ₹ 19,602
You get 6 months extra for free — Offer expires 15 Jun 2022

12 months — ₹ 1,123 / mo
Save 54% — ₹ ~~14,974~~ ₹ 13,477
You get 6 months extra for free — Offer expires 15 Jun 2022

9 months — ₹ 1,348 / mo
Save 45% — ₹ ~~13,475~~ ₹ 12,128

6 months — ₹ 1,838 / mo
Save 25% — ₹ ~~12,252~~ ₹ 11,027

3 months — ₹ 2,042 / mo
Save 17% — ₹ ~~6,807~~ ₹ 6,126

Proceed to pay

Mean Value Theorem :

(1) **Rolle's Theorem :** Let f be a function defined on $[a, b]$ s.t.

(a) f is continuous on $[a, b]$

(b) f is differentiable on (a, b)

(c) $f(a) = f(b)$ then $\exists\, c \in (a, b)$ s.t. $f'(c) = 0$



Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.1. If $f(x)=\begin{cases} 1+x & if\ x<0 \\ (1-x)(px+q) & if\ x\geq 0 \end{cases}$ satisfies the assumption of Rolle's theorem in the interval [-1, 1] then the order pair (p, q) is **IIT JAM 2017**

(a) (2, -1)   (b) (-2, -1)

(c) (-2, 1)   (d) (2, 1)

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.3. Using Rolle's theorem ,the equation $a_0x^n + a_1x^{n-1} + a_2x^{n-2} + \ldots + a_n = 0$ has atleast one root between 0 and 1 , If

(a) $\frac{a_0}{n} + \frac{a_1}{n-1} + \ldots\ldots a_{n-1} = 0$

(b) $\frac{a_0}{n-1} + \frac{a_1}{n-2} + \ldots\ldots a_{n-2} = 0$

(c) $\frac{a_0}{n+1} + \frac{a_1}{n} + \ldots\ldots a_n = 0$

(d) $a_0 n + a_1(n-1) + \ldots\ldots a_{n-1} = 0$

ndra

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Lagrange's mean value theorem (LMVT) :

Let f be a function defined on [a, b] s.t.

(i) f is continuous on [a, b]

(ii) f is differentiable on (a, b),

then $\exists$ c $\in$ (a, b)

s.t. $$\frac{f(b)-f(a)}{b-a} = f`(c)$$



Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.3. Let $f : [a, b] \to R$ be a differentiable function. there exist point $c_1, c_2 \in (a, b)$ then which of the following is true **IIT JAM 2005**

(a) $3f(c_1)\, f'(c_1) = f'(c_2)\, [f(a) - f(b)]$

(b) $4f(c_1)\, f'(c_1) = f''(c_2)\, [f(a) + f(b)]$

(c) $5f(c_1)\, f''(c_1) = f'(c_2)\, [f(a) + f(b)]$

(d) $2f(c_1)\, f'(c_1) = f'(c_2)\, [f(a) + f(b)]$

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.4. For a, b $\in$ R with a < b, let f : [a, b] $\to$ R be continuous on [a, b] and twice differentiable on (a, b). Further, assume that the graph of f intersects the straight line segment joining the points (a, f(a)) and (b, f(b)) at point (c, f(c)) for a < c < b. Then which of the following is always true **IIT JAM 2012**

(a) There exists a real number $\xi \in (a, b)$ such that $f``(\xi) = 0$

(b) For all real number $\xi \in (a, b)$ such that $f``(\xi) \neq 0$

(c) we can't say

(d) None of these

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Cauchy's Mean Value Theorem :

Let f & g be two function defined on [a, b] s.t.

(i) f and g are continuous in [a, b]

(ii) f & g are differentiable in (a, b)

(iii) $g`(x) \neq 0$ for each $x \in (a, b)$ and $g(a) \neq g(b)$.

Then $\exists$ at least one point $c \in (a, b)$ s.t.

$$\frac{f(b)-f(a)}{g(b)-g(a)}=\frac{f'(c)}{g'(c)}$$

(c) Dr. Gajendra Purohit

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.5. The value of ξ in the mean value theorem of $f(b) - f(a) = (b - a)f'(\xi)$ for $f(x) = Ax^2 + Bx + C$ in (a, b) is

(a) $b + a$ (b) $b - a$

(c) $\frac{(b+a)}{2}$ (d) $\frac{(b-a)}{2}$

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.6 A function $f(x) = 1 - x^2 + x^3$ is defined in the closed interval [-1, 1]. The value of x, in the open interval (-1, 1) for which the mean value theorem is satisfied is

(a) -1/2 (b) -1/3

(c) 1/3 (d) 1/2

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

COMPLETE COURSE ON

MATHEMATICS

FOR IIT-JAM 2022

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINAER ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months	Save 67%	₹ 908 / mo	Total ₹ 21,780	You get 6 months extra for free · Offer expires 15 Jun 2022
12 months	Save 54%	₹ 1,248 / mo	Total ₹ 14,974	You get 6 months extra for free · Offer expires 15 Jun 2022
9 months	Save 45%	₹ 1,497 / mo	Total ₹ 13,475	
6 months	Save 25%	₹ 2,042 / mo	Total ₹ 12,252	
3 months	Save 17%	₹ 2,269 / mo	Total ₹ 6,807	
1 month		₹ 2,723 / mo	Total ₹ 2,723	

To be paid as a one-time payment

Have a referral code? Proceed to pay

Get 10% Off

After Using My Referral Code

GPSIR

Awesome! You get 10% off

No cost EMI available on 6 months & above subscription plans

24 months	Save 67%	₹ 817 / mo	~~₹ 21,700~~ ₹ 19,602	You get 6 months extra for free · Offer expires 15 Jun 2022
12 months	Save 54%	₹ 1,123 / mo	~~₹ 14,974~~ ₹ 13,477	You get 6 months extra for free · Offer expires 15 Jun 2022
9 months	Save 45%	₹ 1,348 / mo	~~₹ 13,475~~ ₹ 12,128	
6 months	Save 25%	₹ 1,838 / mo	~~₹ 12,252~~ ₹ 11,027	
3 months	Save 17%	₹ 2,042 / mo	~~₹ 6,807~~ ₹ 6,126	

Proceed to pay

FOUNDATION COURSE OF

MATHEMATICS

FOR CSIR-NET

Taylor's infinite series :

Let n ∈ N , I = [a,b] and f : I → R be a function f , f' , f''….$f^{(n)}$ are continouous on I and that $f^{(n+1)}$ exist on (a , b).
then

$$f(x)=f(a)+(x-a)f`(a)+\ldots\ldots\frac{(x-a)^{n-1}}{(n-1)!}f^{(n-1)}(a)+\frac{(x-a)^{n}}{(n)!}f^{(n)}(a)+..$$

This is called Taylor's infinite series about x = a.

Maclaurin's infinite series :

In Taylor's series put a = 0.

So, $f(x)=f(0)+xf`(0)+\ldots\ldots\frac{x^n}{n!}f^{(n)}(0)$

which is called Maclaurin's infinite series

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Tricks : If f(x) is continuous function and it is vanishes at countably infinte numbers then it will

be identically zero

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.7. Let S be the set of all continuous function f : [-1,1] $\to$ R satisfying the following three conditions

(i) f is infinitely differentiable on the open interval (-1,1)

(ii) The Taylor's series

$$f(0)+f'(0)x+\frac{f''(0)}{2!}x^2+\ldots\ldots \text{ of f at 0}$$

converges to f(x) for each x $\in$ (-1,1)

(iii) $f\left(\frac{1}{n}\right)=0$ for all n $\in$ N

Which of the following is true**IIT JAM 2022**

(a) f(0) = 0 for all f $\in$ S

(b) $f'\left(\frac{1}{2}\right)=0$ for all f $\in$ S

(c) $\exists$ f $\in$ S such that $f'\left(\frac{1}{2}\right)\neq 0$

(d) $\exists$ f $\in$ S such that f(x) $\neq$ 0 for some x $\in$ [-1,1]

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.8. Let α be the real number such that the coefficient of x^{125} in Maclaurin's series of $(x + \alpha^3)e^x$ is $\frac{28}{(124)!}$, then

α **IIT JAM 2020**

(a) 15 (b) 20

(c) 25 (d) 30

Gajendra Purohit
Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.9. Let $f(x) = \sqrt{x} + \alpha x$, x > 0 and g(x) = $a_0 + a_1(x - 1) + a_2(x - 1)^2$ be the sum of the first three terms of the taylor series of f(x) around x = 1. If g(3) = 3, then α is? **IIT JAM 2019**

(a) 1 (b) 1/2

(c) 1/4 (d) 3/4

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR

Q.10. The coefficient of x^2 in the Maclaurin's series expansion of the function $f(x) = xe^x$.

(a) 0 (b) 1

(c) 2 (d) 3

Dr.Gajendra Purohit (PhD,NET)
Referral Code GPSIR


unacademy
Detailed Course on Group Theory
For CSIR NET 2023
Gajendra Purohit
November 3
Enroll Now
unacademy


unacademy
Detailed Course 2.0 on
Sequence and Series For IIT JAM' 23
October 26
9:00 AM
Gajendra Purohit
Enroll Now
Use code GPSIR for 10% off
unacademy

unacademy CSIR-UGC NET Search Login

Educator Profile

Gajendra Purohit

#5 Educator in CSIR-UGC NET

Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

Follow

11M Watch mins | **1M** Watch mins (last 30 days) | **22k** Followers | **1k** Dedications

CSIR-UGC NET

SEE ALL



HINDI MATHEMATICAL SCIENCES

Course on Linear Algebra, Partial Diff. Equation & Calculus

Starts on Mar 1, 2021 • 24 lessons

Gajendra Purohit

HINDI MATHEMATICAL SCIENCES

Course on Complex Analysis & Integral Equation

Starts on Jan 14, 2021 • 16 lessons

Gajendra Purohit

HINDI MATHEMATICAL SCIENCES

Foundation Course on Mathematics for CSIR 2021

Starts on Dec 7, 2020 • 20 lessons

Gajendra Purohit

Educator highlights

- Works at **Pacific Science College**
- Studied at **M.Sc., NET, PhD(Algebra), MBA(Finance), BEd**
- PhD, NET | Plus Educator For CSIR NET | Youtuber (260K+Subs.) | Director Pacific Science College |
- Lives in **Udaipur, Rajasthan, India**
- Unacademy Educator since

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months Save 67%	₹ 908 / mo Total ₹ 21,780	You get 6 months extra for free — Offer expires 15 Jun 2022
12 months Save 54%	₹ 1,248 / mo Total ₹ 14,974	You get 6 months extra for free — Offer expires 15 Jun 2022
9 months Save 45%	₹ 1,497 / mo Total ₹ 13,475	
6 months Save 25%	₹ 2,042 / mo Total ₹ 12,252	
3 months Save 17%	₹ 2,269 / mo Total ₹ 6,807	
1 month	₹ 2,723 / mo Total ₹ 2,723	

To be paid as a one-time payment

Have a referral code? Proceed to pay

Get 10% Off

After Using My Referral Code

No cost EMI available on 6 months & above subscription plans

24 months Save 67%	₹ 817 / mo ₹ ~~21,700~~ ₹ 19,602	You get 6 months extra for free — Offer expires 15 Jun 2022
12 months Save 54%	₹ 1,123 / mo ₹ ~~14,974~~ ₹ 13,477	You get 6 months extra for free — Offer expires 15 Jun 2022
9 months Save 45%	₹ 1,348 / mo ₹ ~~13,475~~ ₹ 12,128	
6 months Save 25%	₹ 1,838 / mo ₹ ~~12,252~~ ₹ 11,027	
3 months Save 17%	₹ 2,042 / mo ₹ ~~6,807~~ ₹ 6,126	

GPSIR

Awesome! You get 10% off

Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: GPSIR