


Detailed Course 2.0 on Linear Algebra For IIT JAM' 23



Ace your preparation with Top Educators

Get 20% off* on IIT JAM subscriptions

Limited period offer





PYQs, Live Test and Quizzes



In class doubt solving by Top Educators



Structured Batches

Subscribe Now

Use code GPSIR

For more details, contact: 8585858585

"TEC apply, as available on the platform.






Ace your preparation with Top Educators

Get 20% off* on CSIR-UGC NET subscriptions

Limited period offer



Unlimited access to Live and Recorded Classes



Learn from Top Educators



Comprehensive Notes and PDFs



Prepare with Unacademy Lite Subscription

Subscribe Now

Use code

For more details, contact: 8585858585

*T&C apply, as available on the platform.





Gajendra Purohit



Legend in CSIR-UGC NET & IIT-JAM

- Unlock Code: GPSIR - PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins

3M Watch mins (last 30 days)

44K Followers

2K Dedications

TOP EDUCATOR ON UNACADEMY FOR CSIR NET & IIT JAM

YouTuber with 800K Subscribers

AUTHOR OF BEST SELLER BOOK FOR CSIR NET & IIT JAM

> Get 10% Off

Referral Code: GP SIR





Gajendra Purohit

Enroll Now

USE CODE GPSIR FOR 10% OFF





FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months	₹ 908 / mo
Save 67%	Total ₹ 21,780
You get 6 months extra for free	Offer expires 15 Jun 2022

You g	et 6 months extra for free	Offer expires 15 Jun 2022
Sa	ve 54%	Total ₹ 14,974
Ø 12	months	₹ 1,248 / mo

9 months	₹ 1,497 / mo
Save 45%	Total ₹ 13,475

6 months	₹ 2,042 / mo
Save 25%	Total ₹ 12,252

₹ 2,269 / mo
Total ₹ 6,807

1 month	₹2,723 / mo
	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay



After Using My Referral Code

No cost EMI available on 6 months & above subscription plans

You get 6 months extra for free	Offer expires 15 Jun 2022
Save 67%	₹ 21,700 ₹ 19,602
24 months	₹ 817 / mo

2 12 months	₹ 1,123 / mo
Save 54%	₹ 14,974 ₹ 13,477
You get 6 months extra for free	Offer expires 15 Jun 2022

9 months	₹ 1,348 / mo
Save 45%	₹ 13,475 ₹ 12,128

6 months	₹ 1,838 / mo
Save 25%	₹-12,252 ₹ 11,027

3 months	₹ 2,042 / mo
Save 17%	₹ -6,807 ₹ 6,126



Proceed to pay

Matrix and their properties

Block Matrix: Let $A = [a_{ij}]_{m \times n}$, $B = [b_{ij}]_{m \times p}$, $C = [c_{ij}]_{x \times n}$

& D = $[d_{ij}]_{x \times p}$ are matrix then a matrix

$$M = \begin{bmatrix} A & B \\ C & D \end{bmatrix}_{(m+x)\times(n+p)}$$
 is called block matrix.

Block Diagonal Matrix: Let A & B are two matrix then a

matrix of type
$$M = \begin{bmatrix} A & 0 \\ 0 & B \end{bmatrix}$$
 is called block diagonal matrix.

Block Upper Triangular matrix: If all blocks are above the diagonal then this matrix is called block upper triangular matrix.

Property:

- (1) Trace of block matrix is sum of trace of all diagonal block of matrix.
- (2) Determinant of block diagonal matrix is product of determinant of all diagonal block of matrix.

Companion matrix:

Let $P(x) = a_0 + a_1x + a_2x + \dots + a_{n-1}x^{n-1} + a_nx^n$ be a polynomial then a matrix A corresponding to P(x) is called companion matrix if

$$A = \begin{bmatrix} 0 & 0 & \cdots & -a_0 \\ 1 & 0 & \cdots & -a_1 \\ 0 & 1 & \cdots & -a_2 \\ \vdots & & & & \\ 0 & 0 & \cdots & 1 - a_{n-1} \end{bmatrix}.$$



Property:

- (1) Characteristic polynomial and minimal polynomial are same which equal to given polynomial.
- (2) Suppose $p(x) = a_0 + a_1x + + a_{n-1}x^{n-1} + a_nx^n$, then Trace(A) = -(a_{n-1}) and |A| = (-1)^m a₀.

Similar Matrix: A & B are said to be similar matrix if \exists a non-singular matrix P s.t. $A = P^{-1}BP$

Congruent Matrix: A & B are said to be congruent matrix if \exists a matrix o s.t. $A = P^TBP$

Adjoint of matrix: Adjoint of a matrix A is the transpose of the cofactor matrix of A denoted as adj(A).

Property:

- (1) $A(adj A) = |A| I_n$
- (2) $|A(adjA)| = |A| I_n = |A| n$
 - \Rightarrow |A| |adj A| = |A|n
 - \Rightarrow |adj A| = |A|n-1

In general |adj adj adj A| = $|A|^{(n-1)^k}$

(k-times)

- (3) $(adj A)^T = adj (A^T)$
- (4) $adj(AB) = adj(B) \cdot adj(A)$
- (5) $|adj(kA)| = |kA|^{n-1} = k^{n(n-1)}|A|^{n-1}$

Q.2. Suppose A be a 3 × 3 matrix of determinant 6, then determinant of (adj A)

(a) 36

(b) 9

(c) 25

(d) None of these

- Let A be a 5×5 skew-symmetric matrix with entries in R and B be the 5×5 symmetric matrix whose (i, j)th entry is the binomial coefficient $\binom{i}{i}$ for $1 \le i \le j \le 5$. Consider the 10 × 10 matrix, given in block form by $C = \begin{pmatrix} A & A+B \\ 0 & B \end{pmatrix}$. Then

 - (a) $\det C = 1 \text{ or } -1$ (b) $\det C = 0$ (c) trace of C is 0 (d) trace of C is 5

COMPLETE COURSE ON MATHEMATICS FOR IIT-JAM 2022

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINAER ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months	₹ 908 / mo
Save 67%	Total ₹ 21,780
You get 6 months extra for free	Offer expires 15 Jun 2022

You g	et 6 months extra for free	Offer expires 15 Jun 2022
Sa	ve 54%	Total ₹ 14,974
Ø 12	months	₹ 1,248 / mo

9 months	₹ 1,497 / mo
Save 45%	Total ₹ 13,475

6 months	₹ 2,042 / mo
Save 25%	Total ₹ 12,252

₹ 2,269 / mo
Total ₹ 6,807

1 month	₹2,723 / mo
	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay



After Using My Referral Code

No cost EMI available on 6 months & above subscription plans

You get 6 months extra for free	Offer expires 15 Jun 2022
Save 67%	₹ 21,700 ₹ 19,602
24 months	₹ 817 / mo

2 12 months	₹ 1,123 / mo
Save 54%	₹ 14,974 ₹ 13,477
You get 6 months extra for free	Offer expires 15 Jun 2022

9 months	₹ 1,348 / mo
Save 45%	₹ 13,475 ₹ 12,128

6 months	₹ 1,838 / mo
Save 25%	₹-12,252 ₹ 11,027

3 months	₹ 2,042 / mo
Save 17%	₹ -6,807 ₹ 6,126



Proceed to pay

FOUNDATION COURSE OF MATHEMATICS FOR CSIR-NET

Q.4. Let $A = \begin{bmatrix} 0 & 0 & 0 & -1 \\ 1 & 0 & 0 & 2 \\ 0 & 1 & 0 & -3 \\ 0 & 0 & 1 & 0 \end{bmatrix}$, then which of the following is

true?

(a)
$$|A| = 0$$

(b)
$$|A| = 1$$

(c)
$$|A| = 2$$
 (d) $|A| = -1$

(d)
$$|A| = -1$$

Q5. Let
$$A = \begin{bmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 0 & 1 & -2 \end{bmatrix}$$
 then characteristic polynomial.

(a)
$$x^3 - 2x^2 + 1$$

(b)
$$x^2 - 2x + 1$$

(c)
$$x^3 - 2x^2 - 1$$

(d) None of these

Q6. Let α , β , γ , δ be the eigenvalues of the matrix

$$\begin{bmatrix} 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & -2 \\ 0 & 1 & 0 & 1 \\ 0 & 0 & 1 & 2 \end{bmatrix}$$

Then $\alpha^2 + \beta^2 + \gamma^2 + \delta^2 =$ _____.

Rank of matrix: If A is matrix then a non-negative integer is said to be rank of A. if \exists a non-singular submatrix of order r of A and all matrix of order greater than r are singular.

Note:

- (1) A matrix $A_{n \times n}$ is a non-singular iff rank(A) = n
- (2) Rank of matrix is denoted by ρ(A)
- (3) If $|A| \neq 0$ then $\rho(A) = n$ where n is order of A

Elementary Transformation: Those transformation that does not effect on rank of matrix are called elementary transformation.

Elementary matrix: A matrix obtained by a single elementary operation over identity matrix is known as elementary matrix.

Q.1. Find elementary matrix

(a)
$$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$

Note:

- (1) Every elementary matrix is non-singular.
- (2) Every permutation matrix is elementary matrix.

Q.2. Let
$$A = \begin{bmatrix} 1 & 2 & 3 & 4 \\ 5 & 6 & 7 & 8 \\ 9 & 10 & 11 & 12 \\ 151 & 262 & 373 & 484 \end{bmatrix}$$

Then Rank(A) is

(a) 1

(b) 2

(c)3

d) 4



RANK BOOSTER COURSE UNIT 2 CSIR NET 2022

23rd AUGUST

Gajendra Purohit

Enroll Now

GPSIR
FOR 10% OFF





Enroll Now

GPSIR FOR 10% OFF

unacademy

Educator Profile





Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

11M Watch mins

1M Watch mins (last 30 days)

22k Followers

1k Dedications



Follow

CSIR-UGC NET



HINDI MATHEMATICAL SCIENCES

Course on Linear Algebra, Partial Diff. Equation & Calculus

Starts on Mar 1, 2021 - 24 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Course on Complex Analysis & Integral Equation

Starts on Jan 14, 2021 • 16 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Foundation Course on Mathematics for CSIR 2021

Starts on Dec 7, 2020 • 20 lessons

Gajendra Purohit

Educator highlights

SEE ALL

Works at Pacific Science College

- Studied at M.Sc., NET,
 PhD(Algebra), MBA(Finance),
 BEd
- PhD, NET | Plus Educator For CSIR NET | Youtuber
 (260K+Subs.) | Director Pacific Science College |
- Lives in Udaipur, Rajasthan,
 India
- Unacademy Educator since

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months	₹ 908 / mo
Save 67%	Total ₹ 21,780
You get 6 months extra for free	Offer expires 15 Jun 2022

You g	et 6 months extra for free	Offer expires 15 Jun 2022
Sa	ve 54%	Total ₹ 14,974
Ø 12	months	₹ 1,248 / mo

9 months	₹ 1,497 / mo
Save 45%	Total ₹ 13,475

6 months	₹ 2,042 / mo
Save 25%	Total ₹ 12,252

₹ 2,269 / mo
Total ₹ 6,807

1 month	₹2,723 / mo
	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay



After Using My Referral Code

No cost EMI available on 6 months & above subscription plans

You get 6 months extra for free	Offer expires 15 Jun 2022
Save 67%	₹ 21,700 ₹ 19,602
24 months	₹ 817 / mo

2 12 months	₹ 1,123 / mo
Save 54%	₹ 14,974 ₹ 13,477
You get 6 months extra for free	Offer expires 15 Jun 2022

9 months	₹ 1,348 / mo
Save 45%	₹ 13,475 ₹ 12,128

6 months	₹ 1,838 / mo
Save 25%	₹-12,252 ₹ 11,027

3 months	₹ 2,042 / mo
Save 17%	₹ -6,807 ₹ 6,126



Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: GPSIR