




Unacademy Unlock

Avail 20% off on all subscriptions*

 Hurry, offer valid till **29 July** 11:59 PM!

[Subscribe Now](#)

Use code

GPSIR

*T&C Apply

20



Gajendra Purohit ✓

Legend in CSIR-UGC NET & IIT-JAM

~ Unlock Code : GPSIR ~ PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins

3M Watch mins (last 30 days)

44K Followers

2K Dedications

➡ **TOP EDUCATOR ON UNACADEMY
FOR CSIR NET & IIT JAM**

YouTuber with 800K Subscribers

➡ **AUTHOR OF BEST SELLER BOOK
FOR CSIR NET & IIT JAM**

**Get
10% Off**

Referral Code : GP SIR





CSIR

We heard you and upgraded the
Ask a Doubt feature to suit your needs!

Unacademy Ask a Doubt



The **Ask a Doubt** feature is now
available on the **Website and the
Learner App**. Getting your doubts
clarified is easier and faster than before!

ASK A DOUBT




Complete Course 2.0
Mathematics IIT-JAM **2023**

8th JULY

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF





RANK BOOSTER COURSE FOR CSIR NET 2022

13th JULY

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



Introducing UA Lite for CSIR-UGC NET

1 month subscription at ₹1,500

2 month subscription at ₹2,100

Get access to :

- Curated Test Series
- Question Bank
- Exams of Previous Year Question Papers

Subscribe Now

Use code - GPSIR



FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months	₹ 908 / mo
Save 67%	Total ₹ 21,780
You get 6 months extra for free	
Offer expires 15 Jun 2022	

✓ 12 months	₹ 1,248 / mo
Save 54%	Total ₹ 14,974
You get 6 months extra for free	
Offer expires 15 Jun 2022	

9 months	₹ 1,497 / mo
Save 45%	Total ₹ 13,475

6 months	₹ 2,042 / mo
Save 25%	Total ₹ 12,252

3 months	₹ 2,269 / mo
Save 17%	Total ₹ 6,807

1 month	₹ 2,723 / mo
	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay



After Using
My Referral
Code



● No cost EMI available on 6 months & above subscription plans

24 months	₹ 817 / mo
Save 67%	₹ 24,700 ₹ 19,602
You get 6 months extra for free	
Offer expires 15 Jun 2022	

✓ 12 months	₹ 1,123 / mo
Save 54%	₹ 14,974 ₹ 13,477
You get 6 months extra for free	
Offer expires 15 Jun 2022	

9 months	₹ 1,348 / mo
Save 45%	₹ 13,475 ₹ 12,128

6 months	₹ 1,838 / mo
Save 25%	₹ 12,252 ₹ 11,027

3 months	₹ 2,042 / mo
Save 17%	₹ 6,807 ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

Area and volume by double integral

Area of the region D by double integral:


The area of the region D in the xy-plane is given by

$$A = \iint_D dx dy = \iint_D dA.$$

$$A = 2 \int_{y=0}^1 \int_{x=y^2}^1 dx dy$$

$$= 2 \int_0^1 (x)'_{y^2} dy = 2 \int_0^1 (1 - y^2) dy$$

$$= 2 \left(y - \frac{y^3}{3} \right)'_0^1 = 2 \left(1 - \frac{1}{3} \right) = \underline{\underline{\frac{4}{3}}}$$



Q1. The area enclosed between the curves $|x| + |y| \geq 2$ and

$$y^2 = 4 \left(1 - \frac{x^2}{9} \right) \text{ is}$$

(a) $(6\pi - 4)$ sq. units

(c) $(3\pi - 4)$ sq. units

(b) $(6\pi - 8)$ sq. units

(d) $(3\pi - 2)$ sq. units

$$A = 4 \int_0^2 \int_{2-y}^{3\sqrt{1-\frac{y}{4}}} dx dy$$

$$y=0 \quad x=2-y$$

$$A = 4 \int_0^2 \left(\frac{3}{2} \sqrt{4-y} - (2-y) \right) dy$$

$$4 \left(\frac{3}{2} \right) \left[\frac{4}{3} \sqrt{4-y} + \frac{4}{2} (2-\frac{y}{2}) \right]_0^2 - 4 \left[2y - \frac{y^2}{2} \right]_0^2$$


$$= 6 \left(\frac{4}{3} \sqrt{4-2} \right) - 4(4-2)$$

$$= 6 \left(\frac{4}{3} \sqrt{2} \right) - 8 = 8\sqrt{2} - 8$$

$$\pi ab$$

$$\pi (2)(3) - (2\sqrt{2})^2$$

$$6\pi - 8$$



Q2. Let the straight line $x = b$ divides the area enclosed by $y = (1 - x)^2$, $y = 0$ and $x = 0$ into two parts $R_1(0 \leq x \leq b)$

and $R_2(b \leq x \leq 1)$ such $R_1 - R_2 = \frac{1}{4}$. Then b equals

(a) $\frac{3}{4}$

(b) $\frac{1}{2}$

(c) $\frac{1}{3}$

(d) $\frac{1}{4}$

$$R_1 = \int_0^b \int_0^{(1-x)^2} dy dx$$

$$= \int_0^b (1-x)^2 dx$$

$$= -\left(\frac{1-x)^3}{3}\right)_0^b = \frac{1}{3} - \frac{(1-b)^3}{3}$$

$$R_2 = \int_b^1 \int_0^{(1-x)^2} dy dx$$

$$= \int_b^1 (1-x)^2 dx = -\left(\frac{(1-x)^3}{3}\right)_b^1$$

$$= -\left(0 - \frac{(1-b)^3}{3}\right) = \frac{(1-b)^3}{3}$$

$$\frac{1}{3} - \frac{(1-b)^3}{3} - \frac{(1-b)^3}{3} = \frac{1}{4}$$


$$\frac{2}{3} (1-b)^3 = \frac{1}{3} - \frac{1}{4}$$

$$\frac{2}{3} (1-b)^3 = \frac{1}{12}$$

$$(1-b)^3 = \frac{1}{8}$$

$$1-b = \frac{1}{2}$$

$$b = 1 - \frac{1}{2} = \frac{1}{2}$$



COMPLETE COURSE ON
MATHEMATICS
FOR IIT-JAM 2022

TARGETED AUDIENCE

- **IIT-JAM**

- **M.Sc. Entrance Exam**

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINEAR ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months	₹ 908 / mo
Save 67%	Total ₹ 21,780
You get 6 months extra for free	
Offer expires 15 Jun 2022	

✓ 12 months	₹ 1,248 / mo
Save 54%	Total ₹ 14,974
You get 6 months extra for free	
Offer expires 15 Jun 2022	

9 months	₹ 1,497 / mo
Save 45%	Total ₹ 13,475

6 months	₹ 2,042 / mo
Save 25%	Total ₹ 12,252

3 months	₹ 2,269 / mo
Save 17%	Total ₹ 6,807

1 month	₹ 2,723 / mo
	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay



After Using
My Referral
Code



● No cost EMI available on 6 months & above subscription plans

24 months	₹ 817 / mo
Save 67%	₹ 21,700 ₹ 19,602
You get 6 months extra for free	
Offer expires 15 Jun 2022	

✓ 12 months	₹ 1,123 / mo
Save 54%	₹ 14,974 ₹ 13,477
You get 6 months extra for free	
Offer expires 15 Jun 2022	

9 months	₹ 1,348 / mo
Save 45%	₹ 13,475 ₹ 12,128

6 months	₹ 1,838 / mo
Save 25%	₹ 12,252 ₹ 11,027

3 months	₹ 2,042 / mo
Save 17%	₹ 6,807 ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

Volume by double integration :

The volume of solids by double integration is $\iint \underline{z} dx dy$, where $z = f(x, y)$ is given surface in x & y variable.



Q.3. A triangle in xy-plane is bounded by straight line $2x = 3y$, $y = 0$ and $x = 3$, then volume above the triangle and under the plane $x + y + z = 6$ **GATE-2016**

(a) 5

(c) 15

(b) 10


(d) 20

$$\frac{27 - 24 + 7}{39 - 24}$$

$$\iint z \, dx \, dy$$

$$\int_0^2 \int_{\frac{2y}{3}}^3 (6 - x - y) \, dx \, dy$$

$y = 0 \quad x = \frac{3y}{2}$



$$\int_0^2 \left(6x - \frac{x^2}{2} - xy \right) \Big|_{\frac{3y}{2}}^3 \, dy$$

$$\int_0^2 \left[\left(18 - \frac{9}{2} - 3y \right) - \left(\frac{18y}{2} - \frac{9y^2}{8} - \frac{3y^2}{2} \right) \right] \, dy$$

$$\int_0^2 \left(\frac{27}{2} - 12y + \frac{21y^2}{8} \right) \, dy = \left(\frac{27}{2}y - 6y^2 + \frac{7y^3}{8} \right) \Big|_0^2$$

Q.4. The volume of the solid cut off by the surface $z = (x + y)^2$ from the right prism whose base in the plane $z = 0$ is the triangle by the lines $x = 0, y = 0, x + y = 1$.

- (a) 0 (b) $1/2$
 (c) $1/3$ (d) $1/4$

$$\frac{1}{3} \left(y - \frac{y^4}{4} \right) \Big|_0^1$$

$$\frac{1}{3} \left(1 - \frac{1}{4} \right)$$

$$\frac{1}{3} \left(\frac{3}{4} \right) = \frac{1}{4}$$

$$\int \int z \, dx \, dy$$

$$\int_0^1 \int_0^{1-y} (x+y)^2 \, dx \, dy$$

$$y=0 \quad x=0$$

$$\int_0^1 \left(\frac{(x+y)^3}{3} \right) \Big|_0^{1-y} dy$$

$$\int_0^1 \left(\frac{1}{3} - \frac{y^3}{3} \right) dy$$

Q.5. The volume of the cylinder with base as the disc of unit radius in the xy -plane centred at $(1, 1)$ and top being the surface $z = [(x-1)^2 + (y-1)^2]^{3/2}$. **IIT JAM - 2005**

(a) π


(b) 2π

(c) $\frac{2\pi}{3}$

(d) $\frac{2\pi}{5}$

$\checkmark = \iint z \, dx \, dy$

$x-1 = r \cos \theta$
 $y-1 = r \sin \theta$



$\iint [(x-1)^2 + (y-1)^2]^{3/2} dx \, dy$

$\int_0^{2\pi} \int_0^1 (r^2)^{3/2} r \, dr \, d\theta$

$\theta = 0 \quad r = 0$

$\int_0^{2\pi} d\theta \int_0^1 r^4 \, dr$

$(2\pi) \left(\frac{r^5}{5} \right) \Big|_0^1 = 2\pi \left(\frac{1}{5} \right)$

Q.5. Consider the open rectangle $G = \{(s,t) \in \mathbb{R}^2 : 0 < s < 1 \text{ and } 0 < t < 1\}$ and the map $T : G \rightarrow \mathbb{R}^2$ given by $T(s,t) = \left(\frac{\pi s(1-t)}{2}, \frac{\pi(1-s)}{2} \right)$ for $(s,t) \in G$. Then the area of the image $T(G)$ of the map T is equal to **IIT JAM 2022**

(a) $\pi/4$

(b) $\pi^2/4$

(c) $\pi^2/8$

(d) 1

$$\frac{\pi s(1-t)}{2} = x$$

$$\frac{\pi(1-s)}{2} = y$$

$$1-s = \frac{2y}{\pi}$$

$$s = 1 - \frac{2y}{\pi}$$

$$\int_0^{\pi} \int_0^{\frac{\pi-2y}{2}} dx dy$$


$y=0 \quad x=0$

$$\int_0^{\pi} \left(\frac{\pi-2y}{2} \right) dy = \frac{1}{2} \int_0^{\pi} (\pi y - y^2) dy$$

$$= \frac{1}{2} \left(\frac{\pi^2}{2} - \frac{\pi^2}{4} \right) = \frac{1}{2} \left(\frac{\pi^2}{4} \right) = \frac{\pi^2}{8}$$


$0 < s < 1$
 $0 < 1 - \frac{2y}{\pi} < 1$
 $0 < \pi - 2y < \pi$
 $-\pi < -2y < 0$
 $0 < 2y < \pi$
 $0 < y < \frac{\pi}{2}$

$0 < t < 1$
 $0 < 1 - \frac{2x}{\pi-2y} < 1$
 $-1 < -\frac{2x}{\pi-2y} < 0$
 $0 < \frac{2x}{\pi-2y} < 1$
 $0 < x < \frac{\pi-2y}{2}$
 $\pi(1 - \frac{2y}{\pi})(1-t) = 2x$
 $(\pi-2y)(1-t) = 2x$
 $1-t = \frac{2x}{\pi-2y}$
 $t = 1 - \frac{2x}{\pi-2y}$
 $0 < x < \frac{\pi-2y}{2}$



Unacademy Unlock

Avail 20% off on all subscriptions*

 Hurry, offer valid till **29 July** 11:59 PM!

[Subscribe Now](#)

Use code

GPSIR

*T&C Apply

20



CSIR

We heard you and upgraded the
Ask a Doubt feature to suit your needs!

Unacademy Ask a Doubt



The **Ask a Doubt** feature is now
available on the **Website and the
Learner App**. Getting your doubts
clarified is easier and faster than before!

ASK A DOUBT




Complete Course 2.0
Mathematics IIT-JAM **2023**

8th JULY

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF





RANK BOOSTER COURSE FOR CSIR NET 2022

13th JULY

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



Introducing UA Lite for CSIR-UGC NET

1 month subscription at ₹1,500

2 month subscription at ₹2,100

Get access to :

- Curated Test Series
- Question Bank
- Exams of Previous Year Question Papers

Subscribe Now

Use code - GPSIR



FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months	₹ 908 / mo
Save 67%	Total ₹ 21,780
You get 6 months extra for free	
Offer expires 15 Jun 2022	

✓ 12 months	₹ 1,248 / mo
Save 54%	Total ₹ 14,974
You get 6 months extra for free	
Offer expires 15 Jun 2022	

9 months	₹ 1,497 / mo
Save 45%	Total ₹ 13,475

6 months	₹ 2,042 / mo
Save 25%	Total ₹ 12,252

3 months	₹ 2,269 / mo
Save 17%	Total ₹ 6,807

1 month	₹ 2,723 / mo
	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay



After Using
My Referral
Code



● No cost EMI available on 6 months & above subscription plans

24 months	₹ 817 / mo
Save 67%	₹ 21,700 ₹ 19,602
You get 6 months extra for free	
Offer expires 15 Jun 2022	

✓ 12 months	₹ 1,123 / mo
Save 54%	₹ 14,974 ₹ 13,477
You get 6 months extra for free	
Offer expires 15 Jun 2022	

9 months	₹ 1,348 / mo
Save 45%	₹ 13,475 ₹ 12,128

6 months	₹ 1,838 / mo
Save 25%	₹ 12,252 ₹ 11,027

3 months	₹ 2,042 / mo
Save 17%	₹ 6,807 ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: [GPSIR](#)