



Continuity - Part II

Detailed Course 2.0 on Function of One and Several Variable - IIT JAM, 23



Gajendra Purohit ✓

Legend in CSIR-UGC NET & IIT-JAM

~ Unlock Code : GPSIR ~ PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins

3M Watch mins (last 30 days)

44K Followers

2K Dedications

➔ **TOP EDUCATOR ON UNACADEMY
FOR CSIR NET & IIT JAM**

YouTuber with 800K Subscribers

➔ **AUTHOR OF BEST SELLER BOOK
FOR CSIR NET & IIT JAM**

**Get
10% Off**

Referral Code : GP SIR





Detailed Course on Group Theory For CSIR NET 2023

Gajendra Purohit

📅 November 3

Enroll Now



Detailed Course 2.0 on Sequence and Series For IIT JAM' 23

October 26
9:00 AM

Gajendra Purohit

Enroll Now

Use code GPSIR for 10% off



FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,074~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

Continuity

Continuous function at a point 'a' :

Let $f : A \rightarrow \mathbb{R}$ be a real valued function. This function is continuous at $x = \alpha \in A$

if $\lim_{x \rightarrow \alpha} f(x) = f(\alpha)$.

Continuity of some important function :

(1) **Polynomial function** : Let $f(x) = a_n x^n + \dots + a_1 x + a_0$
then $\lim_{x \rightarrow \alpha} f(x) = f(\alpha) \Rightarrow f(x)$ is continuous at any point.

(2) **Constant function** : Let $f(x) = \alpha$.

$$\text{Here } \lim_{x \rightarrow a} f(x) = f(\alpha) = \alpha.$$

Constant function is always continuous at a.

(3) **Rational function** :

Let $p(x)$ and $q(x)$ are polynomial, then $f(x) = \frac{p(x)}{q(x)}$

is called rational function.

Hence $f(x)$ is continuous at c , if $q(c) \neq 0$

(4) Trigonometry function :

(a) $f(x) = \sin x$

(5) Exponential function :

(6) Logarithmic function :

Sequential definition : Let $f : A \rightarrow \mathbb{R}$ be a function and f is continuous at 'c' iff for every sequence $\langle x_n \rangle$ converging to c , then $\langle f(x_n) \rangle$ converging to $f(c)$.

i.e. if \exists two sequence $\langle x_n \rangle$ and $\langle y_n \rangle$ s.t. $\langle x_n \rangle \rightarrow c$ and $\langle y_n \rangle \rightarrow c$.

but if $\langle f(x_n) \rangle$ and $\langle f(y_n) \rangle$ converging to distinct limit then $f(x)$ is not continuous at c .

Result :

Let $f : \mathbb{R} \rightarrow \mathbb{R}$ is a function defined by

$$f(x) = \begin{cases} g(x), & x \in Q \\ h(x), & x \in Q^c \end{cases}$$

Then $f(x)$ is continuous at all zeros of $g(x) - h(x) = 0$.

Q.1. Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be defined by $f(x) = \begin{cases} x^6 - 1 & x \in Q \\ 1 - x^6 & x \in Q^c \end{cases}$.

The number of points at which $f(x)$ is continuous is

JAM – 2015

(a) 1

(b) 2

(c) 3

(d) 4

COMPLETE COURSE ON
MATHEMATICS
FOR IIT-JAM 2022

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINEAR ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,074~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

FOUNDATION COURSE OF
MATHEMATICS
FOR CSIR-NET

Result : Let $f : [0, 1] \rightarrow \mathbb{R}$ is a function such that

$$f(x) = \begin{cases} x^\alpha \sin \frac{1}{x} & x \neq 0 \\ 0 & x = 0 \end{cases}$$

Then $f(x)$ is continuous iff $\alpha > 0$

Q.2. Which of the following values of α , the function

$$f(x) = \begin{cases} x^\alpha \sin \frac{1}{x} & x \neq 0 \\ 0 & x = 0 \end{cases} \text{ is continuous}$$

(a) $1/2$

(b) 1

(c) 2

(d) $-1/3$

Q.3. Let the function $f(x)$ be defined by

$$f(x) = \begin{cases} e^x & x \text{ is rational} \\ e^{1-x} & x \text{ is irrational} \end{cases} \text{ for } x \text{ in } (0,1) \text{ then}$$

IIT JAM 2013

- (a) f is continuous at every point in $(0,1)$
- (b) f is discontinuous at every point in $(0,1)$
- (c) f is discontinuous at only one point in $(0,1)$
- (d) f is continuous at only one point in $(0,1)$

DISCONTINUITIES : If a function is not continuous then it is called discontinuous

Type of Discontinuity :

(i) Removable Discontinuity

A function $f(x)$ is said to have a discontinuity of removable kind at $x = a$ if $\lim_{x \rightarrow a} f(x)$ exist but not equal to the value of function at $x = a$ i.e., $f(a + 0) = f(a - 0) \neq f(a)$. Or $\lim_{x \rightarrow a} f(x) \neq f(a)$

(ii) Discontinuity of First kind / Jump Discontinuity

A function $f(x)$ is said to have a discontinuity of first kind at $x = a$ if both $f(a - 0)$ and

$f(a + 0)$ exist but are unequal. The point $x = a$ is said the point of discontinuity of first kind

i.e. $f(a - 0) \neq f(a + 0)$

It is also known as *ordinary discontinuity*.

(iii) Discontinuity of Second kind

A function $f(x)$ is said to have a discontinuity of second kind at $x = a$ if none of the limits $\lim_{x \rightarrow a^-} f(x)$ and $\lim_{x \rightarrow a^+} f(x)$ exist at $x = a$. The point $x = a$ is the point of discontinuity of second kind.

(iv) Mixed Discontinuity

A function $f(x)$ is said to have a discontinuity of mixed kind at $x = a$ if $f(x)$ has a discontinuity of second kind on one side of a and on the other side it has discontinuity of first kind or may be continuous.

(v) Infinite Discontinuity

A function $f(x)$ at $x = a$ is said to have discontinuity of infinite kind if $f(a + 0)$ or $f(a - 0)$ is ∞ or $-\infty$.

Q.4. Let $F : \mathbb{R} \rightarrow \mathbb{R}$ be a monotone function. Then

CSIR NET JUNE 2016

- (a) F has no discontinuities
- (b) F has only finitely many discontinuities
- (c) F can have at most countably many discontinuities
- (d) F can have uncountably many discontinuities.

Q.5. Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be a strictly increasing continuous function. If $\{a_n\}$ is a sequence in $[0, 1]$ then the sequence $\{f(a_n)\}$ is

- (a) Increasing
- (b) Bounded
- (c) Convergent
- (d) Not necessarily bounded

Q.6. Consider the function $f: \mathbb{R} \rightarrow \mathbb{R}$ defined by

$$f(x) = \begin{cases} 2x & \text{if } x \in Q \\ 3-x & \text{if } x \in Q^c \end{cases}$$

Then f is continuous at

(a) $x = 1$

(b) $x = 2$

(c) $x = 0$

(d) not continuous

Q.8. Let f be a monotone non-decreasing real-valued function on \mathbb{R} . Then

(a) $\lim_{x \rightarrow a} f(x)$ exists at each point a .

(b) If $a < b$, then $\lim_{x \rightarrow a^+} f(x) \leq \lim_{x \rightarrow b^-} f(x)$.

(c) f is an unbounded function

(d) The function $g(x) = e^{-f(x)}$ is a bounded function.

Q.9. Let p be a real polynomial of the real variable x of the form $p(x) = x^n + a_{n-1}x^{n-1} + \dots + a_1x + 1$. Suppose that p has no roots in the open unit disc and $p(-1) = 0$. Then

(a) $p(1) = 0$

(b) $\lim_{x \rightarrow \infty} p(x) = \infty$

(c) $p(2) > 0$

(d) $p(3) = 0$



Detailed Course on Group Theory For CSIR NET 2023

Gajendra Purohit

📅 November 3

Enroll Now



Detailed Course 2.0 on Sequence and Series For IIT JAM' 23

October 26

9:00 AM

Gajendra Purohit

Enroll Now

Use code GPSIR for 10% off



Educator Profile



Gajendra Purohit ✓

#5 Educator in CSIR-UGC NET

Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

Follow

11M Watch mins

1M Watch mins (last 30 days)

22k Followers

1k Dedications



CSIR-UGC NET

SEE ALL

Educator highlights

- Works at Pacific Science College
- Studied at M.Sc., NET, PhD(Algebra), MBA(Finance), BEd
- PhD, NET | Plus Educator For CSIR NET | Youtuber (260K+Subs.) | Director Pacific Science College |
- Lives in Udaipur, Rajasthan, India
- Unacademy Educator since



HINDI MATHEMATICAL SCIENCES

Course on Linear Algebra, Partial Diff. Equation & Calculus

Starts on Mar 1, 2021 • 24 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Course on Complex Analysis & Integral Equation

Starts on Jan 14, 2021 • 16 lessons

Gajendra Purohit



HINDI MATHEMATICAL SCIENCES

Foundation Course on Mathematics for CSIR 2021

Starts on Dec 7, 2020 • 20 lessons

Gajendra Purohit

FEE DETAILS FOR IIT JAM SUBSCRIPTION

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67% Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54% Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45% Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25% Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17% Total ₹ 6,807

1 month ₹ 2,723 / mo
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get
10% Off

After Using
My Referral
Code

● No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67% ~~₹ 24,700~~ ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54% ~~₹ 14,074~~ ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45% ~~₹ 13,475~~ ₹ 12,128

6 months ₹ 1,838 / mo
Save 25% ~~₹ 12,252~~ ₹ 11,027

3 months ₹ 2,042 / mo
Save 17% ~~₹ 6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: [GPSIR](#)