


Linear Transformations - Part II


Detailed Course 2.0 on Linear Algebra For IIT JAM' 23




Ace your preparation with Top Educators

Get **20% off*** on **IIT JAM** subscriptions


Limited period offer



Unlimited access to Live
and Recorded Classes



PYQs, Live Test
and Quizzes



In class doubt solving
by Top Educators



Structured Batches
& courses

Subscribe Now

Use code
GPSIR

For more details, contact: **8585858585**

*T&C apply, as available on the platforms.

20




Ace your preparation with Top Educators

Get **20% off*** on **CSIR-UGC NET** subscriptions

Limited period offer



Unlimited access to Live
and Recorded Classes



Learn from Top
Educators



Comprehensive
Notes and PDFs



Prepare with Unacademy
Lite Subscription

Subscribe Now

Use code

For more details, contact: **8585858585**

*T&C apply, as available on the platforms.

20



Gajendra Purohit

Legend in CSIR-UGC NET & IIT-JAM

- Unlock Code : GPSIR ~ PhD, CSIR NET (Maths) | Youtuber(800K+165K Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author

50M Watch mins

3M Watch mins (last 30 days)

44K Followers

2K Dedications

→ **TOP EDUCATOR ON UNACADEMY
FOR CSIR NET & IIT JAM**

YouTuber with 800K Subscribers

→ **AUTHOR OF BEST SELLER BOOK
FOR CSIR NET & IIT JAM**

**Get
10% Off**

Referral Code : GP SIR





RANK BOOSTER COURSE UNIT 2 CSIR NET 2022

23rd AUGUST

Gajendra Purohit

[Enroll Now](#)

USE CODE

GPSIR

FOR 10% OFF



DETAILED COURSE 2.0 LINEAR ALGEBRA FOR IIT JAM 2023

8th SEPTEMBER

Gajendra Purohit

[Enroll Now](#)

USE CODE

GPSIR

FOR 10% OFF



FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67%
Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54%
Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45%
Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25%
Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17%
Total ₹ 6,807

1 month ₹ 2,723 / mo
Save 0%
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67%
Total ₹ 21,700 ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54%
Total ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45%
Total ₹ 12,128

6 months ₹ 1,838 / mo
Save 25%
Total ₹ 11,027

3 months ₹ 2,042 / mo
Save 17%
Total ₹ 6,126



After Using
My Referral
Code



GPSIR

Awesome! You get 10% off

Proceed to pay

Orthogonal matrix : A be a matrix A is called orthogonal matrix if $AA^T = A^TA = I$

Note :

(1) $AA^T = I$

$$|AA^T| = 1 \Rightarrow |A| |A^T| = 1$$

$$\Rightarrow |A|^2 = 1 \Rightarrow |A| = \pm 1$$

Determinant of an orthogonal matrix is ± 1 and $A^T = A^{-1}$.

(2) Sum of square of elements of each row or column are 1 and sum of the product of element of any row or column with corresponding elements of any other (column) is always zero.

$$A = \begin{bmatrix} \cos\theta & -\sin\theta \\ \sin\theta & \cos\theta \end{bmatrix}$$

sinθ < sinθ - cosθ > sinθ

(4 F)

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$

②

(12)

(32)

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix},$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix},$$

$$\begin{bmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{bmatrix},$$

$$\begin{bmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{bmatrix},$$

③.

$$\begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{bmatrix},$$

$$\begin{bmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{bmatrix}$$

Q.1. Number of orthogonal matrix of order n whose entries are


0 & 1 only

(a) n

(c) $n - 1$

(b) $n!$

(d) None of these



3).

Property :

(1) If A is orthogonal then kA is orthogonal if $k = \pm 1$

Example : If A is orthogonal then $3A$ is not orthogonal.

(2) If A & B are orthogonal then $A + B$ cannot be orthogonal

but AB is always orthogonal.

(3) If A is orthogonal then A^n is orthogonal.



Q.2. If A is orthogonal matrix then which of the following are

true?

- (a) $2A$ is orthogonal
- (b) A^2 is orthogonal
- (c) $-A$ is orthogonal
- (d) None of these

- (a) a, b
- (b) b, c
- (c) a, c
- (d) A

$$A = \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$$

$$-A = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$$

Q.3. The number of orthogonal matrix of order 5 whose entries are 0 & 1 only

- (a) 5^2
- ~~(b) $5!$~~
- (c) 120
- (d) 0

Unitary matrix : A matrix A is said to be unitary if

$$AA^\theta = A^\theta A = I$$

$$A = \frac{1}{2} \begin{pmatrix} 1-i & 1+i \\ 1+i & 1-i \end{pmatrix}$$

$$\bar{A} = \frac{1}{2} \begin{pmatrix} 1+i & 1-i \\ 1-i & 1+i \end{pmatrix}$$

$$(A^\theta)^\top = \frac{1}{2} \begin{pmatrix} 1+i & 1-i \\ 1-i & 1+i \end{pmatrix}$$

$$A(\bar{A})^\top = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

~~Q4.~~ The matrix $M = \begin{bmatrix} \cos\alpha & \sin\alpha \\ i\sin\alpha & i\cos\alpha \end{bmatrix}$ is a unitary matrix when α is

- (a) $(2n+1)\frac{\pi}{2}, n \in \mathbb{Z}$
- (b) $(3n+1)\frac{\pi}{3}, n \in \mathbb{Z}$
- (c) $(4n+1)\frac{\pi}{4}, n \in \mathbb{Z}$
- (d) $(5n+1)\frac{\pi}{5}, n \in \mathbb{Z}$

$$M M^D = \begin{pmatrix} \cos\alpha & \sin\alpha \\ i\sin\alpha & i\cos\alpha \end{pmatrix} \begin{pmatrix} \cos\alpha & -i\sin\alpha \\ i\sin\alpha & -i\cos\alpha \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

$$n=0$$

$$\cancel{\cos\alpha \cdot \cos\alpha + \sin\alpha \cdot \sin\alpha = 0}$$

$$\cancel{i\sin\alpha \cdot i\sin\alpha = 1}$$

$$\cos\alpha = 1$$


$$\pi$$

$$\bar{M} = \begin{pmatrix} \cos\alpha & \sin\alpha \\ -i\sin\alpha & -i\cos\alpha \end{pmatrix}$$

$$M^D = \bar{M}^{-1} = \begin{pmatrix} \cos\alpha - i\sin\alpha & i\sin\alpha \\ i\sin\alpha & -i\cos\alpha \end{pmatrix}$$

Q.5. If A and B are orthogonal matrix then which of the following is true?

- (a) $A + B$ is orthogonal
- (b) AB is orthogonal
- (c) $2A$ is orthogonal
- (d) B^2 is orthogonal



Q.6. Let \underline{u} be a real $n \times 1$ vector satisfying $\underline{u}'\underline{u} = 1$ where \underline{u}' is the transpose of \underline{u} . Define $A = I - 2\underline{u}\underline{u}'$ where I is the nth order identity matrix. Which of the following statements are true?

- (a) ~~A is singular~~
- (c) Trace (A) = $n - 2$

(b) ~~$A^2 = A$~~

(d) ~~$A^2 = I$~~

$$\begin{aligned}
 \text{Tr} (A) &= \text{Tr} (-2\underline{u}\underline{u}') \\
 &= \text{Tr} I - 2 \text{Tr} (\underline{u}\underline{u}') \\
 &= \frac{\text{Tr} I}{n} - 2 \text{Tr} (\underline{u}\underline{u}') \\
 &= n - 2 \times 1 \\
 &= n - 2
 \end{aligned}$$

$$\begin{aligned}
 \tilde{A} &= (I - 2\underline{u}\underline{u}') (I - 2\underline{u}\underline{u}') \\
 &= I - 2\underline{u}\underline{u}' - 2\underline{u}\underline{u}' + 4\underline{u}\underline{u}'\underline{u}\underline{u}' \\
 &= I - 4\underline{u}\underline{u}' + 4\underline{u}\underline{u}'\underline{u}\underline{u}' \\
 &\equiv 1
 \end{aligned}$$

$$\begin{aligned}
 \underline{u}\underline{u}'_{n \times 1} &\rightarrow 1 \times 1 = 1 \\
 (\underline{u}\underline{u}')_{n \times n} &= \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}
 \end{aligned}$$

COMPLETE COURSE ON

MATHEMATICS

FOR IIT-JAM 2022

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINEAR ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67%
Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54%
Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45%
Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25%
Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17%
Total ₹ 6,807

1 month ₹ 2,723 / mo
Save 0%
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67%
Total ₹ 21,700 ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54%
Total ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45%
Total ₹ 12,128

6 months ₹ 1,838 / mo
Save 25%
Total ₹ 11,027

3 months ₹ 2,042 / mo
Save 17%
Total ₹ 6,126



After Using
My Referral
Code



GPSIR

Awesome! You get 10% off

Proceed to pay

**FOUNDATION COURSE OF
MATHEMATICS
FOR CSIR-NET**

Permutation Matrix :

A matrix whose entries are either 0 or 1 and each row sum and each column sum is 1 then this matrix is called permutation matrix.

Properties :

(1) Number of permutation matrix of order n are $n!$.



(2) Permutation $\sigma \in S_n$ corresponding to permutation matrix.

Let $I = [c_1 \ c_2 \ \dots \ c_n]$ is a identity matrix where c_i are


column and $A = [c_{\sigma(1)}, c_{\sigma(2)}, \dots, c_{\sigma(n)}]$ is

permutation matrix then permutation

$$\sigma = \begin{pmatrix} 1 & 2 & 3 & \dots & n \\ \sigma(1) & \sigma(2) & \sigma(3) & \dots & \sigma(n) \end{pmatrix}.$$



$$\begin{bmatrix} \underline{g_{11}} & g_{12} \\ g_{21} & \underline{g_{22}} \end{bmatrix}$$




$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$


$$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$




$$(1 \ 2 \ 3) = e \mid A^1 = I$$



$$(1 \ 2 \ 3) = (2 \ 3) \mid A^2 = I$$



$$(1 \ 2 \ 3) = (1 \ 3) \mid A^3 = I$$



$$(1 \ 2 \ 3) = (1 \ 2)$$

$$(1 \ 2 \ 3)$$

$$A^3 = -I$$



$$(1 \ 3 \ 2)$$

$$(1 \ 3 \ 2) \quad [0 \ 0 \ 1]$$

$$[0 \ 1 \ 0]$$

$$A = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} = \underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 1 & 4 & 3 & 5 \end{pmatrix}}_{(12)(34)}$$


$$\text{lcm}(2, 4) = 2$$

$$A^2 = E$$

$$(1234)$$

$$A^4 = E$$

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 5 & 4 & 3 & 2 & 1 \end{pmatrix}$$



$$(1\ 5)(2\ 4)$$

$$\langle \ln(2, 2) = \sqcup$$

(3) Permutation matrix corresponding to permutation $\sigma \in S_r$

$$\sigma = \begin{pmatrix} 1 & 2 & 3 & \dots & n \\ \sigma(1) & \sigma(2) & \sigma(3) & \dots & \sigma(n) \end{pmatrix} \quad i$$

permutation then $A = [c_{\sigma(1)} \ c_{\sigma(2)} \ \dots \ c_{\sigma(n)}]$ is a
permutation matrix.

(4) Trace of permutation matrix is number of self inverse
element in permutation .

(5) **Determinant of matrix :** Let A be a matrix
corresponding to permutation $\sigma \in S_n$.

$$\text{Then } \det(A) = |A| = (-1)^d$$

Where d is number of transposition.

- (6) Every permutation matrix is orthogonal/unitary matrix.
- (7) If $\sigma \in S_n$ be a permutation and $O(\sigma) = k$, then $A^k = I$

Let $\sigma = (1\ 2\ 3\ 4) \in S_4$

Q.7. Let $\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 1 & 2 & 5 & 4 \end{pmatrix}$ and matrix A is denoted to the one whose i^{th} column is the $\sigma(i)^{\text{th}}$ column of the identity matrix I. Which of the following is true?

- (a) $A^2 = A$
- (b) $A^{-4} = A$
- (c) $A^{-5} = A$
- (d) $A = A^{-1}$

$$(1\ 3\ 2)(4\ 5)$$

$$\text{Lcm}(3, 2) = 6$$

$$A^6 = I$$

$$A = A^{-5}$$

Q.8. Let $\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 1 & 2 & 5 & 4 \end{pmatrix}$ and matrix A is

denoted to the one whose i^{th} column is the $\sigma(i)^{\text{th}}$ column
of the identity matrix I. Which of the following is true?

- (a) A is involutory matrix (b) $|A| = 1$
- (c) $\text{Tr}(A) = 1$ (d) $A^2 = A^{-1}$

Q.9. Let $A = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}_{6 \times 6}$. Then which of the

following is true?

- (a) A is involutory matrix
- (c) A is idempotent matrix

~~(b) $|A| = 1$~~

~~(d) $|A| = 0$~~

$$A^{\sim} \equiv I$$

$$(1)(2)(3)^4 5(6) 4(5)$$

$$(2 \underline{3})(4 \underline{5})$$

$$\left\langle \left\langle m(2,1,2) = 2 \right\rangle \right\rangle$$




RANK BOOSTER COURSE UNIT 2 CSIR NET 2022

23rd AUGUST

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



DETAILED COURSE 2.0 LINEAR ALGEBRA FOR IIT JAM 2023

8th SEPTEMBER

Gajendra Purohit

Enroll Now

USE CODE
GPSIR
FOR 10% OFF



Educator Profile



Gajendra Purohit

#5 Educator in CSIR-UGC NET

[Follow](#)

Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

11M Watch mins

1M Watch mins (last 30 days)

22k Followers

1k Dedications



CSIR-UGC NET

[SEE ALL](#)

HINDI MATHEMATICAL SCIENCES
Course on Linear Algebra, Partial Diff. Equation & Calculus
Starts on Mar 1, 2021 • 24 lessons
Gajendra Purohit

HINDI MATHEMATICAL SCIENCES
Course on Complex Analysis & Integral Equation
Starts on Jan 14, 2021 • 16 lessons
Gajendra Purohit

HINDI MATHEMATICAL SCIENCES
Foundation Course on Mathematics for CSIR 2021
Starts on Dec 7, 2020 • 20 lessons
Gajendra Purohit

Educator highlights

- 📍 Works at Pacific Science College
- 📍 Studied at M.Sc., NET, PhD(Algebra), MBA(Finance), BEd
- 📍 PhD, NET | Plus Educator For CSIR NET | Youtuber (260K+Subs.) | Director Pacific Science College |
- 📍 Lives in Udaipur, Rajasthan, India
- 📍 Unacademy Educator since

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months ₹ 908 / mo
Save 67%
Total ₹ 21,780

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,248 / mo
Save 54%
Total ₹ 14,974

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,497 / mo
Save 45%
Total ₹ 13,475

6 months ₹ 2,042 / mo
Save 25%
Total ₹ 12,252

3 months ₹ 2,269 / mo
Save 17%
Total ₹ 6,807

1 month ₹ 2,723 / mo
Save 0%
Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

No cost EMI available on 6 months & above subscription plans

24 months ₹ 817 / mo
Save 67%
Total ₹ 21,700 ₹ 19,602

You get 6 months extra for free Offer expires 15 Jun 2022

✓ 12 months ₹ 1,123 / mo
Save 54%
Total ₹ 13,477

You get 6 months extra for free Offer expires 15 Jun 2022

9 months ₹ 1,348 / mo
Save 45%
Total ₹ 12,128

6 months ₹ 1,838 / mo
Save 25%
Total ₹ 11,027

3 months ₹ 2,042 / mo
Save 17%
Total ₹ 6,126



After Using
My Referral
Code



GPSIR

Awesome! You get 10% off

Proceed to pay

THANK YOU VERY MUCH EVERYONE

GET THE UNACADEMY PLUS SUBSCRIPTION SOON.

TO GET 10% DISCOUNT IN TOTAL SUBSCRIPTION AMOUNT

USE REFERRAL CODE: GPSIR