Basic Integral

Detail Course 2.0 on Integral Calculus - IIT JAM' 23

Gajendra Purohit • Lesson 1 • Dec 1, 2022


unacademy
DETAILED COURSE ON
THEORY OF ESTIMATION
FOR CSIR-NET 2023
Gajendra Purohit
22 November
Enroll Now


unacademy
DETAILED COURSE 2.0 ON
INTEGRAL CALCULUS
FOR IIT-JAM 2023
1 December | 9:00 AM
Gajendra Purohit
Enroll Now
Use code GPSIR for 10% off
*T&C apply, as available on the platform.

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months Save 67%	₹ 908 / mo	Total ₹ 21,780
You get 6 months extra for free		Offer expires 15 Jun 2022
12 months Save 54%	₹ 1,248 / mo	Total ₹ 14,974
You get 6 months extra for free		Offer expires 15 Jun 2022
9 months Save 45%	₹ 1,497 / mo	Total ₹ 13,475
6 months Save 25%	₹ 2,042 / mo	Total ₹ 12,252
3 months Save 17%	₹ 2,269 / mo	Total ₹ 6,807
1 month	₹ 2,723 / mo	Total ₹ 2,723

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get 10% Off

After Using My Referral Code

No cost EMI available on 6 months & above subscription plans

24 months Save 67%	₹ 817 / mo	₹ ~~21,780~~ ₹ 19,602
You get 6 months extra for free		Offer expires 15 Jun 2022
12 months Save 54%	₹ 1,123 / mo	₹ ~~14,974~~ ₹ 13,477
You get 6 months extra for free		Offer expires 15 Jun 2022
9 months Save 45%	₹ 1,348 / mo	₹ ~~13,475~~ ₹ 12,128
6 months Save 25%	₹ 1,838 / mo	₹ ~~12,252~~ ₹ 11,027
3 months Save 17%	₹ 2,042 / mo	₹ ~~6,807~~ ₹ 6,126

GPSIR

Awesome! You get 10% off

Proceed to pay

Definite integral

Definition : If $\frac{d}{dx}[f(x)] = \phi(x)$ and a & b are constant, then

$$\int_a^b \phi(x)dx = [f(x)]_a^b = f(b) - f(a)$$

is called definite integration of ϕ(x) within limit a & b.

Note : This is also called fundamental theorem of calculus.

1 N

50

85%

15

ODE

GT

F12

S.S

LA

IC

GP Subjt cycle

Lumen - Cell . AH . D.P

95%

5%

95%

5%

1000

~~15000~~

~~10~~%

15%

7/14

2000

~~IST~~

ETT

~~B. J. C.~~

~~G. H.~~

2000

14000

10

Basic properties of definite integrals.

(1) $$\int_a^b f(t)\,dt = \int_a^b f(x)\,dx$$

(2) $$\int_a^b f(x)\,dx = -\int_b^a f(x)\,dx$$

(3) $$\int_a^b f(x)\,dx = \int_a^c f(x)\,dx + \int_c^b f(x)\,dx$$

For any $c \in (a, b)$

$$\int_1^4 \frac{1}{x^2}\,dx$$

$$\int_1^3 \frac{1}{x^2}\,dx + \int_3^4 \frac{1}{x^2}\,dx$$

(4) $$\int_a^b f(x)dx = \int_a^b f(a+b-x)dx$$

(5) $$\int_{-a}^{a} f(x)dx = \begin{cases} 2\int_0^a f(x)dx & \text{if } f(x) \text{ is even} \\ 0 & \text{if } f(x) \text{ is odd} \end{cases}$$

(6) $$\int_0^{2a} f(x)dx = \begin{cases} 2\int_0^a f(x)dx; & \text{if } f(2a-x) = f(x) \\ 0; & \text{if } f(2a-x) = -f(x) \end{cases}$$

$f(\pi - x) = f(x)$

$\sin(\pi - x) = \sin x$

$$\int_0^{\pi} \sin x\, dx = 2\int_0^{\pi/2} \sin x\, dx$$

$$\int_0^{\pi} \cos x\, dx = 0$$

$\cos(\pi - x) = -\cos x$

Definite integral as the limit of a sum :

$$\int_0^1 f(x)dx = \lim_{n\to\infty}\frac{1}{n}\sum_{r=0}^{n} f\left(\frac{r}{n}\right)$$

Where f(x) is continuous function on closed interval [0, 1]

$$\sum_{k=1}^{n}\frac{1}{k+n}$$

$$\sum_{k=1}^{n}\frac{1}{n}\frac{1}{\left(\frac{k}{n}+1\right)}$$

$$\int_0^1 \frac{1}{1+x}dx$$

Leibnitz's Rule :

If g is continuous on [a, b] and $f_1(x)$ & $f_2(x)$ are differentiable function whose value lies in [a, b] then

$$\frac{d}{dx}\int_{f_1(x)}^{f_2(x)} g(t)dt = g[f_2(x)]f_2`(x) - g(f_1(x))f_1`(x)$$

General form : If g is continuous on [a, b] and $f_1(x)$ & $f_2(x)$ are differentiable function whose value lies in [a, b] then

$$\frac{d}{dx}\int_{f_1(x)}^{f_2(x)} g(x,t)dt = \int_{f_1(x)}^{f_2(x)} \frac{\partial}{\partial x}g(x,t)dt + g[x, f_2(x)]f_2`(x) - g(x, f_1(x))f_1`(x)$$

$$f(x) = \int_x^{x^2} e^{-t}\,dt \qquad f'(x)$$

$$\frac{d}{dx} f(x) = \frac{d}{dx}\int_x^{x^2} e^{-t}\,dt$$

$$= \int_x^{x^2} \frac{\partial}{\partial x}\left(e^{-t}\right) dt + e^{-x^2}\frac{d}{dx}\left(x^2\right) - e^{-x}\frac{d(x)}{dx}$$

$$= 2x e^{-x^2} - e^{-x}$$

$$f(x) = \int_0^1 e^{-t}\,dt$$

$$f'(x)$$

$$G(x) = \int_2^{x^2} \frac{dt}{1+\sqrt{t}}$$

(a) $\frac{9}{5}$ (b) $\frac{2}{5}$

(c) 0 (d) $\frac{1}{3}$

$G'(9)$

$$G'(x) = \frac{d}{dx}\int_2^{x^2} \frac{dt}{1+\sqrt{t}}$$

$$= \int_2^{x^2} \frac{d}{dx}\left(\frac{1}{1+\sqrt{t}}\right) dt + \frac{1}{1+\sqrt{x^2}}\frac{d}{dx}(x^2)$$

$$- \frac{1}{1+\sqrt{2}}\frac{d}{dx}(2)$$

$$G'(x) = \frac{1}{1+x}(2x)$$

$$G'(9) = \frac{2 \times 9}{1+9} = \frac{18}{10} = \frac{9}{5}$$

Q $f(x) = \int_0^x e^{x-y} f'(y)\,dy - (x^2 - x + 1)e^x$ | $f\left(\frac{1}{2}\right)$

$$e^{-x} f(x) = \int_0^x e^{-y} f'(y)\,dy - (x^2 - x + 1)$$

$$\cancel{e^{-x} f'(x)} - e^{-x} f(x) = 0 + \cancel{e^{-x} f'(x)} \frac{d}{dx}(x) - 0 - (2x - 1)$$

$$-e^{-x} f(x) = -(2x - 1)$$

$$f(x) = e^x (2x - 1)$$

$$f\left(\frac{1}{2}\right) = 0$$

Q.

$$\lim_{x\to \frac{1}{2}} \frac{\frac{d}{dx}\int_{\frac{1}{2}}^{x} \cos^2 \pi t \, dt}{\frac{d}{dx}\left(\frac{e^{2x}}{2} - e\left(x^2+\frac{1}{4}\right)\right)} \qquad \frac{0}{0}$$

$$= \lim_{x\to 1/2} \frac{0 + \cos^2 \pi x \frac{d}{dx}(x) - 0}{e^{2x} - 2xe} = \lim_{x\to 1/2} \frac{\cos^2 \pi x}{e^{2x} - 2xe}$$

$$= \lim_{x\to 1/2} \frac{-2\cos \pi x \sin \pi x \cdot \pi}{2e^{2x} - 2e} = \lim_{x\to 1/2} \frac{-\pi \sin 2\pi x}{2e^{2x} - 2e}$$

$$= \lim_{x\to 1/2} \frac{-\pi \cos 2\pi x \,(2\pi)}{4e^{2x}} = \frac{-2\pi^2(-1)}{4e} = \frac{\pi^2}{2e}$$

Gamma Function:

If m and n are non-negative integers, then

$$\int_0^{\pi/2} \sin^m x \cos^n x dx = \frac{\Gamma\left(\frac{m+1}{2}\right)\Gamma\left(\frac{n+1}{2}\right)}{2\Gamma\left(\frac{m+n+2}{2}\right)}$$

COMPLETE COURSE ON
MATHEMATICS
FOR IIT-JAM 2022

TOPICS TO BE COVERED

- REAL ANALYSIS
- FUNCTION OF ONE & TWO VARIABLE
- LINAER ALGEBRA
- MODERN ALGEBRA

TOPICS TO BE COVERED

- SEQUENCE & SERIES
- INTEGRAL CALCULUS
- VECTOR CALCULUS
- DIFFERENTIAL EQUATION

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months	Save 67%	₹ 908 / mo	Total ₹ 21,780	You get 6 months extra for free — Offer expires 15 Jun 2022
12 months	Save 54%	₹ 1,248 / mo	Total ₹ 14,974	You get 6 months extra for free — Offer expires 15 Jun 2022
9 months	Save 45%	₹ 1,497 / mo	Total ₹ 13,475	
6 months	Save 25%	₹ 2,042 / mo	Total ₹ 12,252	
3 months	Save 17%	₹ 2,269 / mo	Total ₹ 6,807	
1 month		₹ 2,723 / mo	Total ₹ 2,723	

To be paid as a one-time payment

Have a referral code? Proceed to pay

Get 10% Off

After Using My Referral Code

GPSIR

Awesome! You get 10% off

No cost EMI available on 6 months & above subscription plans

24 months	Save 67%	₹ 817 / mo	₹ ~~21,780~~ ₹ 19,602	You get 6 months extra for free — Offer expires 15 Jun 2022
12 months	Save 54%	₹ 1,123 / mo	₹ ~~14,974~~ ₹ 13,477	You get 6 months extra for free — Offer expires 15 Jun 2022
9 months	Save 45%	₹ 1,348 / mo	₹ ~~13,475~~ ₹ 12,128	
6 months	Save 25%	₹ 1,838 / mo	₹ ~~12,252~~ ₹ 11,027	
3 months	Save 17%	₹ 2,042 / mo	₹ ~~6,807~~ ₹ 6,126	

Proceed to pay

where $\Gamma(n)$ is called gamma function which satisfied the following properties

$$\Gamma(n+1) = n\Gamma(n) = n! \quad i.e.\ \Gamma(1) = 1 \text{ and } \Gamma(1/2) = \sqrt{\pi}$$

In place of gamma function, we can also use the following formula :

$$\int_0^{\pi/2} \sin^m x \cos^n x dx =$$

$$\frac{(m-1)(m-3).....(2 \text{ or } 1)(n-1)(n-3).....(2 \text{ or } 1)}{(m+n)(m+n-2)....(2 \text{ or } 1)}$$

It is important to note that we multiply by $(\pi/2)$; when both m and n are even.

Q1. The value of $\int_0^{\pi/2} \sin^4 x \cos^6 x dx$

(a) $3\pi/312$

(b) $5\pi/512$

(c) $3\pi/512$

(d) $5\pi/312$

Reduction formulae Definite Integration

(1) $\int_0^{\infty} e^{-ax} \sin bx dx = \dfrac{b}{a^2 + b^2}$

(2) $\int_0^{\infty} e^{-ax} \cos bx dx = \dfrac{a}{a^2 + b^2}$

(3) $\int_0^{\infty} e^{-ax} x^n dx = \dfrac{n!}{a^n + 1}$

Q2. If $I_n = \int_0^\infty e^{-x} x^{n-1} dx$, then $\int_0^\infty e^{-\lambda x} x^{n-1} dx$ is equal to

(a) λI_n

(b) $\frac{1}{\lambda} I_n$

(c) $\frac{I_n}{\lambda^n}$

(d) $\lambda^n I_n$

Q3. $\int_0^{\pi/2} \sin^7 x\,dx$ has value

(a) $\frac{37}{184}$

(b) $\frac{17}{45}$

(c) $\frac{16}{35}$

(d) $\frac{16}{45}$

Q.4. Let a,b be positive real numbers such that a < b Given that $\lim_{n\to\infty}\int_0^n e^{-t^2}\,dt = \frac{\sqrt{\pi}}{2}$ Then value of $\lim_{n\to\infty}\int_0^n \frac{1}{t^2}\left(e^{-at^2} - e^{-bt^2}\right)dt$ is

IIT JAM 2022

(a) $\sqrt{\pi}\left(\sqrt{b}-\sqrt{a}\right)$

(b) $\sqrt{\pi}\left(\sqrt{b}+\sqrt{a}\right)$

(c) $-\sqrt{\pi}\left(\sqrt{b}-\sqrt{a}\right)$

(d) $\sqrt{\pi}\left(-\sqrt{b}+\sqrt{a}\right)$

Q.6. If $g(x) = \int_{x(x-2)}^{4x-5} f(t)\,dt$, where $f(x) = \sqrt{1+3x^4}$ for $x \in R$, then $g`(1)$ is **JAM – 2019**

(a) 6 (b) 7

(c) 8 (d) 10

Q.7. Let f : [0 ,1] $\to$ [0, ∞) be continuous function such that $(f(t))^2 < 1 + 2\int_0^t f(s)ds$, $\forall t \in [0,1]$

IIT JAM 2021

(a) $f(t) < 1 + t$; $\forall t \in [0,1]$

(b) $f(t) > 1 + t$; $\forall t \in [0,1]$

(c) $f(t) = 1 + t$; $\forall t \in [0,1]$

(d) $f(t) < 1 + t/2$; $\forall t \in [0,1]$

Q.8. The value of the integral $\int_{-\pi}^{\pi} |x| \cos nx dx, n \geq 1$ is

JAM - 2016

(a) 0, when n is even

(b) 0, when n is odd

(c) $-\frac{4}{n^2}$, when n is even

(d) $-\frac{4}{n^2}$, when n is odd

Q.9. Let $f(x) = \int_{\sin x}^{\cos x} e^{-t^2}\, dt$, then $f'\left(\frac{\pi}{4}\right)$ equals

IIT JAM 2006

(a) $\sqrt{\frac{1}{e}}$ (b) $-\sqrt{\frac{2}{e}}$

(c) $\sqrt{\frac{2}{e}}$ (d) $-\sqrt{\frac{1}{e}}$

Q.10. Let f : R →R be continuous function if $\int_0^x f(2t)dt = \frac{x}{\pi}\sin(\pi x)$ for all x ∈ R, then f(2) is equal to **JAM 2007**

(a) -1 (b) 0

(c) 1 (d) 2

Q.11. Let $f(x)=\int_0^x (x^2+t^2)g(t)dt,$ where g is a real valued continuous function on R, then f`(x) is equal to

JAM – 2008

(a) 0

(b) $x^3g(x)$

(c) $\int_0^x g(t)dt$

(d) $2x\int_0^x g(t)dt$

Q.12. Let a be a non-zero real number, then $\lim_{x \to a} \frac{1}{x^2 - a^2} \int_a^x \sin(t^2)\,dt$ equals **JAM – 2009**

(a) $\frac{\sin(a^2)}{2a}$ (b) $\frac{\cos(a^2)}{2a}$

(c) $-\frac{\sin(a^2)}{2a}$ (d) $-\frac{\cos(a^2)}{2a}$

FOUNDATION COURSE OF
MATHEMATICS
FOR CSIR-NET


unacademy
DETAILED COURSE ON
THEORY OF ESTIMATION
FOR CSIR-NET 2023
Gajendra Purohit
22 November
Enroll Now


unacademy
DETAILED COURSE 2.0 ON
INTEGRAL CALCULUS
FOR IIT-JAM 2023
1 December | 9:00 AM
Gajendra Purohit
Enroll Now
Use code GPSIR for 10% off
*T&C apply, as available on the platform.

unacademy CSIR-UGC NET Search Login

Educator Profile

Gajendra Purohit

#5 Educator in CSIR-UGC NET

Dr.Gajendra Purohit PhD, CSIR NET (Maths) | Youtuber(330K+30k Sub.)/Dr.Gajendra Purohit (Maths), 17+ Yr. Experience, Author of Bestseller

Follow

11M Watch mins | 1M Watch mins (last 30 days) | 22k Followers | 1k Dedications

CSIR-UGC NET

SEE ALL



HINDI MATHEMATICAL SCIENCES

Course on Linear Algebra, Partial Diff. Equation & Calculus

Starts on Mar 1, 2021 • 24 lessons

Gajendra Purohit

HINDI MATHEMATICAL SCIENCES

Course on Complex Analysis & Integral Equation

Starts on Jan 14, 2021 • 16 lessons

Gajendra Purohit

HINDI MATHEMATICAL SCIENCES

Foundation Course on Mathematics for CSIR 2021

Starts on Dec 7, 2020 • 20 lessons

Gajendra Purohit

Educator highlights

- Works at **Pacific Science College**
- Studied at **M.Sc., NET, PhD(Algebra), MBA(Finance), BEd**
- PhD, NET | Plus Educator For CSIR NET | Youtuber (260K+Subs.) | Director Pacific Science College |
- Lives in **Udaipur, Rajasthan, India**
- Unacademy Educator since

FEE DETAILS FOR IIT JAM SUBSCRIPTION

No cost EMI available on 6 months & above subscription plans

24 months Save 67%	₹ 908 / mo	Total ₹ 21,780	You get 6 months extra for free · Offer expires 15 Jun 2022
12 months Save 54%	₹ 1,248 / mo	Total ₹ 14,974	You get 6 months extra for free · Offer expires 15 Jun 2022
9 months Save 45%	₹ 1,497 / mo	Total ₹ 13,475	
6 months Save 25%	₹ 2,042 / mo	Total ₹ 12,252	
3 months Save 17%	₹ 2,269 / mo	Total ₹ 6,807	
1 month	₹ 2,723 / mo	Total ₹ 2,723	

To be paid as a one-time payment

Have a referral code?

Proceed to pay

Get 10% Off

After Using My Referral Code

No cost EMI available on 6 months & above subscription plans

24 months Save 67%	₹ 817 / mo	₹ ~~21,700~~ ₹ 19,602	You get 6 months extra for free · Offer expires 15 Jun 2022
12 months Save 54%	₹ 1,123 / mo	₹ ~~14,974~~ ₹ 13,477	You get 6 months extra for free · Offer expires 15 Jun 2022
9 months Save 45%	₹ 1,348 / mo	₹ ~~13,475~~ ₹ 12,128	
6 months Save 25%	₹ 1,838 / mo	₹ ~~12,252~~ ₹ 11,027	
3 months Save 17%	₹ 2,042 / mo	₹ ~~6,807~~ ₹ 6,126	

GPSIR

Awesome! You get 10% off

Proceed to pay