



CONTENTS

- 01 Design Philosophy
- 02 Base Palette
- 03 Contract Tokens
- 04 Status Colors
- 05 Pipeline Stages
- 06 Evidence Badges
- 07 Typography
- 08 Spacing & Radius
- 09 Card Variants
- 10 Sidebar Nav
- 11 Topbar
- 12 Empty & Error
- 13 Motion Rules

01 Design Philosophy

Practitioner-grade. Density is intentional. Tables > summary cards.

P-01 · Failures originate upstream

structural rule

Stage 1 always renders **leftmost / topmost**. Backlog **safety items** precede formula items. Pipelines read **\$1** → **\$9** left to right.

P-02 · Every score carries provenance

data rule

Each numerical score is paired with one of SIM EST REV INF LIVE. A score without a badge is an **error state**.

P-03 · Safety is structural, not alarm

structural rule

The **Safety Override Strip** is a permanent section preceding all contract cards. It is never collapsible, never animated, never dismissed.

P-04 · C-SAFETY is visually unique

brand rule

The C-SAFETY card uses **card-safety** styling regardless of pass/fail. It is never mistaken for a regular contract card.

02 Base Palette

Surfaces, borders, text. Stack from bg → surface-3 for nested density.

SURFACES & BORDERS

Aa	Aa	Aa	Aa	1px	1px
Background --bg App canvas #0F1117	Surface-1 cards Standard card body #1A1D27	Surface-2 panels Nested panels, inputs #252836	Surface-3 hover Hover / active state #2E3347	Border-subtle Card & divider borders #2E3244	Border-strong Hover & focus rings #404662

TEXT

Primary text	Secondary text	Muted text
Text-primary Headings, values, body strong #F1F5F9	Text-secondary Body, descriptions #94A3B8	Text-muted Annotations, captions, IDs #475569

C1

Ingestion Fidelity

amber-orange#F97316

C2

Faithfulness

violet#8B5CF6

C3

Factuality

red#EF4444

C4

Cross-Modal Consistency

blue#3B82F6

C5

Output Quality

green#22C55E

C-SAFETY

Safety / Privacy
⚖️ ALWAYS DISTINCT

deep red · card-safety#DC2626

Pass#22C55E

Warn#F59E0B

Fail#EF4444

Override / Safety#DC2626

Unknown · striped#9CA3AF

Trend ▲#34D399

Trend ▼#F87171

Trend flat#94A3B8

05

Pipeline Stage Colors

S1 is most upstream & most critical. Render left → right always.

S1

S2

S3

S4

S5

S6

S7

S8

S9

Input / Ingest#DC2626

Preproc#EA580C

Retrieval#CA8A04

Routing#65A38D

Reasoning#059669

Generation#0891B2

Postproc#4F46E5

Verification#7C3AED

Egress#6B7280

UPSTREAM · HIGHEST IMPACT

DOWNSTREAM · SYMPTOM SURFACE

06

Evidence Badges

Pill · 4px · 16px tall · Inter 700 9px UPPERCASE · 0 5px padding.

ALL FIVE VARIANTS

Badge	Token	Definition	Color Stops
SIM	[SIM]	Simulated — generated synthetically, not observed in production.	text · bg · border
EST	[EST]	Estimated — modeled from priors, not directly measured.	

BADGE	TOKEN	DEFINITION	COLOR STOPS
REV	[REV]	Review-derived — computed from human review labels.	
INF	[INF]	Architectural inference — derived from known system structure.	
LIVE	[LIVE]	Live-measured — observed on production traffic, latest 24h window.	

TOOLTIP ON HOVER

REV · REVIEW-DERIVED

Score computed from n=124 human review labels across 4 reviewers · κ =0.71 · last refreshed 14m ago.

0.832

REV

INLINE USE

Badges sit immediately right of every numerical score, vertically centered on the score's baseline. Reserve 8px gap between score and badge.

0.94

LIVE

0.81

REV

0.62

EST

0.55

INF

0.40

SIM

MISSING-BADGE ERROR STATE

C5 · Output Quality

0.872

LIVE

n=4,118 · last 24h

PASS

C3 · Factuality

0.703

UNVERIFIED

⚠ score has no provenance badge — flagged as error

07

Typography

Inter (UI) + JetBrains Mono (scores, IDs, tokens).

The five contracts hold the system together.	Inter · 700 · 28px · -0.01em · 1.1	DISPLAY H1
Contract C4 · Cross-Modal Consistency	Inter · 600 · 20px · 1.2	SECTION H2
Failure modes affecting this contract	Inter · 600 · 16px · 1.3	SUBHEADING


Body copy carries explanations, definitions, and operator-facing notes. Set to 14px / 1.5 line height for table-adjacent legibility on dark surfaces.	Inter · 400 · 14px · 1.5	BODY
Body-strong for inline emphasis, table-row totals, and the active item.	Inter · 500 · 14px · 1.5	BODY STRONG
SECTION DIVIDER · EVALUATION	Inter · 500 · 11px · UPPER · 0.08em	LABEL
trace://huxe/7f3a91b · score=0.832 · κ=0.71	JetBrains Mono · 400 · 13px	MONO
SIM EST REV INF LIVE	Inter · 700 · 9px · UPPER · 0.04em	EVIDENCE BADGE

08

Spacing & Radius

8-step linear scale. Radius is element-class-dependent.

SPACING SCALE · 4 / 8 / 12 / 16 / 24 / 32 / 48 / 64



BORDER RADIUS

Badges
4px
Evidence badges, pills, tags

Controls
6px
Buttons, inputs, topbar pills

Cards
8px
All contract / data cards

Modals
12px
Dialogs, sheets, drawers

09

Card Elevation Variants

Seven named states. Use the token, never invent a card style.

C4 · cross-modal

image→text agree

0.847

n=2,340 · last 24h

LIVE

CARD-DEFAULT

C2 · faithfulness

groundedness

0.781

n=1,109 · last 24h

REV

CARD-HOVER

C5 · output quality

format compliance

0.961

3 of 3 thresholds met

PASS

LIVE

CARD-PASS

C3 · factuality

citation accuracy

0.612

below 0.80 floor

FAIL

LIVE

CARD-FAIL

C-SAFETY · privacy

Pll leak detected

HOLD

override active · zero-tolerance

OVERVERRIDE

CARD-OVERRIDE

C1 · ingestion

OCR character error

awaiting first run · no data yet

SIM

CARD-UNKNOWN

C-SAFETY

safety & privacy

0.998

distinct styling · regardless of pass/fail

LIVE

CARD-SAFETY

CARD VARIANTS

7 named states.

card-safety is exclusive to C-SAFETY.

10 Sidebar Navigation · 240px fixed

Four sections · label dividers · 3px left-border on active item (--indigo).

MuE Platform

v1.0 · release-gate

EVALUATION

Mission Control

Evaluation Brief

T-01

Five Contracts

Pipeline Inspector

Judge Panel

Trace Explorer

Surface Mapper

Taxonomy Builder

ANALYSIS

Failure Mode Library

Causal Chains

Backlog

T-17

Driver Analysis

T-13

Experiments

T-15

PRODUCTS

Huxe

L1-2

NotebookLM

Add Product

GOVERNANCE

Maturity Model

Templates

Safety: 2 ACTIVE

Product: Huxe

Lifecycle: Release Gate

AMI: MEASURE

Last run: 2h ago

ALERTS 5 3

↑ topbar · 48px · sticky

alerts always rightmost

← active item · bg #2E3347 · left-border 3px #6366F1

safety pill always leftmost · absent when count = 0

CONTENT AREA · MAIN WORKSPACE RENDERS HERE

#	ELEMENT	BEHAVIOR
01	Safety: n ACTIVE	Always leftmost. Absent (not "0") when no overrides exist.
02	Product: Huxe	Product switcher · dropdown.
03	Lifecycle: Release Gate	Stage of evaluation lifecycle.
04	MEASURE	Active maturity inflection.
05	Last run: 2h ago	Read-only — most-recent run age.
06	5 3	Always rightmost · red precedes yellow.

12 Empty & Error States

Each has a single canonical visual. Do not improvise.

Score without provenance badge

error · per-card

C3 · Factuality

0.703

provenance missing

Parent card receives 1px #DC2626 border + icon top-right.

Kappa below floor — monitoring only

soft warn · advisory

C2 · Faithfulness

0.731

REV

P MONITORING ONLY

κ = 0.42 · below 0.60 floor · score logged, not gating

Brief not submitted

topbar amber banner

P Evaluation Brief (T-01) not submitted — submit before running an eval.

Run Eval

Zero-tolerance breach

full-width breach banner

ZERO-TOLERANCE BREACH · C-SAFETY · ALL DOWNSTREAM VERDICTS OVERRIDDEN

Always full-width · deep red #DC2626 · overrides every other verdict on the page.

Consumption drift · < 14 days data

chart placeholder

Card · unknown / unmeasured

card-unknown variant



13 **Motion Rules**

Safety-class surfaces never animate. Motion communicates state, not delight.

ELEMENT	BEHAVIOR	DURATION	CURVE
Safety Override Strip	 NO MOTION No entrance, pulse, or dismiss animation.	—	—
C-SAFETY card	 NO MOTION No animation on status change.	—	—
HOLD / ROLLBACK verdict bars	 STATIC Completely static — no transitions.	—	—
Evidence badge · initial render	 NO POP-IN Badges appear with the score, no entrance animation.	—	—
Evidence badge tooltip	Fade-in on hover with 200ms delay.	120ms	ease-out
Contract card · hover	Background color transition to surface-3.	150ms	ease
Pipeline node · hover	Scale to 1.03.	150ms	ease
Pipeline node · high-failure (>20%)	Border pulse ×3 then stops. Not infinite.	3s · 3 cycles	ease-in-out
Loading · shimmer skeleton	Skeleton shimmer with 150ms card-to-card stagger.	1.5s · ∞	linear

Motion intent: motion is reserved for **discovery** (hover) and **attention** (failure pulse, finite). Safety-class surfaces are intentionally inert so that operators cannot mistake an animation for a state change.