

EVALUATION

-  Mission Control
-  Evaluation Brief T-01
-  Five Contracts
-  Pipeline Inspector
-  Judge Panel
-  Trace Explorer
-  Surface Mapper
-  Taxonomy Builder

ANALYSIS

-  Failure Mode Library
-  Causal Chains
-  Backlog T-17
-  Driver Analysis T-13
-  Experiments T-15

PRODUCTS

-  Huxe L1-2
-  NotebookLM
- +

Add Product

GOVERNANCE

-  Maturity Model
-  Templates
-  Five Drift Monitor
-  Lifecycle Coverage
-  Eval Debt Register
-  CI Gate Monitor

PIPELINE INSPECTOR

Huxe · 9-stage pipeline · failure-origin map

← #46

Run #47

#48 →

2026-05-11 14:32 · 186 cases · 4m 12s

UPSTREAM ALERT

.

S1 (31%)

+

S6 (15%)



=

46%

of all failures

Per framework: **fix S1 before anything downstream**. Generator (S6) failures cascade from upstream ingest gaps — addressing S6 in isolation will not move the gate.

Run T-13 Driver Analysis →



Nine-Stage Pipeline · upstream → downstream

FAIL >10%

WARN 5-10%

PASS ≤5%

CLICK NODE TO INSPECT



S1 Ingestion

SELECTED

● FAIL · 31% OF RUN FAILURES

ORIGINATED FAILURES

58 of 186

FAILURE TAGS

4 surfaced · 1 not yet measured

TAG	COUNT	EVIDENCE	BLAST RADIUS	CAUSAL CHAIN
⌘ ingestion.email.thread_collapse	16	SIM	BR:3	→ HC-01
ingestion.email.html_garble	~ 8	SIM	BR:2	standalone
⌘ ingestion.calendar.attendee_drop	8	SIM	BR:2	→ HC-02
ingestion.email.attachment_blind	?	NONE	BR:?	● unmeasured

⌘ marks the root of an open causal chain. Counts ~ approximate (SIM source). One sub-contract is structurally unmeasured — evaluator missing.

ACTIVE CAUSAL CHAINS

rooted in S1

HC-01

~12 of 30 traces · ~40% prevalence

SIM

thread_collapse → email_faithfulness_break

View chain →

HC-02

~8 of 30 traces · ~27% prevalence

SIM

attendee_drop → calendar_invented

View chain →

RECOMMENDED FIX SURFACES

3 surfaces

1

Ingest full email thread with role labels

PARSING

sender, recipient, timestamp per message · resolves HC-01 root

2

HTML parser upgrade for newsletter format extraction

PARSING

handle multi-part MIME, strip tracking pixels, preserve sentence boundaries

3

Calendar: retain attendee list in structured parse

PARSING

