

## Query 1

```
18
              ROLLBACK;
 19
              SELECT 'rolled back' AS Transaction;
     END IF;
 20
 21 END //
 22
    DELIMITER ;
 23
 24 •
       CALL test();
 25
 26 • SELECT * FROM musicians
 27 WHERE musician_id = 8;
 28
 29
 30 -- Q2
 31 • DROP PROCEDURE IF EXISTS test2;
100% 🗘 1:25
                                    Export:
Result Grid II Filter Rows: Q Search
Transaction
18
              ROLLBACK;
19
             SELECT 'rolled back' AS Transaction;
 20
        END IF;
    END //
 21
       DELIMITER;
 22
 23
 24 • CALL test();
 25
 26 • SELECT * FROM musicians
 27
       WHERE musician_id = 8;
 28
 29
 30 -- Q2
31 • DROP PROCEDURE IF EXISTS test2;
100% C 1:28
Edit: 🚄 📆 📙 Export/Import: 🏣 📸
musician_id email_address password first_name last_name shipping_address_id billing_address_id
                   NULL
                         NULL
                                 NULL
                                        NULL
```



## Query 2

```
INSERT INTO order_instruments VALUES(DEFAULT, order_id, 1, '699.00', '209.70', 1);
 43
 44
 45
           IF sql_err = FALSE THEN
 46
                COMMIT;
 47
                SELECT 'committed' AS Transaction;
 48
           ELSE
 49
                ROLLBACK;
 50
                SELECT 'rolled back' AS Transaction;
 51
            END IF;
        END //
 52
 53
        DELIMITER;
 54
 55 •
        CALL test2();
 56
100% 🗘 1:56
 Result Grid Filter Rows: Q Search
                                          Export:
 Transaction
committed
```



## Query 3

