Amlaan Bhoi

 $\frac{\rm abhoi3@uic.edu}{1720~S~Michigan~Ave,~Chicago,~IL} \ \, \frac{\rm abhoi}{1720~S~Michigan~Ave,~Chicago,~IL}$

EDUCATION

University of Illinois at Chicago

Chicago, IL

Master of Science in Computer Science; GPA: 3.83/4.0

Expected May 2019

Relevant Coursework: Advanced Machine Learning, Advanced Database Management Systems, Applied Artificial Intelligence, AI: Innovation & Entrepreneurship, Data Mining & Text Mining, Introduction to Data Science

Amity University

New Delhi, India

Bachelor of Technology in Computer Science & Engineering; GPA: 3.32 (8.28/10.0)

Aug 2013 - May 2017

Relevant Coursework: Analysis & Design of Algorithms, Data Structures using C, Operating Systems, Pattern Recognition

SKILLS

• Languages: Python, C++, SQL, Java, Swift

Technologies: GCP, AWS, GitHub, GitLab, Docker

• Libraries: TensorFlow, PyTorch, Keras, Scikit-Learn, Numpy, Pandas, Spark, Jupyter, OpenCV, PIL, OpenCL, OpenGL, CUDA

EXPERIENCE

CCC Information Services

Chicago, IL

R&D Engineer Intern (Machine Learning)

May 2018 - Present

- RotNet: Designed and trained a shallow CNN to classify rotated images. Achieved F1-score of 0.99 on test set of 1M+ images
- o TagNet: A computer vision model to classify views of automobile images
 - * Implemented an expectation maximization algorithm to sample and classify images from 6M+ unlabaled images to prepare a clean dataset of 100K+ images for training
 - * Designed and trained a low-complexity CNN to classify 20+ views of automobile images resulting in 30% improvement in F1-score compared to SVM model
 - * Reduced model complexity and size by 40% by freezing model and performing post-training quantization
- o TVR: A computer vision model to determine if image is total loss or repairable
 - * Trained ensemble of CNN architectures on 1M+ automobile images to classify vehicles as total loss or repairable resulting in 25% higher weighted F1-score and 60% decrease in model size compared to older iteration
 - * Incorporated first notice of loss information using NLP to increase F1-score by 10%

Reliance Communications

Mumbai, India

Software Engineer Intern

May 2016 - Aug 2016

• Optimal Node Search: Implemented Dijkstras algorithm on 10K+ network nodes to find shortest path for signal propagation resulting in 25% reduction in costs

OSSCube

New Delhi, India

Software Engineer Intern

May 2015 - Aug 2015

o Squeek Twitter iOS: Designed and developed Twitter client using Fabric SDK

PROJECTS

- OCR using Conditional Random Fields: A probabilistic graphical model for sequential character recognition
 - o Implemented a CRF in $O(m|\mathcal{Y}|^2)$ time to achieve a 84% letter-wise accuracy on UPenn OCR dataset
 - o Implemented OpenMPI CRF using PETSc and Tao to achieve 77.1% letter-wise accuracy
- Aspect-based Sentiment Analysis: Implemented Deep Memory Networks to achieve 78.66% accuracy, 0.69 F1-score on SemEval 2014 dataset
- Iris Speech to Code: A natural speech to code converter for aiding programmers with disabilities
 - o Trained an intent classification model in Microsoft Luis to classify 15+ classes or commands
 - Implemented a message passing protocol using RabbitMQ to broker messages between Google API scripts, ElectronJS, and VS Code extension
- Lifeguard AI: Trained a 3D-CNN model on Microsoft Azure for action localization on drowning people in swimming pools. Achieved mean IOU score of 0.45

Additional Experience & Achievements

- Presented poster on Tiramisu DenseNet Architecture for Precise Segmentation for Intel AI at CVPR 2018
- Selected as an Intel AI Student Ambassador (only 150 students) to research, publish, and share work on machine learning and deep learning
- Won Best Microsoft Hack out of 220 teams at HackHarvard 2017
- Placed 16/50 at Google Games: Campus Edition 2017 UIC
- Won Best Technical Innovation award (out of 800 students) at Amity University Convocation 2017
- Elected as a *Vice-Chair* for **ACM Amity Student Chapter** out of 800 students at Amity University based on high-achieving and technically strong undergraduate students