

Maulana Abul Kalam Azad University
of Technology, West Bengal



**MAULANA ABUL KALAM AZAD UNIVERSITY OF
TECHNOLOGY, WEST BENGAL**

Paper Code : CS-302

PUID : 03008 (To be mentioned in the main answer script)

DATA STRUCTURE & ALGORITHM

Time Allotted : 3 Hours

Full Marks : 70

The figures in the margin indicate full marks

*Candidates are required to give their answers in their own
words as far as practicable.*

**GROUP – A
(Multiple Choice Type Questions)**

1. Choose the correct alternatives for any ten of the following : 10 × 1 = 10
- i) The number of swapping needed to sort numbers 8, 22, 7, 9, 31, 19, 5, 13 in ascending order using bubble sort is
- | | |
|-------|--------|
| a) 11 | b) 12 |
| c) 13 | d) 14. |
- ii) Binary search uses
- | |
|--------------------------------|
| a) divide and reduce strategy |
| b) divide and conquer strategy |
| c) heuristic search |
| d) both (a) and (b). |



- iii) The following sequence of operations is performed on a stack : push(1), push(2), pop, push(1), push(2), pop, pop, pop, push(2), pop.

The sequence of popped out values is

- a) 2, 2, 1, 1, 2 b) 2, 2, 1, 2, 2
 c) 2, 1, 2, 2, 1 d) 2, 1, 2, 2, 2.
- iv) The postfix expression for $* + a b - c d$ is
- a) $ab + cd - *$ b) $ab cd + - *$
 c) $ab + cd * -$ d) $ab + - cd *$.
- v) Adjacency matrix for a digraph is
- a) unit matrix b) symmetric matrix
☒ c) asymmetric matrix d) none of these.

- vi) Which of the following is a hash function ?

- ☒ a) Quadratic probing b) Chaining
 c) Open addressing d) Folding.
- vii) Linked list is not suitable data structure for which one of the following problems ?


- a) Insertion sort b) Radix sort
☒ c) Binary search d) Polynomial addition.

viii) Number of all possible binary trees with 4 nodes is

- a) 13 b) 12
- c) 14 ~~d)~~ 15.

ix) If the inorder and preorder traversal of a binary tree are D, B, F, E, G, H, A, C and A, B, D, E, F, G, H respectively then the postorder traversal of that tree is

- a) D, F, G, A, B, C, H, E
b) F, H, D, G, E, B, C, A
c) C, G, H, F, E, D, B, A
d) D, F, H, G, E, B, C, A



x) The heap (represented by an array) constructed from the list of numbers 30, 10, 80, 60, 15, 55, 17 is

- a) 60, 80, 55, 30, 10, 17, 15
b) 80, 55, 60, 15, 10, 30, 17
c) 80, 60, 30, 17, 55, 15, 10
d) none of these.

xi) In array representation of Binary tree, if the index number of a child node is 6 then the index number of its parent node is

- a) 2
- b) 3
- c) 4
- d) 5.

xii) BFS constructs

- a) a minimal cost spanning tree of a graph
- b) a depth first spanning tree of a graph
- c) a breadth first spanning tree of a graph
- d) none of these.

GROUP - B
(Short Answer Type Questions)

Answer any *three* of the following. $3 \times 5 = 15$

- 2. Differentiate between Linear and Non-linear data structures. Give two examples of each.
- 3. Write an algorithm to find the largest and smallest element in a single linear list.
- 4. a) Suppose one 2-D array is initialized as `int a [5] [7];` Base address is 4000. Find the location of element `a [2] [4]` in row major form and column major form.
b) Define Sparse Matrix.

3 + 2

5. a) Prove that the maximum no. of nodes in a binary tree of depth k is $2^k - 1$.
 b) What are the characteristics of algorithm ? 3 + 2
6. Draw a minimum heap tree from the list below :
 12, 11, 7, 3, 10, -5, 0, 9, 2

Now do the heap sort operation over the heap tree.

GROUP - C

(Long Answer Type Questions)

Answer any *three* of the following. $3 \times 15 = 45$

7. a) Represent the given polynomial using a link list :
 $3x^4 + x^2 - 5x + 2$. 2
- b) Write the pseudo code / C code for adding two polynomials (already given by user, no need to take input). Also comment on the complexity of your algorithm. 4 + 2
- c) Write the pseudo code or C code to implement Tower of Hanoi problem. Also find the complexity of your procedure. 3 + 4
8. a) Insert the following numbers into a binary search tree in the order that they are given and draw the resulting tree :
 87; 36; 22; 15; 56; 85; 48; 91; 72; 6
 Delete 48 and draw the resulting tree. Delete 15 and draw the resulting tree. 9
- b) Write an algorithm to insert an element into binary search tree. 6

9. a) Define sorting. 2
- b) What is a stable sorting ? What is In-place sorting ?
2 + 2
- c) Write the pseudo code for Merge sort implementation. What is the time complexity ? 3 + 2
- d) If the existing array is sorted and you want to insert a new element in the list without disrupting the sortedness then which sorting technique you should use ? 2
- e) What is Hashing ? 2
10. a) Show the stages in growth of an order -4B- Tree when the following keys are inserted in the order given :
84 82 29 97 61 10 45 28 49 70 86 68 19 55 22 11
55 77 16 5
- b) How does an AVL tree differ from a binary search tree ? Insert the following keys in the order given below to build them into an AVL tree :
8 12 9 11 7 6 66 2 1 44
Clearly mention different rotation used and balance factor of each node. 6
- c) Write the Prim's algorithm for finding MST from a graph. 4

11. Write short notes on any *three* of the following : 3 × 5

- a) Radix sort
- b) Index sequential file organization
- c) DFS in graph
- d) Interpolation search
- e) Threaded binary tree.

