

Recurrent Neural Networks

Nipun Batra and teaching staff

IIT Gandhinagar

August 30, 2025

Table of Contents

1. Introduction and Motivation
2. Basic RNN Architecture
3. RNN Applications
4. Advanced Variants
5. Modern Context
6. Summary

Introduction and Motivation

Why Sequential Data Matters

Example: Sequential Data Examples

- **Text:** "The quick brown fox jumps..."
- **Speech:** Audio waveforms over time
- **Stock Prices:** Daily market values
- **Weather:** Temperature, humidity over days

Important: Challenge

Traditional feedforward networks treat inputs independently
- they can't capture **temporal dependencies**.

Basic RNN Architecture

Simple RNN Cell

Definition: RNN Equations

$$h_t = \tanh(W_{hh}h_{t-1} + W_{xh}x_t + b_h) \quad (1)$$

$$y_t = W_{hy}h_t + b_y \quad (2)$$

Key Points: Important

- Same weights shared across all time steps
- Hidden state acts as “memory”
- Can process variable length sequences

Pop Quiz #1

Answer this!

What happens to gradients in simple RNNs during backpropagation?

- A) They remain constant
- B) They can explode or vanish
- C) They always improve
- D) They disappear completely

Pop Quiz #1

Answer this!

What happens to gradients in simple RNNs during backpropagation?

- A) They remain constant
- B) They can explode or vanish
- C) They always improve
- D) They disappear completely

Answer: B) They can explode or vanish

The Issue

Important: The Gradient Problem

- Gradients multiply by W_{hh} at each time step
- If $\|W_{hh}\| > 1$: Exploding gradients
- If $\|W_{hh}\| < 1$: Vanishing gradients

RNN Applications

Sentiment Analysis (Many-to-One)

Example: Sequence Classification

- Input: "This movie is great!"
- Process each word sequentially
- Output: Positive/Negative sentiment

Key Points: Applications

Document classification, spam detection, review analysis

Machine Translation (Many-to-Many)

Example: Sequence-to-Sequence

- **Encoder:** French → "Je suis étudiant"
- **Context:** Hidden representation
- **Decoder:** English → "I am student"

Advanced Variants

LSTM: Long Short-Term Memory

Definition: LSTM Key Idea

Use **gates** to control information flow:

- **Forget gate:** What to remove from memory
- **Input gate:** What new information to store
- **Output gate:** What parts of memory to output

Theorem: Advantage

LSTM gates solve the vanishing gradient problem by allowing gradients to flow unchanged through time.

GRU: Gated Recurrent Unit

Key Points: GRU vs LSTM

- Simpler: Only 2 gates instead of 3
- Faster training and inference
- Often performs similarly to LSTM
- Good starting point for many applications

Modern Context

From RNNs to Transformers

Theorem: Why Transformers Won

- **Parallelizable:** No sequential dependency
- **Long-range dependencies:** Attention mechanism
- **Scalable:** Works well with large datasets
- **Transfer learning:** Pre-trained models (GPT, BERT)

When to Still Use RNNs

Definition: RNN Strengths

- **Memory efficiency:** Constant memory usage
- **Online processing:** Can process streaming data
- **Small datasets:** Less prone to overfitting
- **Simple problems:** Often sufficient

Example: Modern Applications

- Real-time speech recognition
- IoT sensor data processing
- Mobile applications
- Control systems

Summary

Key Takeaways

Key Points: What we learned

1. RNNs process sequential data with memory
2. Simple RNNs suffer from gradient problems
3. LSTM and GRU solve long-term dependencies
4. Training uses Backpropagation Through Time
5. Transformers have largely replaced RNNs for NLP

Theorem: The Big Picture

RNNs introduced **sequential processing with memory** to deep learning, paving the way for modern language models.