

SIMATS ENGINEERING
CSA1503-CLOUD COMPUTING

23. Write a Procedure to Attach Virtual Block to the Virtual Machine and Check Whether It Holds the Data Even After the Release of the Virtual Machine



AIM:


To attach a **virtual block/virtual hard disk** to a virtual machine in Oracle VirtualBox, store data on it, release/detach the virtual machine, and verify that the stored data is retained when the virtual disk is attached again.

PROCEDURE:

1. Open **Oracle VirtualBox** and select the required virtual machine.
2. Make sure the virtual machine is **Powered Off** before changing its storage configuration.
3. Open **Settings** → **Storage**.
4. Select the required storage controller, such as **SATA Controller**, and click **Add Hard Disk**.
5. Select **Create a New Virtual Hard Disk** and choose the required disk format, such as **VDI**.
6. Specify the required **virtual disk size** and create the disk.
7. Attach the newly created virtual hard disk to the virtual machine. VirtualBox also allows an existing disk image to be selected and attached.
8. Start the virtual machine and open the attached virtual disk from the guest operating system.
9. Create a sample file or folder on the virtual disk, for example **Test_Data.txt**, and enter some data.
10. Shut down the virtual machine properly.
11. Open **VirtualBox** → **Tools** → **Virtual Media Manager** and locate the attached virtual hard disk.
12. Select the virtual hard disk and choose **Release/Detach** to remove it from the virtual machine without deleting the disk image. VirtualBox's Virtual Media Manager provides a Release operation that detaches a virtual hard disk from a
13. Start the virtual machine again and reattach the **same virtual hard disk** through **Settings** → **Storage** → **Add Existing Hard Disk**.

OUTPUT:





3. Virtual Media Manager – Releasing Disk

