CADET	SECTION	TIME OF DEPARTURE
DEPARTMEN'	T OF CHEMISTRY	% LIFE SCIENCE
CH365 2023-2024 Thanksgiving Day Bonus 21 November 2022	SCOPE	Smith, Van Ness, & Abbott E: Lessons 22-32 ESTED TIME: 30 Minutes
References Permitted: Open note	es, book, internet, C	CHEMCAD, Mathematica, Excel.

## **INSTRUCTIONS**

- 1. This is a BONUS exercise and is due 1630 27 November 2023.
- 2. There are 2 problems on three pages (not including the cover page).
- 3. Save all electronic work to Canvas.

(TOTAL WEIGHT: 20 POINTS)

## DO NOT WRITE IN THIS SPACE

PROBLEM	VALUE	ADD
A	10	
В	10	
TOTAL BONUS	20	

Cadet:

Problem: Weight: A 10

In class we derived the Gibbs energy generating function (lesson 27 slides 21 and 22, Lesson 28 slide 3, and pages 224-225 in the textbook). The importance of the Gibbs energy generating function is that it is used to derive the residual Gibbs energy, residual entropy, and residual enthalpy (Lesson 28, slides 4 to 6 and pages 225-227 in the textbook).

Recall that the Helmholtz energy is based on internal energy and entropy and is defined as A = U - TS (eq. 6.3). Also recall that the fundamental property relation for Helmholtz energy is dA = -PdV - SdT (eq. 6.10).

Instead of Gibbs energy, use Helmholtz energy to derive a generating function for the internal energy. That is, prove that U/RT is a function of A/RT.

Problem: Weight: 10

Determine the change in entropy of a 25-pound turkey heated from 25 to 350 °C. For perspective, compare this to the entropy change of 25 pounds of air (as an ideal gas) undergoing the same temperature change at constant pressure.