



# UITs

*Future will be better than the past*

University of Information Technology & Sciences

An initiative of *PHP* Family

# Assignment

**CSE 208**

**Internet Programming Lab**

**Submitted By:**

**Fahima Abida Chowdhury**

**Department of CSE**

**ID: 0432220005101135**

**Semester: Spring-24**

**Batch: 52(4C1)**

**Submitted To :**

**Tahmina Islam**

**Lecturer**

**Faculty of CSE**

**University of Information Technology & Sciences**

1.

1nofahima35.php X

2no\_fahima1135.php

p2\_35.html

1no\_fahima1135.php

1nofahima35.php

```
1 <?php
2 $num1 = $_POST["1"];
3 $num2 = $_POST["2"];
4 while($num1<=$num2){
5     if($num1%2==0){
6         echo $num1.' ';
7     }
8     $num1++;
9 }
10 ?>
11
```

p1\_35.html X

1nofahima35.php

2no\_fahima1135.php

p2\_35.html

4no\_1

p1\_35.html > html > body > form > input

```
1 <html>
2   <head></head>
3   <body>
4     <form action="1nofahima35.php" method="POST">
5       <label>Input 1</label>
6       <input type="number" name="1"><br>
7       <label>Input 2</label>
8       <input type="number" name="2"><br>
9       <input type="submit" value="check" name="res">
10    </form>
11  </body>
12 </html>
13
14
```

← → ↻ 🏠 ⓘ localhost/assignment\_135/p1\_35.html

Input 1 30

Input 2 40

check

← → ↻ 🏠 ⓘ localhost/assignment\_135/1nofahima35.php

30 32 34 36 38 40

2.

```
<?php
$num = $_POST["n"];
for($i=1;$i<=$num;$i=$i+1){
    for($j=1;$j<=$i;$j=$j+1){
        echo $i.' ';
    }
    echo "<br>";
}
?>
```

2no\_fahima1135.php p2\_35.html 4no\_1135.php p5\_35.html 3no\_1

```
<p2_35.html > ...
1 <html>
2 |   <head></head>
3 <body>
4 |   <form action="2no_fahima1135.php" method="POST">
5 |       <label>Input</label>
6 |       <input type="text" name="n"><br>
7 |
8 |       <input type="submit" value="check" name="res">
9 |   </form>
10 </body>
11 </html>
12 |
```

localhost/assignment\_135/p2\_35.html

Input 5

check

localhost/assignment\_135/2no\_fahima1135.php

```
1
2 2
3 3 3
4 4 4 4
5 5 5 5 5
```


3.

```
<?php
$num1= $_POST['num1'];
$num2= $_POST['num2'];
echo "Output: ";
for ($i = $num1; $i <= $num2; $i++) {
    $prime = 0;

    for ($j = 2; $j <= $i / 2; $j++) {
        if ($i % $j == 0) {
            $prime++;
            break;
        }
    }


    if ($prime == 0 && $i != 1)
        echo "$i ";
}
?>
```

```
<> p2_35.html 4no_1135.php <> p5_35.html 3no_1135.php <> p3
<> p3_35.html > ...
1  <!DOCTYPE html>
2  <head>
3  <title></title>
4  </head>
5  <body>
6      <form action="3no_1135.php" method="post">
7          <label>Range from</label>
8          <input type="number" name="num1"><br>
9          <label>Range to</label>
10         <input type="number" name="num2"><br>
11         <input type="submit" value="check" >
12     </form>
13 </body>
14 </html>
```



Range from

Range to



Output: 31 37 41 43 47

4.

```
<?php
$x = $_POST['nm1'];
$y = $_POST['nm2'];
$res = $_POST['ans'];

if ($res == 'add')
{
$result = $x + $y;
}
if($res == 'sub')
{
$result = $x - $y;
}
if($res == 'mul')
{
$result = $x * $y;
}
if($res == 'div')
{
$result = $x / $y;
}
?>
```

```
p4_35.html > ...
1 <html>
2 <head><b>Calculator</b></head>
3 <body>
4 <form action="4no_1135.php" method="post">
5 <label>Input 1</label>
6 <input type="number" name="nm1" value="<?php echo $x; ?>"><br><br>
7 <label>Input 2</label>
8 <input type="number" name="nm2" value="<?php echo $y; ?>"><br><br>
9 <label>Result</label>
10 <input type="number" name="result" value="<?php echo $result; ?>"><br><br>
11 <input type="submit" value="add" name="ans">
12 <input type="submit" value="sub" name="ans">
13 <input type="submit" value="mul" name="ans">
14 <input type="submit" value="div" name="ans">
15 </form>
16 </body>
17 </html>
18
```

localhost/assignment\_135/p4\_35.html

### Calculator

Input 1

Input 2

Result

localhost/assignment\_135/4no\_1135.php

### Calculator

Input 1

Input 2

Result

5.

```
<?php
function DDD($x) {
    switch ($x) {
        case 61:
            echo "Brazilia";
            break;
        case 71:
            echo "Salvador";
            break;
        case 11:
            echo "Sao Paulo";
            break;
        case 21:
            echo "Rio de Janeiro";
            break;
        case 32:
            echo "Juiz de Fora";
            break;
        case 19:
            echo "Campinas";
            break;
        case 27:
            echo "Vitoria";
            break;
        case 31:
            echo "Belo Horizonte";
            break;
        default:
            echo "invalid input";
            break;
    }
}

if($_SERVER["REQUEST_METHOD"] == "POST") {
    $x = $_POST["userInput"];
    DDD($x);
}

?>
```

←

→

↻

🏠

🔍

localhost/assignment\_135/p5\_35.html

61

Submit

←

→

↻

🏠

🔍

localhost/assignment\_135/5no\_35.php

Brazilia

←

→












↻

🏠

🔍

localhost/assignment\_135/

# Index of /assignment\_135

<a href="#">Name</a>	<a href="#">Last modified</a>	<a href="#">Size</a>	<a href="#">Description</a>
 <a href="#">Parent Directory</a>		-	
 <a href="#">1nofahima35.php</a>	2024-05-04 15:11	147	
 <a href="#">2no_fahima1135.php</a>	2024-05-04 15:01	141	
 <a href="#">3no_1135.php</a>	2024-05-04 20:36	377	
 <a href="#">4no_1135.php</a>	2024-05-04 19:56	950	
 <a href="#">5no_35.php</a>	2024-05-04 15:15	706	
 <a href="#">p1_35.html</a>	2024-05-04 15:11	327	
 <a href="#">p2_35.html</a>	2024-05-04 15:00	258	
 <a href="#">p3_35.html</a>	2024-05-04 20:38	330	
 <a href="#">p4_35.html</a>	2024-05-04 20:00	682	
 <a href="#">p5_35.html</a>	2024-05-04 15:16	226	

Apache/2.4.58 (Win64) OpenSSL/3.1.3 PHP/8.2.12 Server at localhost Port 80