




Software Project Management


Git Lab



Abdullah (47618), Ahmed (54635)

BSSE-6


Submitted to: Prof. Dr. Waqar Mehmood



A screenshot of a Windows Command Prompt window. The title bar at the top reads "Command Prompt" and includes standard window controls (minimize, maximize, close). The command prompt shows the user's current directory as "C:\Users\abdul". The user has entered the command "git --version", and the output is "git version 2.53.0.windows.2". The prompt is now waiting for the next command.

```
C:\Users\abdul>git --version
git version 2.53.0.windows.2

C:\Users\abdul>
```



A screenshot of a Windows Command Prompt window, continuing from the previous one. The user has entered two commands to configure their global Git settings. The first command is "git config --global user.name 'Abdullah'", and the second is "git config --global user.email 'abiezofficial@gmail.com'". The prompt is now waiting for the next command.

```
C:\Users\abdul>git --version
git version 2.53.0.windows.2

C:\Users\abdul>git config --global user.name "Abdullah"

C:\Users\abdul>git config --global user.email "abiezofficial@gmail.com"

C:\Users\abdul>
```

```
Command Prompt
C:\Users\abdul>git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
core.editor="C:\Users\abdul\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.name=Abdullah
user.email=abiezofficial@gmail.com

C:\Users\abdul>
```

```
Command Prompt
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
core.editor="C:\Users\abdul\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.name=Abdullah
user.email=abiezofficial@gmail.com

C:\Users\abdul>cd ..

C:\Users> cd d:\

C:\Users>cd ..

C:\>mkdir spm_git_task

C:\>cd spm_git_task

C:\spm_git_task>git init
Initialized empty Git repository in C:/spm_git_task/.git/

C:\spm_git_task>
```

```
C:\spm_git_task>echo "Hi, I am a software engineering student specializing in full-stack development and automation." > about.txt
```

```
C:\spm_git_task>|
```

```
C:\spm_git_task>git add about.txt
```

```
C:\spm_git_task>git commit -m "Initial commit: Add about.txt with personal introduction"
[main (root-commit) 986a343] Initial commit: Add about.txt with personal introduction
 1 file changed, 1 insertion(+)
 create mode 100644 about.txt
```

```
C:\spm_git_task>echo "Currently learning software project management and version control fundamentals." >> about.txt
```

```
C:\spm_git_task>git add about.txt
```

```
C:\spm_git_task>git commit -m "Update about.txt: Add educational focus details"
[main 073a160] Update about.txt: Add educational focus details
 1 file changed, 1 insertion(+)
```

```
C:\spm_git_task>echo "Skills: JavaScript, Node.js, React, MongoDB, Flutter, Dart, Git" > skills.txt
```


```
C:\spm_git_task>echo "Projects: TripBuddy (MERN Stack Tour Application), Tourguide (Flutter)" > projects.txt
```

```
C:\spm_git_task>|
```

```
C:\spm_git_task>git add skills.txt projects.txt
```

```
C:\spm_git_task>git commit -m "Add portfolio structure: Create skills.txt and projects.txt"
[main 68b171b] Add portfolio structure: Create skills.txt and projects.txt
 2 files changed, 2 insertions(+)
 create mode 100644 projects.txt
 create mode 100644 skills.txt
```

```
C:\spm_git_task>|
```



```
Command Prompt
C:\spm_git_task>git branch -M main

C:\spm_git_task>git remote add origin https://github.com/abieegit/spm_git_task.git

C:\spm_git_task>git push -u origin main
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (10/10), 1.04 KiB | 534.00 KiB/s, done.
Total 10 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/abieegit/spm_git_task.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\spm_git_task>
```

```
Command Prompt
C:\spm_git_task>git checkout -b update-profile
Switched to a new branch 'update-profile'

C:\spm_git_task>echo "Looking for Full Stack Developer internship opportunities." >> about.txt

C:\spm_git_task>git add about.txt

C:\spm_git_task>git commit -m "Feature: Add internship objectives to about.txt"
[update-profile d2e2afc] Feature: Add internship objectives to about.txt
1 file changed, 1 insertion(+)

C:\spm_git_task>
```

```
Command Prompt

C:\spm_git_task>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

C:\spm_git_task>git merge update-profile
Updating 68b171b..d2e2afc
Fast-forward
 about.txt | 1 +
 1 file changed, 1 insertion(+)

C:\spm_git_task>
```

```
C:\spm_git_task>git log --oneline --graph --all
* d2e2afc (HEAD -> main, update-profile) Feature: Add internship objectives to about.txt
* 68b171b (origin/main) Add portfolio structure: Create skills.txt and projects.txt
* 073a160 Update about.txt: Add educational focus details
* 986a343 Initial commit: Add about.txt with personal introduction

C:\spm_git_task>
```

```
C:\spm_git_task>git mv skills.txt my-skills.txt

C:\spm_git_task>git commit -m "Refactor: Rename skills.txt to my-skills.txt for clarity"
[main 73c6239] Refactor: Rename skills.txt to my-skills.txt for clarity
 1 file changed, 0 insertions(+), 0 deletions(-)
 rename skills.txt => my-skills.txt (100%)

C:\spm_git_task>
```

```
Command Prompt

C:\spm_git_task>git rm projects.txt
rm 'projects.txt'

C:\spm_git_task>git commit -m "Cleanup: Remove projects.txt file"
[main 3936ddd] Cleanup: Remove projects.txt file
 1 file changed, 1 deletion(-)
 delete mode 100644 projects.txt

C:\spm_git_task>
```

```
C:\spm_git_task>git push origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 828 bytes | 828.00 KiB/s, done.
Total 7 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To https://github.com/abieegit/spm_git_task.git
    68b171b..3936ddd  main -> main

C:\spm_git_task>git push origin update-profile
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'update-profile' on GitHub by visiting:
remote:   https://github.com/abieegit/spm_git_task/pull/new/update-profile
remote:
To https://github.com/abieegit/spm_git_task.git
 * [new branch]      update-profile -> update-profile

C:\spm_git_task>|
```