

Forward Secret Encrypted RAM: Lower Bounds and Applications

Alexander Bienstock¹, Yevgeniy Dodis¹, and Kevin Yeo²

¹ New York University
{abienstock,dodis}@cs.nyu.edu

² Google
kwlyeo@google.com

Abstract. In this paper, we study *forward secret encrypted RAMs* (FS eRAMs) which enable clients to outsource the storage of an n -entry array to a server. In the case of a catastrophic attack where both client and server storage are compromised, FS eRAMs guarantee that the adversary may not recover any array entries that were deleted or overwritten prior to the attack. A simple folklore FS eRAM construction with $O(\log n)$ overhead has been known for at least two decades. Unfortunately, no progress has been made since then. We show the lack of progress is fundamental by presenting an $\Omega(\log n)$ lower bound for FS eRAMs proving that the folklore solution is optimal. To do this, we introduce the *symbolic model* for proving cryptographic data structures lower bounds that may be of independent interest.

Given this limitation, we investigate applications where forward secrecy may be obtained without incurring an additional $O(\log n)$ overhead. We show this is possible for both oblivious RAMs and multicast encryption by incorporating the ideas of the folklore FS eRAM solution into carefully chosen constructions of the corresponding primitives.

1 Introduction

In recent years, there is an increasing desire to outsource the storage of data to remote servers (such as cloud service providers). By outsourcing, organizations can avoid dealing with problems arising from storing data such as global availability, replication, handling outages, etc. On the other hand, outsourcing incurs new problems with respect to privacy. In many settings, the outsourced data is stored by third-party entities that may not be completely trustworthy. As a result, there is a need for cryptographic protocols that guarantee the outsourced data remains private even when stored by the potentially untrusted storage servers.

A straightforward attempt to obtain privacy is to encrypt all data before being sent to the servers. In more detail, the data owner (also referred to as the client) will store a private key locally and encrypt all data that will be outsourced to the servers. The storage servers will never see the outsourced data in plaintext. Unfortunately, this protocol critically assumes that the client's storage always remains secure. In the case of a catastrophic attack where the client storage is compromised, the adversary may be able to decrypt all prior ciphertexts observed by the server to obtain the outsourced data in plaintext. Catastrophic attacks will inevitably leak the current state of outsourced data as the client should be able to retrieve the current outsourced data for use. However, we can still aim to provide strong privacy guarantees for prior iterations of outsourced data that may have been overwritten and/or deleted in the past. This is the core problem that we will study in our work.

In more precise terminology, we denote this primitive as *forward secret encrypted RAMs* or *FS eRAMs*. The notion of forward secret encrypted RAMs is not new and has been studied several times in the past two decades under different names such as “secure deletion” [23,25,26,2,27], “how to forget a secret” [8], “self-destruction” [9] and “revocability” [4] to list some examples. FS eRAMs consider the setting with a client and server where the client outsources the storage of an array with n entries to the potentially untrusted server that enables the client to perform read and write operations to any of the n array entries. Note that deletion is supported by simply writing \perp to any array entry. For security, FS eRAMs guarantee that even after a catastrophic corruption of both the client and server storage, the adversary may only decrypt the array's contents at the time of the compromise. Any array entries that have been overwritten prior to the attack may not be recovered.

All prior FS eRAM constructions may be unified with a single folklore solution with logarithmic overhead that was, to our knowledge, first presented in [8]. The folklore construction utilizes a binary tree with n leaf nodes that will be used to store array entries. Each internal node stores a symmetric




Fig. 1. Folklore Forward Secret Encrypted RAM construction from [8]. In this case, we have $s = 2, n = 8$, and so we have two trees rooted at the secret cells, each with four leaves corresponding to data cells. The two roots store encryption keys, while every other interior node stores an encryption of a key which was used to encrypt the contents of the node’s children. All cells, except for the two roots, reside in public storage. We depict with red font the execution of the operation $\text{write}(\text{Sec}, \text{Pub}, d'_4, 4)$ by showing that the keys at the interior nodes on the path of the leaf holding $E_{k_3}(d_4)$ are replaced by new keys which in turn are used to re-encrypt their children (including new data d'_4). This operation reads and overwrites $O(\log(n/s))$ cells asymptotically and deletes from Sec any keys that could be used to recover the old data d_4 .

encryption key that is used to encrypt the contents of its two children. The leaf nodes store array entries encrypted by their parent node’s key. Finally, the root’s encryption key is stored in client memory. To read an array entry, the corresponding root-to-leaf path is downloaded and decrypted sequentially starting from the root node. For writing to an array entry, the root-to-leaf path is downloaded along with the children of all nodes in the path and the leaf node’s contents are replaced with the new entry. All encryption keys of internal nodes in the root-to-leaf path are re-generated randomly and all ciphertexts are re-encrypted using the new keys before being uploaded back to the server. Figure 1 presents a diagram of the folklore construction. For both operations, the communication and computation costs are $O(\log n)$. If the client has the capability to store $O(s)$ keys, the efficiency may be reduced to $O(\log(n/s))$ by storing the top $O(\log s)$ levels of the tree in client storage. This folklore construction has been extended in many interesting ways such as handling dynamic array sizes [26] and more complex tree structures like B-trees [27].

Even though this folklore solution has been known for more than two decades, there have been no improvements on the asymptotic efficiency. This leads to the very important question of “Is the folklore forward secret encrypted RAM construction optimal?”. Another important question is “If the folklore solution is optimal, are there important applications or settings where one can incorporate forward secret encrypted RAMs without incurring the additional logarithmic overhead?”. In this work, we study both questions and answer affirmatively.

1.1 Our Main Result: Lower Bound

As the main result of our work, we present a lower bound for forward secret encrypted RAMs showing the folklore construction is optimal. In the past, lower bounds for cryptographic data structures were mainly proved in either the balls-and-bins [10,5] or cell probe model [32,16,15,22,14,21,17] that lie on opposite ends of the spectrum in terms of flexibility. The balls-and-bins models insists that each server memory location (bins) may store at most one opaque encrypted array entry (balls). Nothing else may be stored in server memory. Therefore, the balls-and-bins model does not encompass the folklore FS eRAM construction that utilizes server memory to store encrypted keys. On the other hand, the cell probe model allows arbitrary encodings of array entries to be stored in server memory. Due to this flexibility, proving cell probe lower bounds is viewed as the holy grail. However, cell probe lower bounds are very difficult to prove and there are long-standing gaps between lower bounds in the cell probe model and more restrictive models. We outline barriers to proving FS eRAM cell probe lower bounds in Appendix A.

To address this gap, we introduce the *symbolic model* for proving lower bounds for cryptographic data structures inspired by prior works [18,3] for other primitives. The symbolic model enables server cells to store strings that are derived from a structured grammar that incorporates important cryptographic primitives (encryption, (dual)PRFs, etc.). The symbolic model strikes a balance between the balls-and-bins and cell probe model by enabling more flexible server storage beyond just encrypted array entries

(like the balls-and-bins model) but not arbitrary encodings (like the cell probe model). Importantly, our symbolic model encompasses the folklore solution. In the symbolic model, we prove our main result showing that the folklore solution is optimal.

Theorem 1 (Informal). *For any client storage s , any forward secret encrypted RAM in the symbolic model must use $\Omega(\log(n/s))$ overhead.*

Our Lower Bound Techniques. We provide a simple, non-adaptive adversary that at each time t selects a random virtual cell to overwrite with new data. We show that after each of these operations, logarithmically (in n/s) many strings stored in the public and secret cells that were used by the protocol are expected to no longer be of any use to the protocol. I.e., because the protocol must force itself to no longer be able to recover some of the secrets which it used to recover the old data, any of the cell contents for which recovering their encapsulated strings required these secrets can no longer be used. Since we show that we can identify $\Omega(\log(n/s))$ such strings at each instant, we reach our lower bound.

To show that logarithmically-many cells become useless at each t , we abstract the relationship between the strings of the secret cells, the keys that the protocol uses, and the virtual cells at each instant into a directed graph \mathcal{G} in Definition 7, which we call the *key-data* graph. More specifically, the strings in each secret cell, the keys that the protocol uses (and can thus recover using the contents of the secret and public cells), and the virtual cells at some time t are the vertices of \mathcal{G} . Each key vertex has an edge to another vertex if it was used in a (d)PRF computation to generate the target vertex, or it was used in the generation of a string in one of the public or secret cells that encapsulates the target vertex. Additionally, each vertex corresponding to a string in a secret cell that is not a key has an edge to another vertex if it encapsulates the target vertex.

By correctness, we show that at each instant of the protocol, for every data stored in the virtual cells, there exists a collection of paths starting from vertices corresponding to secret cells and ending at the vertex corresponding to the data. These paths abstract the notion that together with the contents of the public cells at that instant, those secret cells (and not any subset of them) can recover the data. Moreover, these paths satisfy the special property that if the corresponding data cell is overwritten, all of the vertices along at least one of these paths must be made indefinitely inaccessible by the protocol for it to no longer be able to recover the old data. This choice of paths is completely determined by the protocol and indeed the protocol may make this choice in an effort to minimize the amount of computation it has to do. By proving a graph-theoretic lemma about the out-degrees of the nodes on any such chosen path in the key-data graph, we show that in expectation over the virtual cell which the adversary chooses to overwrite, the number of cells which can no longer be used to access the strings that they encapsulate as a consequence of all of the vertices on the path becoming inaccessible is $\Omega(\log(n/s))$.

1.2 “Bypassing” the Lower Bound

Equipped with the knowledge that the folklore solution is optimal, we investigate applications where FS eRAMs may be incorporated without the additional logarithmic overhead. At a high level, we will show that the folklore FS eRAM construction may be overlaid into constructions that already utilize tree-like structures. We prove this is true for two such primitives.

Oblivious RAMs. Oblivious RAMs (ORAMs) [10,24,11,29,20,1] are cryptographic primitives in the client-server setting that obfuscate the client’s access pattern to the underlying array entry even when the server observes physical accesses to server storage. Note ORAMs do not protect against client corruption. The best ORAM constructions require $O(\log n)$ overhead. A naive composition with FS eRAMs incurs $O(\log^2 n)$ overhead. Our construction essentially avoids additional overhead over ORAM.

Theorem 2 (Informal). *There exists a construction that is both a forward secret encrypted RAM and an oblivious RAM with $O(\log n \cdot f(n))$ overhead and $O(1)$ client storage for any function $f(n) = \omega(1)$.*

As an additional contribution, we also show that stronger notions of forward secret obliviousness are expensive in the cell probe model. One natural notion might be to provide forward secrecy for access patterns. After client compromise, the server may not learn information about the prior accesses to data. We denote this as strong oblivious forward secret encrypted RAMs. We note a similar lower bound was presented in [27], but only in the balls-and-bins model. Our result is slightly stronger since it is proved in the cell probe model.

Theorem 3 (Informal). *For any client storage s , any strong oblivious forward secret encrypted RAM in the cell probe model must use $\Omega(n - s)$ overhead.*

Multicast Encryption. Multicast encryption (MC) is a primitive that allows a group manager to securely and efficiently distribute secrets to an evolving group of users. After each group membership change, a new epoch is initiated, and the group manager sends ciphertexts over a broadcast channel which allow only the *current* group members to derive the next group secret. MC has been widely studied in the literature [30,31,12,13,6,19,28]. Indeed, these works can be unified into a folklore construction based on binary trees which tightly achieves optimal $O(\log n)$ communication and computational complexity per epoch with respect to the lower bound of [18]. However, this folklore construction has large group manager secret state and does not protect against corruption of this state. Our construction provides FS to the group manager, while reducing its secret state to $O(1)$ size and retaining the optimal efficiency of the folklore solution, without an extra $O(\log n)$ factor of computational overhead.

Theorem 4 (Informal). *There exists an MC construction that is forward secret with respect to group manager corruptions, has $O(1)$ group manager secret storage, and $O(\log n)$ communication and computation per epoch.*

2 Lower Bound Model

In this section, we present a general framework for proving computational lower bounds on cryptographic or privacy-preserving data structures using a symbolic model, then formalize it for the case of FS eRAM. The symbolic model we present is inspired by the one used for communication complexity lower bounds by Micciancio and Panjwani in [18] for multicast encryption and recently by Bienstock *et al.* in [3] for concurrent group ratcheting.

2.1 Framework for Symbolic Private Data Structure Lower Bounds

The first step in proving a lower bound on some private data structure in our symbolic framework is to decide which primitives are allowed in the constructions. Based on these primitives, one has to define a *grammar* within the model which specifies exactly the types of strings that can be created and stored in the structure to keep the data private. For example, if one of the allowed primitives is encryption, then the grammar must specify strings that correspond to encryption keys and encryptions of certain other strings derived from the grammar. If no other primitives are allowed, for example PRFs, then the constructions can only use such a key to generate more ciphertexts according to the grammar, and not other keys through PRF computations, for example. This grammar only defines the exact form of strings that can be generated by the allowed primitives, but does not on its own define how these strings can be used to recover the data.

The manner in which constructions can use sets of strings derived from the grammar to recover other strings, including data, is specified by an *entailment relation*. We emphasize that this relation takes as input strings derived from the grammar, generated by the functionality of the allowed primitives, and outputs other strings within the grammar, also based on the functionality of the allowed primitives. For example, if a construction stores a set of strings which include a ciphertext within the grammar that is generated by an encryption algorithm, along with the encryption key, the entailment relation specifies that the plaintext that also falls within the grammar can be recovered via the decryption algorithm. We note that unlike in traditional models, we only define the syntax and security of the allowed primitives implicitly within the grammar and entailment relation. Further utilizing the encryption example, if the key for a ciphertext is not available, then the entailment relation prohibits derivation of the underlying plaintext (and thus it is secure).

Grammars and corresponding entailment relations can generally be used for lower bounds on any private data structures. Indeed, we will provide our own in Section 2.2. To apply the grammar and entailment relation to a lower bound for a specific private data structure, one has to provide syntax, correctness, and security definitions in the symbolic model. For correctness, in general, constructions can derive strings from the grammar to store in the data structure and later use these strings, along with the entailment relation, to derive the plaintext data that they store. For security, we use the implicit

security definitions for the allowed primitives within the grammar and entailment relation to show that an adversary cannot derive certain data using certain other strings (e.g., encrypted storage). In general, such security definitions may not be as strong as the standard (e.g., indistinguishability based) definitions for private data structures. However, proving a lower bound based on a weaker adversarial model only strengthens the result.

2.2 Symbolic Definitions for Allowed Primitives

Our symbolic model allows the FS eRAM cells (secret and public) to store only certain types of strings generated by the functionality of our allowed primitives and specified by our grammar, which can only be interpreted and utilized via our entailment relation. We introduce the allowed primitives, the grammar and entailment relation in this section. Note: our grammar and entailment relation for these primitives can be used for other private data structure lower bounds.

Cryptographic primitives. The primitives which we choose to consider in our lower bound encompass all of the reasonable primitives which one would use for FS eRAM. Since FS eRAM protocols are carried out by a single entity, we only consider symmetric techniques. Namely, we include symmetric encryption, (dual) pseudorandom functions, and secret sharing. These are all of the primitives (and more) which the folklore construction and all other constructions in the literature use [26,4,8]. In fact, only symmetric encryption is used in these prior constructions. We include (dual) pseudorandom functions, as they have been shown to achieve speedups for many other primitives. We also include secret sharing as another primitive in our model. We note that FS eRAMs are easy to achieve with two non-colluding servers as the array may be secret shared between the two servers. Therefore, we add secret sharing in the case that it may be useful even in the single-server setting. We introduce the primitives here, before defining them formally in our grammar and entailment relation.

An encryption algorithm \mathbf{E} takes as input a key K and string C , and outputs a ciphertext $C' = \mathbf{E}_K(C)$. Informally, $\mathbf{E}_K(C)$ hides the string C . Symbolically, the string C can be recovered from the ciphertext, only by using the key K and corresponding decryption algorithm: $\mathbf{D}_K(\mathbf{E}_K(C)) = C$.

A PRF is an efficiently computable function \mathbf{F} that takes as input a single key K_1 and some string C and outputs a pseudorandom and independent key K_2 : $\mathbf{F}(K_1, C) = K_2$. Symbolically, K_2 can only be computed with \mathbf{F} on input K_1 and not some other input key $K'_1 \neq K_1$.

We also consider dPRFs which are efficiently computable functions \mathbf{dF} that take as input two keys K_1 and K_2 and output a pseudorandom and independent key K_3 : $\mathbf{dF}(K_1, K_2) = K_3$. Symbolically, K_3 can only be computed with \mathbf{dF} on input K_1 and K_2 and not some other pair of keys (K'_1, K'_2) such that either $K'_1 \neq K_1$ or $K'_2 \neq K_2$. The output key of both PRFs and dPRFs can be used as encryption keys.

A secret sharing scheme allows one to *split* a string C into shares $\mathbf{S}_1(C), \dots, \mathbf{S}_n(C)$, for some fixed integer n , such that C can only be recovered from certain subsets of the shares. These subsets are defined using an *access structure* $\Gamma \subseteq 2^{\{1, \dots, n\}}$. For each subset $I \in \Gamma$, if we are given the set of shares $\mathbf{S}_I(C) = \{\mathbf{S}_i(C)\}_{i \in I}$ of some string C , then we can efficiently recover C using the reconstruction function \mathbf{R} : $\mathbf{R}(I, \mathbf{S}_I(C)) = C$. Symbolically, if we only have a set of shares $\mathbf{S}_{I'}(C)$ for some $I' \notin \Gamma$, then we cannot recover C .

Grammar and entailment relation definitions. We will allow cells of the FS eRAM to contain strings which are arbitrary nested combinations of encryption, PRFs, dPRFs, and secret sharing. We formally allow cell contents to be described by strings derived from the grammar in the left of Figure 2.

The variables C and K in the grammar represent strings and keys, D is a variable that ranges over the arbitrarily large set of plaintext strings which we allow the user to write into the virtual cells of the FS eRAM, and R ranges over an arbitrarily large set of truly random keys. Observe that the input to PRFs that is not the key can be any string C derived from the grammar. We also emphasize that the virtual cells can only hold strings of type D , which are completely separate from other strings specified by our grammar. Some remarks:

- For convenience, we do not allow ciphertexts or secret shares to be encryption keys or (d)PRF keys. Our proof may be modified to enable ciphertexts or secret shares to be keys if desired.

$C \rightarrow K \mathbf{E}_K(C) \mathbf{S}_1(C) \dots \mathbf{S}_n(C) D$ $K \rightarrow R \mathbf{F}(K, C) \mathbf{dF}(K, K)$	$c \in \mathcal{C} \implies C \vdash c$ $C \vdash k \implies C \vdash \mathbf{F}(k, c), \forall c$ $C \vdash k_1, k_2 \implies C \vdash \mathbf{dF}(k_1, k_2)$ $C \vdash \mathbf{E}_k(c), k \implies C \vdash c$ $\exists I \in \Gamma : \forall i \in I, M \vdash \mathbf{S}_i(c) \implies C \vdash c$
---	---

Fig. 2. Definitions of: 1. (left) the grammar used in our symbolic model to describe the strings which any FS eRAM protocol can create and store in secret and public cells, and 2. (right) the entailment relation \vdash , where in the second through fourth rules, k, k_1, k_2 are of type K in our grammar.

- We assume that all cells are of approximately the same length, and that each of them can hold any one string derived from the grammar. This means that the functions $\mathbf{E}, \mathbf{F}, \mathbf{dF}, \mathbf{S}$ have outputs of about the same length.

Again, it is important to observe that the strings specified by the above grammar are *purely syntactic* and without any meaning. Their only intended meaning is described by the entailment relation $C \vdash c$, specifying which strings c can be recovered given a set of strings C . We formally define the relation in the right part of Figure 2. For any C , we denote the set of strings that can be recovered from C using \vdash as $\text{Rec}(C)$.

2.3 FS eRAM Symbolic Definition

Now we provide the formal definition of FS eRAM in our symbolic model. Throughout the execution of an FS eRAM protocol Π , it forward secretly stores a user-chosen ordered n -element set D of virtual cells, which hold strings of type D in our grammar. We refer to these cells as the *data cells* and their initial contents as set D_0 . We again emphasize that data cells can only hold strings of type D in our grammar, and thus cannot hold strings arbitrarily derived from C in our grammar. At each instant t , Π is given one virtual cell $i \in [n]$ to overwrite with new data d so that the contents of the data cells at time t , D_t , satisfy: $D_t[i] = d$ and $D_t[j] = D_{t-1}[j], \forall j \in [n] \setminus \{i\}$. Π proceeds using a set of s ($\ll n$) secret cells, Sec , and a (possibly arbitrarily large) set of public cells Pub , which can hold strings derived from our above grammar.¹ We emphasize that in normal protocol execution, the cells in Pub can always be viewed by an adversary \mathcal{A} , while the cells in Sec cannot be viewed by \mathcal{A} until corruption. Π has the following syntax:

Definition 1 (Syntax). A Forward Secret Encrypted RAM protocol $\Pi = (\text{init}, \text{write})$ consists of the following algorithms:²

- $\text{init}(D_0 = (d_1, \dots, d_n))$, which takes in the n initial data cell contents D_0 and computes the initial state of the secret and public cells using strings derived from C in our grammar.
- $\text{write}(i, d)$, which takes in a cell index i and new data d and overwrites the contents of some cells of Sec and Pub using strings derived from C in our grammar.

We note that Π need not be deterministic either in choosing contents of cells or in choosing which cells to write to, i.e., Π could have access to an arbitrarily long, finite random string \mathcal{R} at each instant. However, as we will later describe, the adversary that we consider to reach our lower bound is agnostic to any randomness that Π uses.

An adversary \mathcal{A} specifies the data D_0 input to the init algorithm, as well as for each $t > 0$, the cell i and data d input to the write algorithm. At each instant t , we refer to the contents of Sec and Pub as sets Sec_t and Pub_t , respectively. For any sequence of data cells chosen by \mathcal{A} , $\tilde{D}_t = (D_0, D_1, \dots, D_t)$, let $\text{Pub}(\tilde{D}_t)$ denote the union of all strings written to public cells by Π when D_0, D_1, \dots, D_t are specified by calls to init and write , i.e. $\text{Pub}(\tilde{D}_t) = \bigcup_{j=0}^t \text{Pub}_j$. Similarly, let $\text{Sec}(\tilde{D}_t)$ denote the union of all strings written to secret cells by Π as a result of \tilde{D}_t , i.e., $\text{Sec}(\tilde{D}_t) = \bigcup_{i=0}^t \text{Sec}_i$.³ Additionally, at any time t , we refer to all of

¹ Every cell of Sec and Pub initially contains the special *empty* symbol \perp .

² In our definition of FS eRAM in the standard computational model of Section 4, we also require a $\text{read}()$ algorithm. However, for our lower bound, we specify an adversary that only uses $\text{init}()$ and $\text{write}()$ and thus omit $\text{read}()$ for simplicity. Definition 2 ensures that correctness is still achieved.

³ Both unions specified in the definitions of $\text{Pub}(\tilde{D}_t)$ and $\text{Sec}(\tilde{D}_t)$ are only over those cells in Pub_i or Sec_i whose contents are unequal to both \perp and the same cells in Pub_{i-1} or Sec_{i-1} .

the previous strings of each cell of \mathbf{D}_t as $\text{Prev}(\mathbf{D}_t) = (\bigcup_{j=0}^{t-1} \mathbf{D}_j) \setminus \mathbf{D}_t$. Finally, we refer to all of the strings in the secret cells on some interval $[t_s, t_f]$ as $\text{Sec}_{t_s}^{t_f} = \bigcup_{t=t_s}^{t_f} \text{Sec}_t$.

For correctness, we intuitively require that with Sec_t and Pub_t , Π should be able to recover all of \mathbf{D}_t . For forward secrecy, at each instant t , we also want to indefinitely protect all data that used to be in \mathbf{D} , but was since overwritten, in case of a corruption of Sec_t (possibly multiple corruptions at different times $t' \geq t$) by \mathcal{A} . We abstract the above conditions (without explicitly providing read or corruption oracles to \mathcal{A}) using the following definition:

Definition 2 (Correctness and Security). Π is correct and secure if for all t , and all sequences $\tilde{\mathbf{D}}_t$ determined by an adversary \mathcal{A} :

- (Correctness): All of the data cells \mathbf{D}_t can be recovered by the contents of the secret and public cells at time t : $\mathbf{D}_t \subseteq \text{Rec}(\text{Sec}_t \cup \text{Pub}_t)$.
- (Security): For every $t' \leq t$, the previous contents of all cells in \mathbf{D} with respect to time t' cannot be recovered by the contents of the secret cells after time t' until time t (inclusive) and all public cells written to up to time t : for every $t' \leq t$, $\forall d \in \text{Prev}(\mathbf{D}_{t'}), d \notin \text{Rec}(\text{Sec}_{t'}^t \cup \text{Pub}(\tilde{\mathbf{D}}_t))$.

Again, we note that the security of this definition is not as strong as an indistinguishability-based definition, as we require explicit recovery of previous data to break security. However, this only strengthens our lower bound.

We will measure the computational complexity of the protocol Π by amortizing over the number of unique strings derived from our grammar that are written to the public and secret cells throughout the execution of the protocol. This measure of course does not track *all* of the computation of some protocol Π , which only strengthens our lower bound. For example, we do not count the computational cost of any of our primitives. Formally, the computational cost $c(\tilde{\mathbf{D}}_t)$, incurred by an execution of the protocol when run on input $\tilde{\mathbf{D}}_t$, is defined as

$$c(\tilde{\mathbf{D}}_t) := \frac{|\text{Pub}(\tilde{\mathbf{D}}_t) \cup \text{Sec}(\tilde{\mathbf{D}}_t)|}{t+1}.$$

3 Forward Secret Encrypted RAM Lower Bound

In this section, we prove the following Theorem in several steps.

Theorem 5. *There exists a non-adaptive, randomized adversarial sequence of init and write operations such that for any FS eRAM protocol Π that is correct and secure with respect to Definition 2, the amortized computational complexity cost incurred by the protocol when executed against that strategy is in expectation $\Omega(\log(n/s))$.*

Before we formalize our lower bound, we start with a simple example which demonstrates an important observation needed in our proof, and which we will refer to throughout the proof. Suppose that at time t , we have $s = 1$, $n = 4$ and keys k_1, k_2, k_3 such that $k_1 \in \text{Sec}_t$. Further, we have $\{\mathbf{E}_{k_1}(k_2), \mathbf{E}_{k_1}(k_3), \mathbf{E}_{k_2}(d_1), \mathbf{E}_{k_2}(d_2), \mathbf{E}_{k_2}(\mathbf{E}_{k_3}(d_3)), \mathbf{E}_{k_3}(d_4)\} \subseteq \text{Pub}(\tilde{\mathbf{D}}_t)$, for $\mathbf{D}_t = \{d_1, d_2, d_3, d_4\}$. We can informally abstract this into a graph depicting the relations between keys and data shown in Figure 3.

The graph demonstrates that k_1 encodes information about k_2 and k_3 , while k_2 and k_3 both encode some information about d_3 . Additionally, k_2 encodes information about d_1 and d_2 , while k_3 encodes information about d_4 . Now suppose that virtual cell 3 (corresponding to d_3) is overwritten by some adversary. The goal of the protocol is effectively to create a new graph that retains as much reachability from the secret cells as possible (since we want to minimize the amount of computation needed to achieve correctness), while still disabling any ability to recover d_3 if any of the keys in the new graph are obtained by the adversary.

In our example, it is sufficient to remove k_1 , as then k_2 and k_3 , and thus d_3 cannot be recovered. However, this may be a rather inefficient method, as k_2 and k_3 also encode information about data d_1, d_2, d_4 , and thus the protocol would have to generate fresh encodings of them for correctness. Unfortunately, we cannot retain reachability to both k_2 and k_3 : it is necessary to remove *either* one of the edges $k_2 \rightarrow d_3$ or $k_3 \rightarrow d_3$ in the graph (which is done by removing k_2 or k_3 , respectively), since together, they can be used to recover d_3 from $\mathbf{E}_{k_2}(\mathbf{E}_{k_3}(d_3))$. Furthermore, it is still necessary to remove k_1 , as it alone can recover




Fig. 3. Key-data graph $\mathcal{G}_\Pi(\widetilde{\mathcal{D}}_{t-1})$ at time $t-1$ as defined by Definition 7 for an execution of an FS eRAM protocol Π in which $s = 1$, $n = 4$, $k_1 \in \text{Sec}_{t-1}$ (denoted by its square border), $\{\mathbf{E}_{k_1}(k_2), \mathbf{E}_{k_1}(k_3), \mathbf{E}_{k_2}(d_1), \mathbf{E}_{k_2}(d_2), \mathbf{E}_{k_2}(\mathbf{E}_{k_3}(d_3)), \mathbf{E}_{k_3}(d_4)\} \subseteq \text{Pub}(\widetilde{\mathcal{D}}_{t-1})$, and $\mathcal{D}_{t-1} = \{d_1, d_2, d_3, d_4\}$. Since k_1 *minimally recovers* d_3 according to Definition 3, the collection of paths \mathcal{P}_3^{t-1} that exist according to Lemma 1 are $P_{3,1} := k_1 \rightarrow k_2 \rightarrow d_3$, represented by blue edges, and $P_{3,2} := k_1 \rightarrow k_3 \rightarrow d_3$, represented by thick red edges. By Lemma 2, if at time t , d_3 is overwritten, all of the vertices on one of these paths must become indefinitely useless (see Definitions 4, 5). Since k_2 can be used to recover more data (besides d_3) than k_3 can, the protocol may choose to make the vertices of $P_{3,2}$ useless at time t (represented by dashed borders). In this case, all of the strings in $\text{Pub}(\widetilde{\mathcal{D}}_t)$ corresponding to the dashed edges $k_1 \rightarrow k_2$, $k_1 \rightarrow k_3$, $k_3 \rightarrow d_3$, and $k_3 \rightarrow d_4$ become indefinitely useless at time t (see Definition 6), as the protocol can no longer recover the keys and data that they encapsulate. However, we stress that the choice of the path $P_{3,1}$ or $P_{3,2}$ on which all nodes must become useless at time t is determined by the protocol.

d_3 by recovering k_2 and k_3 . In this case, the protocol may want to remove just k_1 and k_3 , as retaining reachability to k_2 retains reachability to two data cells, without any extra computation (as opposed to just one if reachability to k_3 is retained). However, we emphasize that the choice of which key to retain reachability to is indeed completely decided by the protocol, and the adversary does not have any control over this. The key to our proof is to lower bound the minimal amount of reachability (corresponding to edges in the graph) that must be lost after each operation.

To do this, we first abstract a meaningful graph-theoretic notion to determine the (amortized) minimum number of unique strings that any FS eRAM protocol, captured by our symbolic model, must write to its public and secret cells during each operation to preserve forward secrecy and correctness.

3.1 Minimality and Usefulness

We first introduce the notion of sets of strings defined by our grammar *minimally* recovering other sets of strings. Intuitively, a set \mathcal{C} of strings minimally recovers another set \mathcal{C}' of strings if the strings of \mathcal{C} can together recover the strings of \mathcal{C}' (using the contents of the public cells up to time t , too), but the removal of any string $c \in \mathcal{C}$ prevents the recovery of at least one string $c' \in \mathcal{C}'$.

Definition 3. A set \mathcal{C} of strings minimally recovers set \mathcal{C}' of strings if $\mathcal{C}' \subseteq \text{Rec}(\mathcal{C} \cup \text{Pub}(\widetilde{\mathcal{D}}_t))$ and for any $c \in \mathcal{C}$, $\mathcal{C}' \not\subseteq \text{Rec}((\mathcal{C} \setminus \{c\}) \cup \text{Pub}(\widetilde{\mathcal{D}}_t))$.

If \mathcal{C}' contains a single element c' , we may only write “ \mathcal{C} recovers c' ” at certain points throughout our exposition (instead of \mathcal{C}' or $\{c'\}$).

Now, for any execution of an FS eRAM protocol Π , at certain instants some of the keys that have been used by it may be accessible by the secret cells, while others may not. We call such keys *useful* and *useless*, respectively.

Definition 4. A key k is useful at time t if $\exists S \subseteq \text{Sec}_t$ such that S minimally recovers k . It is useless otherwise.

The set of useful keys at time t is denoted $\text{UsefulKeys}_\Pi(\widetilde{\mathcal{D}}_t)$. The intuition behind this definition is that as data cells are overwritten, at least some of the keys that the protocol used to recover the previous data (if there are any) for correctness cannot be used anymore, for otherwise, previous data would be accessible, which would violate security. For example, in Figure 3, keys k_1 and k_3 become useless at time t , because they can be used to recover d_3 . Similarly, we can define data in terms of *usefulness*.

Definition 5. Data d is useful at time t if $d \in \mathcal{D}_t$. It is useless otherwise.

We also define *usefulness* for strings derived by our grammar (that are not keys), based on the keys that are used to create them. We first recall that there are four types of cryptographic operations we allow to derive strings from our grammar: encryptions, secret sharing, and (d)PRF computations. If a string c is the result of arbitrarily nested encryption and secret sharing operations on a key or data, c' , we say that c *encapsulates* c' ; i.e., $c = e_1(e_2(\dots(e_l(c'))\dots))$ for some $l \geq 1$, where each e_i is either \mathbf{E}_{k_i} for some key k_i or \mathbf{S}_j for some $j \in [\mathbf{n}]$.

Definition 6. A string $c = e_1(e_2(\dots e_l(c'))\dots)$, where $l \geq 1$, c' is either a key or data, each e_i is either \mathbf{E}_{k_i} , for some key k_i , or \mathbf{S}_j , for some $j \in [\mathbf{n}]$, is useless at time t if

- at least one e_i corresponds to \mathbf{E}_{k_i} for $k_i \notin \text{UsefulKeys}_\Pi(\tilde{\mathbf{D}}_t)$, or
- $c \notin \text{Sec}_t \cup \text{Pub}(\tilde{\mathbf{D}}_t)$.

Otherwise, it is useful.

It is important to note that usefulness is dynamic: keys and strings that are useful at one instant may be useless at another instant. As noted above, every time a data cell is overwritten, some of the keys that can be used to recover its old contents must become useless for security and thus all strings that were in part generated by such keys (via the encryption algorithm, \mathbf{E}), as well as some strings which encapsulated these keys or the data, must become useless too. For example, in Figure 3, since keys k_1 and k_3 become useless at time t , strings $\{\mathbf{E}_{k_1}(k_2), \mathbf{E}_{k_1}(k_3), \mathbf{E}_{k_2}(\mathbf{E}_{k_3}(d_3)), \mathbf{E}_{k_3}(d_4)\} \subseteq \text{Pub}(\tilde{\mathbf{D}}_t)$ must too.

Our goal is to show that after every write operation, logarithmically many (in n/s) strings stored in public and secret cells must become useless. Such strings may have been generated and stored in their respective cells at any time in the past, but the protocol incurs a computational cost of at least one per string.

3.2 Key-Data Graph

We will interpret secret cells, keys, and data using graph-theoretic terminology. For any execution of the protocol Π on a sequence of data cells $\tilde{\mathbf{D}}_t$, we associate a directed graph $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ called the *key-data graph* at that time. Each vertex in the graph is either a string in a secret cell at time t , a useful key at time t , or a data cell at time t , and edges between the vertices abstract the process of key recovery (by use of the entailment relation \vdash).

Definition 7. Let Π be a Forward Secret Encrypted RAM protocol executed with a sequence of data cells $\tilde{\mathbf{D}}_t$. The Key-Data Graph for the protocol at time t is a directed graph $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t) = (\mathcal{V}, \mathcal{E})$, where $\mathcal{V} = \text{UsefulKeys}_\Pi(\tilde{\mathbf{D}}_t) \cup \text{Sec}_t \cup \mathbf{D}_t$ and \mathcal{E} is the set of all ordered pairs $(v_1, v_2) \in \mathcal{V} \times \mathcal{V}$ such that at least one of the following is true:

1. $\exists c$ s.t. $v_2 = \mathbf{F}(v_1, c)$.
2. $\exists k \in \text{UsefulKeys}_\Pi(\tilde{\mathbf{D}}_t)$ s.t. $v_2 = \mathbf{dF}(v_1, k)$ or $v_2 = \mathbf{dF}(k, v_1)$.
3. $\exists c \in \text{Pub}(\tilde{\mathbf{D}}_t) \cup \text{Sec}_t$ s.t. $c = e_1(\mathbf{E}_{v_1}(e_2(v_2)))$ (for arbitrary sequences of encryption and sharing operations e_1, e_2).
4. $v_1 \in \text{Sec}_t$ and $v_1 = e(v_2)$, where e is an arbitrary (non-empty) sequence of encryption and sharing operations.

We note that in Figure 3, we depict exactly $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_{t-1})$ for the simple example.

In the following lemma, we show that if a set of vertices \mathbf{C} in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ minimally recovers some other vertex v_j , then there is a collection of paths from the vertices of \mathbf{C} to v_j in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ such that every vertex on the path (except for the vertices of \mathbf{C}) is minimally recovered by its predecessors on these paths.

Lemma 1. For any FS eRAM protocol Π , for every $t \geq 0$, for every sequence of data cell updates $\tilde{\mathbf{D}}_t$ performed by \mathcal{A} and for every useful key or data $v_j \in \mathcal{V}$ and (non-empty) set $\mathbf{C} \subseteq \mathcal{V}$, if \mathbf{C} minimally recovers v_j , then there exists a collection of paths \mathcal{P} from all $v_i \in \mathbf{C}$ to v_j (at least one per individual vertex v_i) in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ such that for every v along these paths, except for the $v_i \in \mathbf{C}$, the incoming edges to v on these paths come from a set of strings $\{v_1, \dots, v_\ell\} \subseteq \text{UsefulKeys}_\Pi(\tilde{\mathbf{D}}_t) \cup \text{Sec}_t$ that minimally recover v .

Proof. Consider some C and v_j satisfying the conditions in the lemma statement. Let $q \geq 1$ be the smallest number of applications of the entailment relation \vdash required to recover v_j from some C and $\text{Pub}(\tilde{D}_t)$. We prove the lemma using induction over q . I.e., for all $q \geq 1$ and every C that can minimally recover v_j in q steps, there is a collection of paths \mathcal{P} originating from the v_i in C and ending at v_j in $\mathcal{G}_\Pi(\tilde{D}_t)$ satisfying the lemma statement.

The statement is true for $q = 1$ since in this case $C = \{v_j\}$ and so there is a trivial path from v_j to itself. Now, suppose that the statement is true for all values of q smaller than an integer $Q > 1$. So, for all $q < Q$, every set $C \subseteq \mathcal{V}$ that can minimally recover v_j in q steps has a collection of paths leading from every $v_i \in C$ in $\mathcal{G}_\Pi(\tilde{D}_t)$ to v_j and the incoming edges on these paths of all vertices v along the path come from vertices along these paths that form a set which minimally recovers v .

Consider any set C that can minimally recover v_j in Q steps. It must be that there exists some set C' such that 1. C' can minimally recover v_j in less than Q steps, and 2. for each $c' \in C'$, either

- (i) there exists some $k \in C$ and some string c such that $\mathbf{F}(k, c) = c'$ and k minimally recovers c' , or
- (ii) there exists keys $k_1, k_2 \in \text{UsefulKeys}_\Pi(\tilde{D}_t)$ such that (a) $k_1 \in C$, (b) $k_2 \in C$, or (c) both $k_1, k_2 \in C$ and $\mathbf{dF}(k_1, k_2) = c'$, where in cases (a), (b), (c), just k_1 , just k_2 , or $\{k_1, k_2\}$ minimally recover c' , respectively, or
- (iii) c' is a key or data and there exists sets $C'' \subseteq \text{Pub}(\tilde{D}_t)$ and $C''' \subseteq \text{Sec}_t \cap C$ (both possibly empty) whose strings encapsulate c' such that C contains C_e , a set of useful encryption keys used in the generation of these strings, and $C''' \cup C_e$ minimally recovers c' ,⁴ or
- (iv) $c' \in C$.

Moreover, for any string $c' \in C'$ satisfying case (i), it must be $c' \in \text{UsefulKeys}_\Pi(\tilde{D}_t)$ because $c' \in \text{Rec}(\{k\}) \subseteq \text{Rec}(\text{Sec}_t \cup \text{Pub}(\tilde{D}_t))$, since $k \in \text{UsefulKeys}_\Pi(\tilde{D}_t)$. For any string satisfying case (ii), it must be that $c' \in \text{UsefulKeys}_\Pi(\tilde{D}_t)$ because $c' \in \text{Rec}(\{k_1, k_2\}) \subseteq \text{Rec}(\text{Sec}_t \cup \text{Pub}(\tilde{D}_t))$, since $k_1, k_2 \in \text{UsefulKeys}_\Pi(\tilde{D}_t)$. For any key or data $c' \in C'$ satisfying case (iii), it must be that $c' \in \text{UsefulKeys}_\Pi(\tilde{D}_t) \cup D_t$ because: If c' is a key, we have that $c' \in \text{Rec}(C_e \cup C''' \cup \text{Pub}(\tilde{D}_t)) \subseteq \text{Rec}(\text{Sec}_t \cup \text{Pub}(\tilde{D}_t))$, since $C_e \subseteq \text{UsefulKeys}_\Pi(\tilde{D}_t)$ and $C''' \subseteq \text{Sec}_t$. If c' is data, we must have that $v_j \in \mathcal{V}$ so $c' = v_j \in D_t$, for otherwise, since data cells have no outgoing edges, C' does not minimally recover v_j . Thus, we have shown that $C' \subseteq \mathcal{V}$.

We also note that we can choose to consider only C' that contain c' corresponding to case (iii) that are the keys or data which are encapsulated by C'' and C''' (and not some intermediary strings c_{bad} encapsulating c' in C' , which could be in Sec_t , for example) because v_j in the lemma statement is a useful key or data. Therefore the encapsulated c' must either be v_j itself or some key that must be used to minimally recover v_j . Thus, if C contains enough keys which were used in the generation of the strings of $C'' \cup C'''$ that (in addition to the cells of C''') can minimally recover c' anyway, then we can just directly include c' in C' . If C does not contain enough of those keys, then we can just choose C' that lessens the number of applications of the entailment relation needed to recover a sufficient set of those keys, and defer inclusion of c' until some later set.

Continuing, by the inductive hypothesis, there are a collection of paths from the $c' \in C'$ satisfying the lemma statement, and prepending the paths with:

- in case (i), the edge $k \rightarrow c'$,
- in case (ii,a), the edge $k_1 \rightarrow c'$, in case (ii,b) the edge $k_2 \rightarrow c'$, in case (ii,c) the edges $k_1 \rightarrow c'$ and $k_2 \rightarrow c'$,
- in case (iii), the edges $k \rightarrow c'$, for each $k \in C_e$, and the edges $c_s \rightarrow c'$, for each $c_s \in C'''$, and
- in case (iv), nothing,

extends these paths appropriately. Indeed, by the case analysis above, for each $c' \in C'$ the nodes in C corresponding to its incoming edges minimally recover c' . Furthermore, if any nodes $c \in C$ do not have any edges to nodes in C' , then since C' minimally recovers v_j and all of the nodes in C' can be recovered by the other nodes of C , C does not minimally recover v_j , a contradiction. Thus we have shown the inductive step holds for all $Q > 1$. \square

Now we show a quick proposition which establishes that at each time t , any data $d_i \in D_t$ cannot be solely recovered by the contents of the public cells up to time t and thus there must exist some non-empty set of strings in the secret cells that minimally recovers d_i :

⁴ Note: C_e only contains keys used in the generation of the strings in $C'' \cup C'''$ that cannot be recovered using only $\text{Pub}(\tilde{D}_t)$.

Proposition 1. *For any $d_i \in \mathcal{D}_t$, it must be that $d_i \notin \text{Rec}(\text{Pub}(\tilde{\mathcal{D}}_t))$ and thus $\exists S_i \subseteq \text{Sec}_t$ such that $S_i \neq \emptyset$ and S_i minimally recovers d .*

Proof. The proof for this is quite basic: if $d_i \in \text{Rec}(\text{Pub}(\tilde{\mathcal{D}}_t))$, then if the adversary's next operation is $\text{write}(i, d)$ for some data d , then at time $t + 1$, for example, it is clear that $d_i \in \text{Prev}(\mathcal{D}_{t+1})$ and also that $d_i \in \text{Rec}(\text{Pub}(\tilde{\mathcal{D}}_{t+1})) \subseteq \text{Rec}(\text{Sec}_{t+1}^{t+1} \cup \text{Pub}(\tilde{\mathcal{D}}_{t+1}))$, which violates security. Thus, a contradiction is reached.

Now, by correctness, it must be that $d_i \in \text{Rec}(\text{Sec}_t \cup \text{Pub}_t)$, so with the above, it must be that there exists some non-empty $S_i \subseteq \text{Sec}_t$ such that S_i minimally recovers d_i . \square

As a result of this proposition, we have that for each $d_i \in \mathcal{D}_t$ at time t , there exists at least one collection of paths \mathcal{P}_i^t from the $s_j \in S_i$ to d_i satisfying the conditions of Lemma 1. In the example of Figure 3, the collection of paths $\mathcal{P}_3^{t-1} = \{P_{3,1}, P_{3,2}\}$, where $P_{3,1} := k_1 \rightarrow k_2 \rightarrow d_3$ and $P_{3,2} := k_1 \rightarrow k_3 \rightarrow d_3$, represent the paths that must exist as a result of Lemma 1, since $\{k_1\}$ minimally recovers d_3 .

We also note that by the proof of Lemma 1, every string stored in a secret cell $c_s \in \text{Sec}_t$ that exists on these paths and is not a key or data has no incoming edges on the paths from other path nodes.

We now show how any FS eRAM protocol Π must handle such collections of paths at every time t in order to preserve security.

Lemma 2. *If at time t , an adversary \mathcal{A} executes $\text{write}(i, d'_i)$ for $d'_i \neq \mathcal{D}_{t-1}[i]$, then all of the vertices (data, keys, and strings in secret cells) on at least one of the paths $P_i^* \in \mathcal{P}_i^{t-1}$, for every such collection of paths \mathcal{P}_i^{t-1} must become useless for all times $t' \geq t$.*

Proof. Since \mathcal{A} queries $\text{write}(i, d'_i)$, Π must alter the contents of the secret cells and the partition of useful and useless keys so that $d_i \notin \text{Rec}(\text{Sec}_t^{t'} \cup \text{Pub}(\tilde{\mathcal{D}}_{t'}))$ for all $t' \geq t$, where d_i was the string stored in data cell i at time $t - 1$ (i.e., what d'_i replaces at time t).

Now, consider one such collection of paths \mathcal{P}_i^{t-1} . If $d_i \in \text{Sec}_{t-1}$, i.e., \mathcal{P}_i^{t-1} only consists of the trivial path from d_i to itself, then we know d_i becomes useless for all $t' \geq t$. Otherwise, we will proceed inductively starting from the sink of all of these paths, d_i (and ending at a node right after the source of one of them). Let V_i and E_i be the set of vertices and edges in all of the paths of \mathcal{P}_i^{t-1} , respectively. We know from Lemma 1 that the set $R := \{v : v \in V_i, (v, d_i) \in E_i\}$, indeed minimally recovers d_i . Thus, for security, since we must have that $d_i \notin \text{Rec}(\text{Sec}_t^{t'} \cup \text{Pub}(\tilde{\mathcal{D}}_{t'}))$, it must be that $\exists v^* \in R$ such that $v^* \notin \text{Rec}(\text{Sec}_t^{t'} \cup \text{Pub}(\tilde{\mathcal{D}}_{t'}))$ for all $t' \geq t$, i.e., $v^* \notin \text{UsefulKeys}_\Pi(\tilde{\mathcal{D}}_{t'}) \cup \text{Sec}_t^{t'}$. So, if v^* was in $\text{UsefulKeys}_\Pi(\tilde{\mathcal{D}}_{t-1})$ or Sec_{t-1} , it is no longer useful at each time t' . We must then recurse on v^* , continuing until we reach some source in \mathcal{P}_i^{t-1} , i.e., some key or string $s^* \in \text{Sec}_{t-1}$, that must become useless.

Therefore, we conclude that all of the vertices on at least one of the paths $P_i^* \in \mathcal{P}_i^{t-1}$ must become indefinitely useless at time t . \square

It is important to note that the protocol Π has control over which path P_i^* in each \mathcal{P}_i^{t-1} must have all of its nodes become useless at time t . For example in Figure 3, it may be that either of $P_{3,1}$ or $P_{3,2}$ have all of their nodes become useless at time t . We depict in that figure that the path which Π chooses is $P_{3,2}$.

The rest of the lower bound proof will proceed by considering for each $i \in [n]$, an arbitrary collection of paths \mathcal{P}_i^{t-1} and for each such collection, the path P_i^* that minimizes the sum of the number of outgoing edges of type 3 or 4 in Definition 7 from its vertices. We do so in order to focus on the minimum number of strings that are actually stored in public and secret cells that Π must make useless at each time t . In particular, we remove certain edges such as those for (d)PRFs that may not require storage in public or secret cells.

First, a definition:

Definition 8. *Let $G = (\mathcal{V}, \mathcal{E})$ be a directed graph and let P be some path in G . The out-degree of P in G , denoted $\text{out}_G(P)$, is the number of edges in \mathcal{E} that start from a node in P . That is,*

$$\text{out}_G(P) = \sum_{v \in P} \text{out}_G(v).$$

Now we define the graph corresponding to the above restrictions:

Definition 9. For any FS eRAM protocol Π , executed with a sequence of data cell updates $\tilde{\mathbf{D}}_t$, the succinct key-data graph at time t , denoted $\hat{\mathcal{G}}_\Pi(\tilde{\mathbf{D}}_t)$, is a modification of $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ formed by

- first, choosing for each $i \in [n]$ the collection of paths \mathcal{P}_i^t in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ specified by Lemma 1 starting from the vertices of some arbitrary non-empty $S_i \in \mathbf{Sec}_t$ that minimally recovers d_i and ending at d_i ,
- second, including an edge from $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ if and only if it is contained in the collection of paths \mathcal{P}_i^t for some $i \in [n]$,
- third, for each $i \in [n]$, for any non-empty sequence of edges (e_1, \dots, e_l) on a path $P_i \in \mathcal{P}_i^t$ such that each $e_j = (v_{j-1}, v_j)$ for $j \in [l-1]$ is a (d)PRF edge of type 1 or 2, $e_l = (v_{l-1}, v_l)$ is not a (d)PRF edge, and v_0 does not have any incoming (d)PRF edges on P_i , removing all of the edges in the sequence and replacing them with the single edge $e = (v_0, v_l)$ for only P_i ,
- fourth, taking the union of these edges for all $i \in [n]$, and finally
- including an edge if and only if it is contained in the path P_i^* for some $i \in [n]$ such that $\text{out}(P_i^*) = \min_{P_i \in \mathcal{P}_i^t} \text{out}(P_i)$, where the outdegree of the nodes is over only the edges from the last step.

One can observe that vertices representing data cells are of course sinks, i.e., they have no outgoing edges, in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ and $\hat{\mathcal{G}}_\Pi(\tilde{\mathbf{D}}_t)$. In addition, at most s secret cells can be represented in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ and $\hat{\mathcal{G}}_\Pi(\tilde{\mathbf{D}}_t)$, by definition. Furthermore, if a data cell d_i is not itself in \mathbf{Sec}_t at time t , by Proposition 1, it must be that some non-empty subset $S_i \subseteq \mathbf{Sec}_t$ minimally recovers d_i , and so there must be a collection of paths \mathcal{P}_i^t in $\mathcal{G}_\Pi(\tilde{\mathbf{D}}_t)$ starting at the secret cells of S_i and ending in edges of type 3 or 4 at d_i . Thus, there must still be one path in $\hat{\mathcal{G}}_\Pi(\tilde{\mathbf{D}}_t)$ starting at some secret cell $c_s \in \mathbf{Sec}_t$ and ending at d_i . We will call such paths \hat{P}_i^* .

3.3 Adversarial Strategy

We now describe the strategy used by the adversary to prove the lower bound. The adversary will use a simple non-adaptive randomized strategy. Initially, the adversary inputs n random strings to be stored in the data cells: $\mathbf{D}_0 = (d_1, \dots, d_n)$ to the init algorithm. At each instant t , the adversary will pick a cell i uniformly at random to write data d that has never before been in $\mathbf{D}_{t'}$ for $0 \leq t' \leq t$, i.e. $\text{write}(i, d)$. We will show that in expectation, the number of strings stored in secret and public cells combined that become *useless* after time t is logarithmically-many (in terms of n/s).

Now, we show two instrumental lemmata in proving our lower bound. Before doing so, we introduce the following lemma, proved in Appendix B, which will be useful in our proofs of the next two lemmata.

Lemma 3. The sum $S = \sum_{i=1}^d \log(x_i) \cdot \frac{x_i}{m}$, with the constraints that $\forall i \in [d]$, $x_i > 0, m > 0$, and $\sum_{i=1}^d x_i = m$, is such that $S \geq \log(m/d)$.

Lemma 4. Let $G = (\mathcal{V}, \mathcal{E})$ be an arbitrary graph and let $\{v, v_1, \dots, v_m\}$ be any set of nodes in the graph such that for each $i \in [m]$, there is a path P_i from v to v_i and there is no $j \neq i$ such that v_i occurs in P_j . Then, if $i \in [m]$ is chosen uniformly at random:

$$\mathbb{E}[\text{out}_G(P_i)] \geq \log_2(m).$$

Proof. We will prove this lemma by induction over m . We will treat paths as sequences of nodes and for any two paths P and Q , $P \cdot Q$ denotes the path that is formed by concatenating P and Q .

For $m = 1$, the lemma is trivially true. The path from v to v_1 , P_1 , is the only path under consideration and has out-degree at least $\log_2(1) = 0$.

We now hypothesize that for all values of m less than some $\tilde{m} \geq 2$, the statement of the lemma is true: for all $m < \tilde{m}$, all sets of nodes $\{v_1, \dots, v_m\} \in \mathcal{V}$ and all sets of paths $\{P_1, \dots, P_m\}$, such that for all $i \leq m$, P_i is a path from v to v_i and v_i does not lie on P_j for any $j \neq i$, if $i \in [m]$ is chosen uniformly at random, then $\mathbb{E}[\text{out}_G(P_i)] \geq \log_2(m)$.

Now consider any subset of \mathcal{V} , $\{v_1, \dots, v_{\tilde{m}}, v\}$, such that there are paths $\{\tilde{P}_1, \dots, \tilde{P}_{\tilde{m}}\}$, each path \tilde{P}_i going from v to v_i and no v_i lying on \tilde{P}_j for $j \neq i$. Without loss of generality, we can assume that all of these paths are loop free. Let P be the largest common prefix of $\tilde{P}_1, \dots, \tilde{P}_{\tilde{m}}$; that is, P is the longest path such that for each \tilde{P}_i , there is a path \tilde{Q}_i for which $\tilde{P}_i = P \cdot \tilde{Q}_i$. Let \tilde{v} be the last node in P . We

assumed the \tilde{P}_i 's to be loop-free, so there is exactly one path \tilde{Q}_i for each \tilde{P}_i such that $\tilde{P}_i = P \cdot \tilde{Q}_i$. We now partition the set $\{\tilde{Q}_1, \dots, \tilde{Q}_{\tilde{m}}\}$ based on the first node in these paths: for each set \mathbf{Q}_j in the partition, the first node on each of the \tilde{Q}_i 's in \mathbf{Q}_j is the same, say \tilde{v}_j . We let d be the size of this partition (must be $d \geq 2$). Corresponding to the partition of the \tilde{Q}_i 's, we can partition the nodes into d sets: let $\mathcal{V}_1, \dots, \mathcal{V}_d$ be these sets.

Since we pick $i \in [\tilde{m}]$ uniformly at random, the probability that we pick a node in one of these sets is weighted by its size. Consider the set \mathcal{V}_j that v_i is in. Let \tilde{G}_j be the graph formed by taking the union of the \tilde{Q}_i 's corresponding to \mathcal{V}_j . The set of paths $\{\tilde{Q}_i\}_{v_i \in \mathcal{V}_j}$ has the property that each \tilde{Q}_i is a path from \tilde{v}_j to v_i and no v_i lies on a path \tilde{Q}_j for $j \neq i$. Moreover the node $v_i \in \mathcal{V}_j$ that is selected, is done so uniformly at random. Now, for every such set \mathcal{V}_j of size $\hat{m} < \tilde{m}$, we can apply the inductive hypothesis to show that since $i \in [\hat{m}]$ is picked uniformly at random, $\mathbb{E}[\text{out}_{\tilde{G}_j}(P_i)] \geq \log_2(\hat{m})$.

Therefore, we can calculate $\mathbb{E}[\text{out}_G(P_i)]$ as follows:

$$\begin{aligned} \mathbb{E}[\text{out}_G(P_i)] &= \sum_{j=1}^d \mathbb{E}[\text{out}_G(P_i) | v_i \in \mathcal{V}_j] \cdot \Pr[v_i \in \mathcal{V}_j] \\ &\geq \sum_{j=1}^d \left(d + \mathbb{E}[\text{out}_{\tilde{G}_j}(P_i)] \right) \cdot \Pr[v_i \in \mathcal{V}_j] \geq \sum_{j=1}^d (d + \log_2(|\mathcal{V}_j|)) \cdot \frac{|\mathcal{V}_j|}{m}, \end{aligned}$$

which by Lemma 3, is shown to be:

$$\geq d + \log_2\left(\frac{m}{d}\right) \geq \log_2(m).$$

□

Using the above lemma, we now prove the even more useful following lemma:

Lemma 5. *Let $G = (\mathcal{V}, \mathcal{E})$ be an arbitrary graph and let $S = \{u_1, \dots, u_s\}$, $D = \{v_1, \dots, v_n\}$ be any sets of nodes in the graph such that for each $v_i \in D$, $\exists u_j \in S$ such that there is a path P_i from u_j to v_i and there is no $k \neq i$ such that v_k occurs in P_i . Then if $i \in [n]$ is chosen uniformly at random:*

$$\mathbb{E}[\text{out}_G(P_i)] \geq \log_2(n/s).$$

Proof. For each $v_i \in D$, consider an arbitrary node $u_j \in S$ such that there is a path P_i from u_j to v_i . We can then partition the nodes D according to which node $u_j \in S$ they have a path from. We let s' be the number of sets in this partition ($0 < s' \leq s$) and call these sets U_j (corresponding to the $u_j \in S$ that its nodes have a path from). Let \tilde{G}_j be the graph formed by taking the union of the P_i 's corresponding to the v_i in U_j . Since $i \in [n]$ is chosen uniformly at random, the set U_j which v_i is in is weighted by its size.

We calculate:

$$\begin{aligned} \mathbb{E}[\text{out}_G(P_i)] &= \sum_{j=1}^{s'} \mathbb{E}[\text{out}_G(P_i) | v_i \in U_j] \cdot \Pr[v_i \in U_j] \\ &\geq \sum_{j=1}^{s'} \mathbb{E}[\text{out}_{\tilde{G}_j}(P_i)] \cdot \Pr[v_i \in U_j] \geq \sum_{j=1}^{s'} \log_2(|U_j|) \cdot \frac{|U_j|}{n}, \end{aligned}$$

by Lemma 4,

$$\geq \log_2(n/s') \geq \log_2(n/s),$$

by Lemma 3. □

Using this lemma, we finally prove our main result.

Proof (Theorem 5). In the setting of succinct key-data graphs, sets S and D in Lemma 5 correspond to the secret cells and data cells, respectively, at time t , i.e., Sec_t and Pub_t . Each path $P_i = \hat{P}_i^*$ corresponds to the path starting from some secret cell u_j to the data cell v_i that has the minimum number of outgoing

edges over all P_i in \mathcal{P}_i^t which correspond to strings that must be stored in the public or secret cells of Π . Since no data cells have outgoing edges, for every $i \in [n]$, no data cell v_k , $k \neq i$ lies on the path \hat{P}_i^* . Thus, Lemma 5 implies that for every $t \geq 1$, the data cell v_i replaced by \mathcal{A} at time t is such that in expectation, \hat{P}_i^* will always have out-degree at least $\log_2(n/s)$ in $\hat{\mathcal{G}}_\Pi(\tilde{\mathcal{D}}_t)$. Since \hat{P}_i^* corresponds to the path from a secret cell to d_i which minimizes the number of outgoing edges corresponding to strings that must be stored in the public or secret cells of Π , any other path that Π chooses whose nodes must become useless after time t must have at least $\log_2(n/s)$ such edges in expectation.

Once all of the vertices on some such path become useless, all strings in public or secret cells that were in part generated by them become useless. For example, in Figure 3, since the vertices on $P_{3,2}$ become useless, each string $\mathbf{E}_{k_1}(k_2)$, $\mathbf{E}_{k_1}(k_3)$, $\mathbf{E}_{k_2}(\mathbf{E}_{k_3}(d_3))$, $\mathbf{E}_{k_3}(d_4)$ becomes useless. So, under the above adversarial strategy, at least $\log_2(n/s)$ strings stored in public or secret cells become useless after time t . We only mark each string as useless once because:

- if a key in the set, which minimally recovers the key or data that the string encapsulates, using that string, is indefinitely inaccessible by the protocol, the protocol is indefinitely unable to recover the key or data using the string,
- otherwise, if the string was stored in a secret cell on the path P_i^* , then from Lemma 2, we know that it must become useless indefinitely and therefore never be stored in a secret cell again.

Therefore, in both cases, there will never be any edge in any future succinct key-data graph that corresponds to the string. Moreover, since v_i is never added back to a data cell by the adversary, the strings remain useless for all $t' \geq t$.

Therefore, we have shown that throughout the execution of any protocol Π , at least $\frac{t}{t+1} \cdot \log_2(n/s) \geq (1 - \frac{1}{t}) \cdot \log_2(n/s) = (1 - o(1)) \cdot \log_2(n/s)$ strings which were stored in public or secret cells become useless in expectation through time t , proving Theorem 5. ■

4 Stronger Forward Secret Encrypted RAM Definitions

We note that our FS eRAM computational lower bound in Section 3 uses a different, weaker definition in our symbolic model based on recoverability (which only makes our lower bound stronger). For our upper bounds, we will use the typical indistinguishability-based security that we define here in the standard model of computation.

Definition 10 (Forward Secret Encrypted RAM). A Forward Secret Encrypted RAM (FS eRAM) protocol $\Pi = (\text{init}, \text{read}, \text{write})$ consists of the following algorithms:

- $(\text{Sec}, \text{Pub}) \leftarrow \text{init}(1^\lambda, s, n)$, which initializes public cells Pub and s secret cells Sec , where n is the number of virtual cells and λ is the security parameter.
- $(\text{Sec}', \text{Pub}', d) \leftarrow \text{read}(\text{Sec}, \text{Pub}, i)$, which returns data d of virtual cell $i \in [n]$.
- $(\text{Sec}', \text{Pub}') \leftarrow \text{write}(\text{Sec}, \text{Pub}, d, i)$, which replaces the contents of virtual cell $i \in [n]$ with data d .

Correctness. An FS eRAM scheme is *correct* if for any sequence of operations:

$$\Pr[(\cdot, \cdot, d^*) \leftarrow \text{read}(\text{Sec}, \text{Pub}, i) : d^* = d] = 1,$$

for any execution of $\text{read}(\text{Sec}, \text{Pub}, i)$ in the sequence after an execution of $\text{write}(\text{Sec}, \text{Pub}, d, i)$ and before a subsequent execution of $\text{write}(\text{Sec}, \text{Pub}, d', i)$, for some data d' , in the sequence where the probability is over the random coin tosses of the protocol.

Security. We define security with respect to the following game between a challenger and an adversary. We emphasize that the adversary has read-access to *all* of Pub (which is usually encrypted) on which the FS eRAM operates.

The challenger initially chooses $b \in \{0, 1\}$ uniformly at random and runs $(\text{Sec}, \text{Pub}) \leftarrow \text{init}(1^\lambda, s, n)$ (where $s \ll n = \text{poly}(\lambda)$). Then, the adversary has access to the following oracles:

- **write**(d, i), which computes $\text{write}(\text{Sec}, \text{Pub}, d, i)$.
- **corrupt**(\cdot), which simply returns Sec .

- **chall**(d_0, d_1, i), which computes **write**(**Sec**, **Pub**, d_b, i).

An adversary is not allowed to call **corrupt**() after a call to **chall**(d_0, d_1, i), without first using **write**(d, i) to overwrite the i -th virtual cell with some other data d , since otherwise they would trivially win. Observe that w.l.o.g. there is no oracle for **read**() since the adversary already knows the data in cells which they filled using **write**(), and should not know the data in cells filled via **chall**(). Further observe that this definition provides forward secrecy, since upon a corruption, any data previously written to any virtual cell should be hidden.

Advantage. An adversary \mathcal{A} wins the FS eRAM security game if she correctly guesses the random bit b in the end. The advantage of \mathcal{A} against a forward secret encrypted-RAM scheme Π is defined by

$$\text{Adv}_{\text{eram}}^{\Pi}(\mathcal{A}) := |\Pr[\mathcal{A} \rightarrow 1 | b = 1] - \Pr[\mathcal{A} \rightarrow 0 | b = 1]|$$

Definition 11 (Forward Secret Encrypted RAM Security). A Forward Secret Encrypted RAM protocol Π is secure if every adversary \mathcal{A} that runs in time $\text{poly}(\lambda)$ has advantage

$$\text{Adv}_{\text{eram}}^{\Pi}(\mathcal{A}) \leq \text{negl}(\lambda).$$

Recall the folklore construction of Figure 1. It is clear that this construction is secure with respect to Definition 11 due to standard IND-CPA security of symmetric encryption. Once the adversary queries **write**(d, i) after a **chall**(d_0, d_1, i) query, all of the keys on the path of cell i , including those in **Sec**, are refreshed, and encryptions of the children of the path nodes are recomputed. Thus no information about the challenge bit b can be garnered from a **corrupt**() query.

5 Oblivious Forward Secret Encrypted RAM

In this section, we consider combining the notion of forward secret encrypted RAMs with *oblivious RAMs* (or ORAMs). ORAMs are a well-studied cryptographic primitive (see [10,24,11,29,20,1] and references therein) that provides security for the patterns of data access. At a high level, ORAMs guarantee that adversaries may not distinguish between two equal-length operational sequences even when viewing accesses to encrypted data. We note that ORAMs do not consider the setting where adversaries corrupt client storage.

Looking forward, we first formally define oblivious forward secret encrypted RAMs. We present both a strong and a weak notion combining obliviousness and forward secrecy. First, we present a linear cell probe lower bound for the strong variant. To obtain sub-linear overhead, we consider the weaker notion and present an optimal construction with logarithmic overhead. As a result, we show that one can add a weaker notion of obliviousness to forward secret encrypted RAMs without asymptotic overhead.

5.1 Definitions

The syntax of ORAMs are identical to the syntax of FS eRAMs presented in Definition 10 where secret cells **Sec** are client storage and public cells **Pub** are server storage. Therefore, we omit a formal notion of ORAM syntax and refer readers back to FS eRAM syntax if needed.

We start by defining the most natural notion of oblivious forward secret encrypted RAMs. When the adversary corrupts client storage and views the current memory contents, the adversary should not be able to distinguish between any two equal-length operational sequences that result in the current memory contents. At a high level, this notion provides forward secrecy for both the memory contents as well as the access patterns performed by the client prior to corruption. We denote this notion as *strong* oblivious forward secret encrypted RAMs.

Definition 12 (Strong Oblivious Forward Secret Encrypted RAM). Consider any two equal-length sequences of read and write operations O_1 and O_2 such that the contents of the array after both sequences are executed are identical. Let $\mathcal{V}(O)$ be the adversary's view when executing sequence O that includes contents of server (public) cells, all accesses to server cells and corrupted secret cells after O is executed. For any pair of such sequences O_1 and O_2 and any PPT adversary \mathcal{A} , a protocol Π is a strong oblivious forward secret encrypted RAM if

$$|\Pr[\mathcal{A}(\mathcal{V}(O_1)) = 1] - \Pr[\mathcal{A}(\mathcal{V}(O_2)) = 1]| \leq \text{negl}(\lambda).$$

We show in Section 5.2 that this strong notion requires linear overhead in the cell probe model. As a result, we need to consider a weaker security notion to obtain reasonable (or even sub-linear) overhead. Another natural composition of forward secret encrypted RAMs and oblivious RAMs is to trivially combine the two security notions together. If we consider an adversary that never corrupts client storage, then the access pattern to data remains secure (identical to ORAM guarantees). When the adversary corrupts client storage, all deleted memory contents are not recoverable by the adversary (identical to forward secret guarantees). In the case of client corruption, no security guarantees are offered about the client's access patterns prior to corruption. We denote this security as *weak* oblivious forward secret encrypted RAMs. As this is the notion that enables interesting sub-linear constructions, we will also refer to this notion as simply oblivious forward secret encrypted RAMs. We start by defining oblivious RAM:

Definition 13 (Oblivious RAM). Consider any two equal-length sequences of read and write operations O_1 and O_2 . Let $\mathcal{V}(O)$ be the adversary's view when executing sequence O that includes contents of server (public) cells and all accesses to server cells. For any pair of such sequences O_1 and O_2 and any PPT adversary \mathcal{A} , a protocol Π is an oblivious RAM if

$$|\Pr[\mathcal{A}(\mathcal{V}(O_1)) = 1] - \Pr[\mathcal{A}(\mathcal{V}(O_2)) = 1]| \leq \text{negl}(\lambda).$$

Definition 14 ((Weak) Oblivious Forward Secret Encrypted RAM). A protocol Π is a (weak) oblivious forward secret encrypted RAM if Π is both a forward secret encrypted RAM and an oblivious RAM.

5.2 Strong Oblivious FS eRAM Requires Linear Overhead

In this section, we prove a very strong lower bound in the cell probe model [32,16] about constructions that provide our strong notion of oblivious forward secrecy. That is, any construction that protects access patterns even if the adversary is able to corrupt client storage. We show that the expected overhead of such constructions must be on the order of accessing the entire array of n items (except for those stored in client memory). In other words, we note that the trivial construction that downloads the entire array, re-encrypts and re-uploads back to the server is the optimal construction. We note a variant of this lower bound is presented by Roche *et al.* [27] in the balls-and-bins model. Our lower bound is slightly stronger as it is proven in the cell probe model. Formally, we prove the following theorem:

Theorem 6. Let Π be a construction storing n array entries each of b bits that is a strong oblivious forward secret encrypted RAM in the cell probe model. Let w is the cell size in bits. If Π uses at most s bits of client storage, then the expected amortized overhead of Π must be $\Omega((nb - s)/w)$ cell probes.

Let Π be a computational protocol that stores an array of n entries and each entry is b bits that uses s bits of client storage. Furthermore, suppose that Π provides strong oblivious forward secrecy. That is, the access pattern remains hidden even when client storage is corrupted by the adversary. We will also assume that using client storage for Π and a subset of server storage, it is possible to determine the subset of array entries that may be decoded using the subset of server storage and client storage. Furthermore, we assume that the decoding of array entries may be done efficiently (that is, PPT). To our knowledge, all forward secret encrypted RAMs and oblivious RAMs satisfy this property. For all prior constructions, one could simply execute the operation $\text{read}(i)$ and check whether all relevant probed cells (ignoring dummy cell probes) appear in the subset of server storage to determine whether the i -th array entry could be decoded.

Our lower bounds are proved in the cell probe model. Server storage is split up into cells each of w bit size. We assume that each cell consists of $w = \Omega(\log n)$ bits such that each cell is large enough to hold cell locations (so there are 2^w cell locations at most). The only cost in the cell probe model is reading and/or overwriting a cell. The action of reading or overwriting a cell is denoted as probing the cell. All other operations outside of cell probes are free of charge. Free operations include computation, accessing or modifying client storage, accessing a random oracle, etc.

Note that the entire array may be encoded using nb/w cells. If we assume that client memory is used to store as much information about the array as possible, then the server must use $(nb - s)/w$ cells to store the array. In other words, the expected overhead of the construction must download on the order of

the entire array. A trivial asymptotically optimal construction is to simply download the entire array for each operation, re-encrypt locally with a new key and re-upload the array back to the server. Therefore, our lower bounds are tight.

We note that a variant of our theorem was proven by Roche *et al.* [27] in the weaker balls-and-bins model with the same assumption that there exists a PPT algorithm to determine all array entries that may be decoded with a subset of server memory and client memory. In the balls-and-bins model, each array entry is modelled as an indivisible ball and server memory as bins that may store at most one ball. This is equivalent to a non-coding assumption on the array entries. Our lower bounds in the cell probe model are stronger since they rule out strong oblivious forward secret encrypted RAMs even when data structures perform arbitrary encoding of the array entries before storing in server memory.

We consider the following worst case sequence of the form:

$$\text{write}(1, B_1), \dots, \text{write}(n, B_n)$$

where each B_i is a uniformly random string of b -bits. Our proof will analyze the amortized efficiency over all n operations. Denote $\text{probe}(i)$ to be the set of cells that are probed during the i -th write operation of $\text{write}(i, B_i)$. We will prove the following lemma:

Lemma 6. $\Pr_{i \sim U_n} [|\text{probe}(i)| > (nb/100 - s/2)/w] \geq 1/2$ where U_n is the uniform distribution over the set $\{1, \dots, n\}$.

We quickly note this lemma would complete Theorem 6.

Proof (Theorem 6). Lemma 6 implies the expected total cell probes over n operations is $n/2 \cdot (nb/100 - s/2)/w$. Therefore, the expected amortized number of cell probes over all n operations is $\Omega((nb - s)/w)$. \square

Consider the subset $S_i \subseteq \{1, \dots, n\}$ of array entries that may be decoded using the knowledge of $\text{probe}(i)$ (both the cell locations and contents) as well as the entire contents of client storage such as private keys. We show that S_i cannot be too large. That is, only a subset of the n array entries may be decoded using the probed cells and client storage. Intuitively, this makes sense the array n entries contain nb bits of entropy but the probed cells and client storage only use $nb/100$ cells. We prove the following about the subset S_i .

Lemma 7. Consider the operational sequence $O = \text{write}(1, B_1), \dots, \text{write}(n, B_n)$ executed by Π . Suppose there exists $i \in \{1, \dots, n\}$ such that $\text{write}(i, B_i)$ probes $\text{probe}(i)$ where $|\text{probe}(i)| \leq (nb/100 - s/2)/w$. If S_i is the set of indices whose array entries may be decoded using $\text{probe}(i)$ and client storage after the execution of $\text{write}(i, B_i)$, then it must be that $\Pr[|S_i| > 99n/100] < 3/4$ over the choice of randomness used by Π to execute the sequence O .

Proof. Towards a contradiction, suppose that $\Pr[|S_i| > 99n/100] \geq 3/4$. We present an impossible one-way compression scheme of a uniformly random nb -bit string using Π . We formally present the scheme using Alice (encoder) and Bob (decoder). Alice receives a uniformly random nb -bit string (or an array of n entries where each entry is a uniformly random b -bit string). Bob will only receive Alice's message and decode the string. For our contradiction, we show that Alice's message size will be smaller than nb bits in expectation.

Alice's Encoding Algorithm. Receives B_1, \dots, B_n as input.

1. Execute Π on $\text{write}(1, B_1), \dots, \text{write}(i-1, B_{i-1})$.
2. Execute Π on $\text{write}(i, B_i)$ to obtain the subset of probed server cells $\text{probe}(i)$.
3. Set S_i to be the subset of array entries that may be decoded using $\text{probe}(i)$ using the client storage after the execution of $\text{write}(i, B_i)$.
4. If $|S_i| < 99n/100$, then Alice's encoding starts with a 0-bit followed by a trivial encoding of B_1, \dots, B_n using nb bits.
5. When $|S_i| \geq 99n/100$, then Alice's encoding starts with a 1-bit followed by $|\text{probe}(i)|$, then the locations and contents of $\text{probe}(i)$ using $2w|\text{probe}(i)|$ bits and the client storage of s bits. For the remaining array entries B_j such that $j \notin S_i$, Alice encodes them trivially in increasing index order using $b(n - |S_i|)$ bits.

Bob's Decoding Algorithm. Receives Alice's encoding.

1. If Alice's encoding starts with a 0-bit, then decode trivially.
2. Otherwise, Bob decodes $\text{probe}(i)$ and client storage.
3. Bob computes the all array entries whose indices appear in S_i .
4. Using the remainder of Alice's encoding, Bob iterates through indices in $j \in \{1, \dots, n\}$ in increasing order. For each $j \notin S_i$, Bob trivially decodes B_j using the next b bits of Alice's encoding. Afterwards, Bob decodes all of B_1, \dots, B_n .

Analysis. If $|S_i| < 99n/100$, then Alice's encoding size is $nb + 1$ bits. This occurs with probability at most $3/4$. For the other case, Alice's encoding size is

$$1 + O(\log n) + (2w)(nb/100 - s/2)/w + s + b(n - |S_i|) \leq O(\log n) + nb/50 + nb/100 \leq nb/20$$

bits since $|\text{probe}(i)| \leq (nb/100 - s/2)/w$ and $S_i \geq 99n/100$. Therefore, the Alice's expected message size is:

$$1 + (3nb/4) + nb/20 < nb = H(B_1, \dots, B_n)$$

contradicting Shannon's source coding theorem. \square

Proof (Theorem 6). Towards a contradiction, suppose that

$$\Pr_{i \sim U_n} [|\text{probe}(i)| \leq (nb/100 - s/2)/w] \geq 1/2.$$

We construct a PPT adversary \mathcal{A} that will distinguish the following sequences. The first is the worst case sequence $S_0 = \text{write}(1, B_1), \dots, \text{write}(n, B_n)$. The other sequence S_1 is identical to S_0 except by swapping two random operations. Formally, \mathcal{A} picks two uniformly an index i uniformly at random from $\{1, \dots, 199n/200\}$ and j uniformly at random from $\{199n/200 + 1, \dots, n\}$. S_1 is obtained by swapping the i -th and j -th operation in S_0 .

\mathcal{A} will observe the first j write operations. Furthermore, \mathcal{A} will observe the subset of cells probed in the j -th write operation, denoted by $\text{probe}(j)$. Afterwards, \mathcal{A} will corrupt and gain access to all client storage. At the time of corruption, note that the plaintext array contents are identical as the same j write operations were performed except for the i -th and j -th operation being switched in the two sequences.

Next, \mathcal{A} will utilize the protocol Π to construct the subset of array indices S that may be decoded using the corrupted client storage and the subset of server cells $\text{probe}(j)$. Finally, \mathcal{A} checks whether the indices i and j appear in S . If $i \in S$ and $j \notin S$, then \mathcal{A} will guess that S_1 was executed. If $i \notin S$ and $j \in S$, then \mathcal{A} will guess that S_0 was executed. In any other case, \mathcal{A} will guess between S_0 and S_1 with equal probability by flipping an unbiased coin.

To analyze the adversary's guessing probability, suppose that S_0 is executed. For correctness, it must be the case that the write operation $\text{write}(j, B_j)$ must have encoded the uniformly random string B_j in the client storage and subset of probed cells $\text{probe}(j)$. Therefore, it must be that $j \in S$. We now analyze the probability that $i \notin S$. By Lemma 7, S contains at most $99n/100$ indices. Note that the choice of i -th operation that was chosen to be swapped with the j -th operation is chosen uniformly at random. Therefore, $\Pr[i \in S] = (99n/100)/(199n/200) \leq 999/1000$. Therefore, \mathcal{A} has advantage at least $1/1000$ when S_1 is executed. For the case when S_1 is executed, we simply note that i must always appear S . Therefore, the adversary guesses correctly with probability at least $1/2$. Put together, \mathcal{A} has advantage at least $1/2000$ contradiction security and completing the proof. \square

5.3 Oblivious Forward Secret Encrypted RAM Construction

We start by presenting a naive composition of oblivious RAM and forward secret encrypted RAM constructions. Throughout this section, we will measure overhead with respect to encrypted array entries. For example, $O(\log n)$ communication means $O(\log n)$ encrypted array entries. The idea is to take any forward secret encrypted RAM and replace each memory access using an oblivious RAM. While this guarantees both obliviousness and forward secrecy, the efficiency is not optimal. Note that forward secret encrypted RAMs use $O(\log n)$ memory accesses. Each memory access in an ORAM costs $O(\log n)$

overhead incurring a total $O(\log^2 n)$ overhead. We note that prior works have studied this primitive such as [27]. To our knowledge, the best current construction requires $O(\log^2 n)$ overhead.⁵

Our construction utilizes two observations. First, tree-based ORAMs are quite conducive to incorporate the folklore FS eRAM solution. However, all tree-based ORAMs [29] require $O(\log^2 n)$ overhead. On the other hand, hierarchical ORAMs [10,24,20,1] obtain $O(\log n)$ overhead but there is no straightforward way to incorporate the folklore FS eRAM solution. To obtain our result, we compose tree-based and hierarchical ORAMs to obtain a faster solution. At a high level, we use tree-based ORAMs and replace the recursive position map with a hierarchical ORAMs. We describe our new constructions below.

Overview. Our construction will avoid this additional logarithmic overhead incurred by ORAM over forward secret encrypted RAMs. Without loss of generality, suppose we are storing n array entries $D[0], \dots, D[n-1]$ where n is a power of two. Our construction uses three components: a complete binary tree, a stash and an oblivious RAM. The binary tree is inspired by prior works for tree-based ORAMs [29]. The tree will have n leaf nodes and $\log n$ levels used to store the n array entries. Every node in the binary tree has capacity to store up to a constant number of array entries. Each of the n array entries, $D[i]$, will be uniquely assigned a uniformly random leaf node of the tree denoted by $\text{Leaf}(i)$. The tree maintains the invariant that if any array entry $D[i]$ is stored in the binary, then $D[i]$ will be stored in a node that appears on the unique root-to-leaf path for leaf $\text{Leaf}(i)$. If $D[i]$ is not stored in the tree, then it will be stored in the *stash* denoted by Stash . Additionally, we need to maintain a *position map*, PMAP , that stores the assigned leaf nodes for each array entry, that is, $\text{PMAP}[i] = \text{Leaf}(i)$.

Binary Tree. Whenever an array entry $D[i]$ is either read or overwritten, the root-to-leaf path to $\text{Leaf}(i)$ will be accessed along with the stash Stash to obtain $D[i]$. Afterwards, $\text{Leaf}(i)$ is re-initialized by picking amongst the n leaf nodes uniformly at random with PMAP being updated accordingly. Finally, $\text{Leaf}(i)$ is stored in Stash . To ensure Stash remains small, entries in Stash are evicted in a greedy manner whenever a root-to-leaf path is accessed. If there is space in the root node, any item in Stash may be evicted into the root node (as the root appears on every root-to-leaf node path). Generally, for any node accessed in a root-to-leaf path, any data entry $D[i]$ whose leaf node $\text{Leaf}(i)$ appears in the sub-tree rooted at the node may be evicted until reaching the node's capacity. Prior works proved that the Stash remains small except with negligible probability. Formally, Stash contains at most $\omega(\log n)$ items except with probability negligible in n . Additionally, it has been showing that accessing the tree is oblivious.

To obtain forward secrecy, we embed the folklore FS eRAM ideas into the binary tree. Each internal node in the binary tree will additionally store a random encryption key that will be used to encrypt the contents of both children. Each time a root-to-leaf path is accessed, all children of nodes in the root-to-leaf path will also be accessed. All encryption keys of nodes in the path will be re-generated. Furthermore, all nodes will be re-encrypted using their parent's new encryption key. The newly re-encrypted nodes will be uploaded back to the server for storage. This modification guarantees forward secrecy for the data.

Position Map and Stash. Next, we consider the position map PMAP . Note that PMAP only stores relationships between entries and leaf nodes. In particular, PMAP does not store any information about the array entry contents. As a result, we only need to focus on obliviousness for PMAP . We choose to store PMAP in any oblivious RAM. If we choose the construction in [1], reading or overwriting any entry $\text{PMAP}[i]$ requires only $O(\log n)$ overhead as PMAP contains only n entries. Finally, the Stash is handled by being encrypted and stored on the server.

Read and Write Algorithms. Altogether, an read or write to the oblivious forward secure encrypted RAM works as follows. To read/overwrite $D[i]$, the leaf node $\text{Leaf}(i)$ is queried from PMAP using ORAM operations. Next, the root-to-leaf path to $\text{Leaf}(i)$, children of nodes in the root-to-leaf path and Stash are downloaded decrypted. $D[i]$ is retrieved and updated if needed before being placed into Stash . A new uniformly random $\text{Leaf}(i)$ is generated and written back to PMAP . Items are greedily evicted from Stash into the downloaded root-to-leaf path. Each node is padded to the maximum capacity with dummies if needed. All encryption keys of internal nodes are freshly sampled and all nodes are encrypted using the parent node's encryption keys before being uploaded back to the server. The root is encrypted with a freshly generated client-stored encryption key. Finally, Stash is padded to the maximum capacity with dummies and re-encrypted using the new client key before being uploaded to the server.

⁵ To be fair, we note that these works appeared before recent developments leading to $O(\log n)$ overhead ORAMs [20,1]

Theorem 7. *For any function $f(n) = \omega(1)$, there exists a (weak) oblivious forward secret encrypted RAM with $O(\log n \cdot f(n))$ overhead, $O(n)$ server storage and $O(1)$ client storage.*

Our construction is essentially optimal except for the multiplicative $\omega(1)$ factor as we already proved that forward secure encrypted RAMs require $\Omega(\log n)$ overhead. Similarly, it is known that ORAMs also require $\Omega(\log n)$ overhead [10,16].

Proof. For forward secrecy, we only need to consider the binary tree and **Stash** as PMAP stores no information about memory contents. Using the same proof techniques from the folklore solution, it is straightforward to see that the tree is forward secure. Similarly, **Stash** is re-encrypted using a fresh key that is discarded after each operation. So, our construction is a forward secret encrypted RAM.

To prove obliviousness, we note that **Stash** is always downloaded, re-encrypted and uploaded for each query. So accessing **Stash** is oblivious to the operation being performed. As PMAP is stored in an ORAM, obliviousness is already guaranteed. For the tree, note that each operation queries a uniformly random root-to-leaf path and all children of nodes in the path. Therefore, our construction is an oblivious RAM.

In terms of efficiency, note the total server storage is $O(n)$ and client storage is $O(1)$ consisting of PMAP ORAM client storage and a single encryption key. In terms of overhead, each read/write operation requires download and re-uploading $O(\log n)$ tree nodes each with $O(1)$ array entry capacity, a **Stash** of $\omega(\log n)$ array entries (see [29] for analysis) and two ORAM operations with $O(\log n)$ overhead. Altogether, the total overhead is $\omega(\log n)$ completing the proof. \square

6 Forward Secret Multicast Encryption

Multicast encryption (MC) is a primitive that allows a group manager to securely and efficiently distribute secrets to an evolving group of users. After each group membership change, a new epoch is initiated, and the group manager sends ciphertexts over a broadcast channel which allow only the *current* group members to derive the next group secret. MC has been widely studied in the literature [30,31,12,13,6,19,28]. Indeed, these works can be unified into a folklore construction based on binary trees which tightly achieves optimal $O(\log n)$ communication and computational complexity per epoch with respect to the lower bound of [18]. All of these works considered a security model in which an adversary with read-access to the broadcast channel could not break security of a given epoch without the secret state of any of the group members or group manager. However, in recent years, more robust security properties have been demanded of cryptographic primitives. Importantly, the group maintained by a MC protocol could exist for a long time (even several years). Therefore, we ideally desire to protect against a catastrophic event in which the secret state of the group manager is corrupted by an adversary, as such events are not uncommon across long periods of time.

The security property which we focus on in this section is *forward secrecy* of the protocol with respect to compromise of the group manager’s secret state. We view it as the property to which ideas from FS eRAM can contribute the most. For this property, we desire that the group secrets of all prior group membership epochs stay hidden from the adversary even after the catastrophic event. Note: one could also consider forward secrecy with respect to corruption of user secret states, as well as a related notion called Post-Compromise Security [7], which requires the protocol to be able to recover after such a corruption, such that group secrets of future epochs are secure.

Additionally, the group manager of an MC scheme must store $\Omega(n)$ information at all times, where n is the number of group members, in order to be able to securely communicate with these users. In this section, we show that adapting the folklore MC scheme and applying ideas from the folklore FS eRAM construction can provide FS for the group manager while storing $O(1)$ information in its secret state and retaining optimal communication and computational complexity of $O(\log n)$.

First, we provide a definition for MC modeling our desired security properties. For simplicity, we consider groups which always have a constant number, n , of users. Each group membership operation replaces one user in the group with another. However, we note that our construction works for dynamically-sized groups as well.

Definition 15 (Multicast Encryption (MC)). *An MC scheme $M = (\text{Minit}, \text{Unit}, \text{create}, \text{replace}, \text{proc})$ consists of the following algorithms:*

- Group Manager Initialization: *Minit* takes in security parameter λ and the number of users in the group at any moment, n , and outputs an initial state $\Gamma = (\Gamma_{\text{Sec}}, \Gamma_{\text{Pub}})$.
- User Initialization: *Uinit* takes in security parameter λ , an ID $\text{ID} \in \mathbb{N}$ and outputs an initial state γ .
- Group Creation: *create* takes a state Γ and a set of users $\mathbf{G} = \{\text{ID}_1, \dots, \text{ID}_n\}$, for some $n \in \mathbb{N}$, each $\text{ID}_i \in \mathbb{N}$, and outputs a new state Γ' and control message T .
- Replace: *replace* takes a state Γ and IDs $\text{ID}, \text{ID}' \in \mathbb{N}$ and outputs a new state Γ' and a control message T .
- Process: *proc* takes a state γ and a control message T sent over the broadcast channel and outputs a new state γ' and a group secret S .

Correctness and Security. We encapsulate correctness and security into the following game-based definition. We emphasize that the adversary \mathcal{A} always has read-access to Γ_{Pub} , which represents the storage that the group manager may outsource to some remote server. In addition, \mathcal{A} has read-access to the broadcast channel throughout the game.

The game proceeds in epochs determined by group membership, beginning at epoch $t = 0$. The challenger initially runs $\gamma_{\text{ID}} \leftarrow \text{Uinit}(1^\lambda, \text{ID})$, $\forall \text{ID}$,⁶ and $\Gamma \leftarrow \text{Minit}(1^\lambda, n)$ (where $n = \text{poly}(\lambda)$ is determined by \mathcal{A}). Then, for some initial set of n users, $\mathbf{G} = \{\text{ID}_1, \dots, \text{ID}_n\}$ chosen by \mathcal{A} , the challenger executes $(\Gamma', T) \leftarrow \text{create}(\Gamma, \mathbf{G})$. After initialization, the adversary has access to the **replace**(ID, ID') oracle, which first checks that ID and ID' are currently in, and not in, respectively, the group at the current epoch t . Then, it executes $(\Gamma', T) \leftarrow \text{replace}(\Gamma, \text{ID}, \text{ID}')$ followed by $(\gamma'_{\text{ID}}, S_t^{\text{ID}}) \leftarrow \text{proc}(\gamma_{\text{ID}}, T)$ for every member ID of the group, and finally increments the epoch: $t \leftarrow t + 1$. If $\exists \text{ID}_1, \text{ID}_2$ in the group such that $S_t^{\text{ID}_1} \neq S_t^{\text{ID}_2}$, then the challenger outputs win and ends the game.

At the end of the game, the challenger sends Γ_{Sec} to \mathcal{A} , and outputs win if and only if it receives from \mathcal{A} the group secret of a previous epoch.

Definition 16 (Multicast Encryption Security). *A Multicast Encryption scheme M is secure if for every PPT adversary \mathcal{A}*

$$\left| \Pr[\mathcal{A} \text{ wins}] - \frac{1}{2} \right| \leq \text{negl}(\lambda).$$

6.1 Forward Secret Construction with Small Group Manager Secret State

In this section, we modify the folklore construction to both be secure with respect to Definition 16 and have group manager secret state of $O(1)$ size, thus allowing the group manager to outsource the required $\Omega(n)$ storage to Γ_{Pub} , while still retaining optimal efficiency of $\text{replace}()$ operations.

The folklore construction is based off of a complete binary tree τ with n leaves, where each member of the group in a certain epoch is assigned to a unique leaf. The group manager stores τ in Γ_{Sec} and each group member stores their corresponding path P_{ID} from their leaf to the root in γ_{ID} . For simplicity, we will assume n is a power of two. Each node in the tree has an associated symmetric key that may change at each epoch. More specifically, after a $\text{replace}(\Gamma, \text{ID}, \text{ID}')$ operation, the keys on the path from the leaf corresponding to ID to the root are all (from the leaf, up) refreshed and encrypted to the keys of their children. The symmetric key at the root serves as the group secret for each epoch, which each user in the group can clearly derive given the above ciphertexts, but not user ID' , nor any other users that are not in the group.

Here, we make two alterations to the folklore construction to achieve our goals stated above. In order to achieve forward secrecy with respect to corruptions of Γ_{Sec} , we replace the standard symmetric encryption in the construction with forward secret symmetric encryption. One way to achieve this is by using stream ciphers in the following way: The key of each node v in τ is replaced with a seed s_v for a PRG \mathbf{G} and a one-time pad key k_v . Now, after the group manager encrypts to the key of some node v , it computes $\mathbf{G}(s_v) = (s'_v, k'_v)$ and reassigns to v this new seed, key pair. After a group member ID decrypts a ciphertext using k_v , they do the same for v in γ_{ID} . Now, when Γ_{Sec} is corrupted by \mathcal{A} , she only sees the seeds and keys at each node that have never been encrypted to and are pseudorandom and independent of all seeds and keys that were previously stored at the nodes. Also, all efficiency measures of this modified scheme are the same as the folklore construction. Namely, Γ_{Sec} is still $O(n)$ size.

⁶ We assume the ID space is polynomially large.

As in the (weak) FS ORAM construction of Section 5.3, to reduce the size of Γ_{Sec} , one could naively use the folklore FS eRAM construction to forward secretly outsource storage of an encrypted version of the tree. Thus, Γ_{Sec} would only contain the root key of the FS eRAM construction and Γ_{Pub} would correspond to the public portion of the tree in the FS eRAM construction. Security of the MC construction would then follow from the forward secrecy argument of our first alteration above, combined with the forward secrecy of the FS eRAM. However, for each execution of the `replace()` operation, the manager needs to read and write $O(\log n)$ items in the FS eRAM, leading to $O(\log^2 n)$ total computation.

Instead, we can embed the ideas of the folklore FS eRAM construction directly into the `create()` and `replace()` algorithms of the folklore MC construction. Each node v in τ now not only has an associated PRG seed s_v and one-time pad key k_v , but also an additional *RAM key* rk_v . The group manager stores the RAM key rk_r of the root r of τ in Γ_{Sec} . In Γ_{Pub} , it stores the other nodes of τ in the following manner: at each node v in τ we store $\mathbf{E}_{rk_p}(s_v, k_v, rk_v)$, where rk_p is the RAM key of the parent of v .

We now provide an overview of the protocol operations. First, we describe a useful subroutine called `refresh(V)`. This subroutine takes in a set of nodes V and for each interior node $v \in V$, samples a random PRG seed s_v , one-time pad k_v , and RAM key rk_v . Next, for each interior node $v \in V$, it computes $\mathbf{E}_{k_{c_i}}((s_v, k_v))$ followed by $\mathbf{G}(s_{c_i}) \rightarrow (s'_{c_i}, k'_{c_i})$, for $i \in [2]$, where (s_v, k_v) is the seed, key pair at v , and (s_{c_i}, k_{c_i}) are the seed, key pairs of the children of v . Then, it aggregates these encryptions, labeled with the identifiers of the two nodes whose symmetric keys are being encrypted and encrypted to, respectively, into control message T . Next, it labels each node v (except for the root) in V^7 (in Γ_{Pub}) with $\mathbf{E}_{rk_p}(s_v, k_v, rk_v)$, where rk_p, rk_v are the RAM keys of the parent p of v and v itself, respectively, and s_v, k_v correspond to the most recent seed, key pair of v . Finally, it stores the RAM key of the root rk_r in Γ_{Sec} and broadcasts control message T .

- `Minit(n)` simply initializes a complete binary tree with n leaves, τ in Γ_{Pub} .
- `Unit(ID)` samples a random PRG seed s_{ID} and one-time pad k_{ID} for ID and sets $P_{ID}[v_{ID}] \leftarrow (s_{ID}, k_{ID})$, $\gamma_{ID} \leftarrow (ID, P_{ID})$. We will assume that the group manager can gain access to (s_{ID}, k_{ID}) at any moment (through some out-of-band channel).
- `create($\Gamma, G = \{ID_1, \dots, ID_n\}$)` first assigns each of the leaves in τ uniquely to the ID s in G along with their corresponding seed, key pairs (s_{ID}, k_{ID}) (retrieved via an out-of-band channel). It then computes $T \leftarrow \text{refresh}(\tau)$.
- `replace(Γ, ID, ID')` first assigns the leaf of ID in τ to ID' along with $(s_{ID'}, k_{ID'})$ (retrieved via an out-of-band channel). Next, it uses the RAM key rk_r of the root r stored in Γ_{Sec} to iteratively decrypt the seed, key pairs (and RAM keys) of every node on the path to $v_{ID'}$, $P_{ID'}$, as well as their children which are not on the path. It then computes $T \leftarrow \text{refresh}(P_{ID'})$.
- `proc($\gamma = (ID, P_{ID}), T$)` first finds in T the ciphertext that is labeled with the identifier of the node $v_{i,j}$ on the path from v_{ID} to the root, which is closest to v_{ID} . Then using $(s_{v_{i,j}}, k_{v_{i,j}}) \leftarrow P_{ID}[v_{i,j}]$ it decrypts this ciphertext, computes $\mathbf{G}(s_{v_{i,j}}) \rightarrow (s'_{v_{i,j}}, k'_{v_{i,j}})$ and changes the seed, key pair of $P_{ID}[v_{i,j}]$ and $P_{ID}[v_{i+1,j_{i+1}}]$ correspondingly. Then, it repeats this for all nodes $v_{i+1,j_{i+1}}, \dots, v_{\log n, 1}$ on the path from $v_{i,j}$ to the root, and outputs the group secret for the epoch at the root.

We note that the number of ciphertexts broadcast in `refresh()` can be reduced by a factor of two by using a PRG to compute the seed, key pair at a given node from a seed at one of its children as in [6].

Theorem 8. *There exists a Multicast Encryption scheme that is secure with respect to Definition 16 and has $O(1)$ group manager secret storage, $O(n)$ group manager public storage, $O(\log n)$ user storage, $O(n)$ computational and communication complexity of `create()`, $O(\log n)$ computational and communication complexity of `replace()`, and $O(\log n)$ computational complexity of `proc()`.*

Proof. It is trivial to see the efficiency of the construction: namely, for `replace()`, only ciphertexts for the nodes of a given path and their children are decrypted and encrypted.

For security, all broadcast ciphertexts are encrypted to keys which have been pseudorandomly generated, starting from some randomly sampled seed. When Γ_{Sec} is corrupted, due to the incorporated strategy of the FS eRAM construction of Figure 1, an adversary \mathcal{A} can only recover seeds and keys from the current state of τ , and no seeds or keys that were stored in τ in previous epochs, but are no longer present. Since the seeds and keys currently in τ have never before been used and are pseudorandom and

⁷ Also, their children, in the case of `replace()`.

independent of the seeds and keys that used to be in τ and were used to create the ciphertexts of the previous epochs, \mathcal{A} cannot obtain any information about the previous group secrets from them. Thus, \mathcal{A} has only negligible advantage in the MC game. \square

References

1. Asharov, G., Komargodski, I., Lin, W.K., Nayak, K., Peserico, E., Shi, E.: Optorama: Optimal oblivious ram. In: Annual International Conference on the Theory and Applications of Cryptographic Techniques. pp. 403–432. Springer (2020)
2. Bajaj, S., Sion, R.: Ficklebase: Looking into the future to erase the past. In: 2013 IEEE 29th International Conference on Data Engineering (ICDE). pp. 86–97. IEEE (2013)
3. Bienstock, A., Dodis, Y., Rösler, P.: On the price of concurrency in group ratcheting protocols. In: Theory of Cryptography - 18th International Conference, TCC 2020, November 15–19, 2020, Proceedings. Lecture Notes in Computer Science, Springer (2020)
4. Boneh, D., Lipton, R.J.: A revocable backup system. In: USENIX Security Symposium. pp. 91–96 (1996)
5. Boyle, E., Naor, M.: Is there an oblivious ram lower bound? In: Proceedings of the 2016 ACM Conference on Innovations in Theoretical Computer Science. pp. 357–368 (2016)
6. Canetti, R., Garay, J., Itkis, G., Micciancio, D., Naor, M., Pinkas, B.: Multicast security: a taxonomy and some efficient constructions. In: IEEE INFOCOM ’99. Conference on Computer Communications. Proceedings. Eighteenth Annual Joint Conference of the IEEE Computer and Communications Societies. The Future is Now (Cat. No.99CH36320). vol. 2, pp. 708–716 vol.2 (1999)
7. Cohn-Gordon, K., Cremers, C.J.F., Garratt, L.: On post-compromise security. In: IEEE 29th Computer Security Foundations Symposium, CSF 2016, Lisbon, Portugal, June 27 - July 1, 2016. pp. 164–178. IEEE Computer Society (2016)
8. Di Crescenzo, G., Ferguson, N., Impagliazzo, R., Jakobsson, M.: How to forget a secret. In: Proceedings of the 16th Annual Conference on Theoretical Aspects of Computer Science. p. 500–509. STACS’99, Springer-Verlag, Berlin, Heidelberg (1999)
9. Geambasu, R., Kohno, T., Levy, A.A., Levy, H.M.: Vanish: Increasing data privacy with self-destructing data. In: USENIX Security Symposium. vol. 316 (2009)
10. Goldreich, O., Ostrovsky, R.: Software protection and simulation on oblivious rams. Journal of the ACM (JACM) 43(3), 431–473 (1996)
11. Goodrich, M.T., Mitzenmacher, M.: Privacy-preserving access of outsourced data via oblivious ram simulation. In: International Colloquium on Automata, Languages, and Programming. pp. 576–587. Springer (2011)
12. Harney, H., Muckenhirn, C.: Rfc2093: Group key management protocol (gkmp) specification (1997)
13. Harney, H., Muckenhirn, C.: Rfc2094: Group key management protocol (gkmp) architecture (1997)
14. Hubáček, P., Koutecký, M., Král, K., Slívová, V.: Stronger lower bounds for online oram. In: Theory of Cryptography Conference. pp. 264–284. Springer (2019)
15. Jacob, R., Larsen, K.G., Nielsen, J.B.: Lower bounds for oblivious data structures. In: Proceedings of the Thirtieth Annual ACM-SIAM Symposium on Discrete Algorithms. pp. 2439–2447. SIAM (2019)
16. Larsen, K.G., Nielsen, J.B.: Yes, there is an oblivious ram lower bound! In: Annual International Cryptology Conference. pp. 523–542. Springer (2018)
17. Larsen, K.G., Simkin, M., Yeo, K.: Lower bounds for multi-server oblivious rams. Theory of Cryptography Conference (to appear) (2020)
18. Micciancio, D., Panjwani, S.: Optimal communication complexity of generic multicast key distribution. In: Cachin, C., Camenisch, J. (eds.) EUROCRYPT 2004. LNCS, vol. 3027, pp. 153–170. Springer, Heidelberg, Germany, Interlaken, Switzerland (May 2–6, 2004)
19. Mittra, S.: Iolus: A framework for scalable secure multicasting. In: Proceedings of the ACM SIGCOMM ’97 Conference on Applications, Technologies, Architectures, and Protocols for Computer Communication. p. 277–288. SIGCOMM ’97, Association for Computing Machinery, New York, NY, USA (1997), <https://doi.org/10.1145/263105.263179>
20. Patel, S., Persiano, G., Raykova, M., Yeo, K.: Panorama: Oblivious ram with logarithmic overhead. In: 2018 IEEE 59th Annual Symposium on Foundations of Computer Science (FOCS). pp. 871–882. IEEE (2018)
21. Patel, S., Persiano, G., Yeo, K.: Lower bounds for encrypted multi-maps and searchable encryption in the leakage cell probe model. In: Annual International Cryptology Conference. pp. 433–463. Springer (2020)
22. Persiano, G., Yeo, K.: Lower bounds for differentially private rams. In: Annual International Conference on the Theory and Applications of Cryptographic Techniques. pp. 404–434. Springer (2019)
23. Peterson, Z.N., Burns, R.C., Herring, J., Stubblefield, A., Rubin, A.D.: Secure deletion for a versioning file system. In: FAST. vol. 5 (2005)

24. Pinkas, B., Reinman, T.: Oblivious ram revisited. In: Annual cryptology conference. pp. 502–519. Springer (2010)
25. Reardon, J., Basin, D., Capkun, S.: Sok: Secure data deletion. In: 2013 IEEE symposium on security and privacy. pp. 301–315. IEEE (2013)
26. Reardon, J., Ritzdorf, H., Basin, D., Capkun, S.: Secure data deletion from persistent media. In: Proceedings of the 2013 ACM SIGSAC conference on Computer & communications security. pp. 271–284 (2013)
27. Roche, D.S., Aviv, A., Choi, S.G.: A practical oblivious map data structure with secure deletion and history independence. In: 2016 IEEE Symposium on Security and Privacy (SP). pp. 178–197. IEEE (2016)
28. Sherman, A.T., McGrew, D.A.: Key establishment in large dynamic groups using one-way function trees. IEEE Transactions on Software Engineering 29(5), 444–458 (2003)
29. Stefanov, E., Van Dijk, M., Shi, E., Fletcher, C., Ren, L., Yu, X., Devadas, S.: Path oram: an extremely simple oblivious ram protocol. In: Proceedings of the 2013 ACM SIGSAC conference on Computer & communications security. pp. 299–310 (2013)
30. Wallner, D., Harder, E., Agee, R.: Rfc2627: Key management for multicast: Issues and architectures (1999)
31. Wong, C.K., Gouda, M., Lam, S.S.: Secure group communications using key graphs. In: Proceedings of the ACM SIGCOMM '98 Conference on Applications, Technologies, Architectures, and Protocols for Computer Communication. p. 68–79. SIGCOMM '98, Association for Computing Machinery, New York, NY, USA (1998), <https://doi.org/10.1145/285237.285260>
32. Yao, A.C.C.: Should tables be sorted? Journal of the ACM (JACM) 28(3), 615–628 (1981)

A Barriers to Cell Probe Lower Bound

At a high level, the cell probe model only charges data structures for probing (either reading/writing) a cell. Probing a single cell accounts for one unit cost of computation. The contents of each cell may be arbitrary encodings of the underlying data or anything else. All other resources of the data structure may be used without cost, including computation *besides* cell probes, randomness generation, etc. However, this does not apply to adversaries who are typically expected to be PPT. We refer readers to [32] for a formal definition with respect to data structures and [16] with respect to cryptographic data structures.

It turns out that when computation is free, we can construct a simple FS eRAM with only $O(1)$ cell probes. Each of the n entries are encrypted using authenticated encryption. To retrieve an entry, the data structure retrieves the ciphertext and tries to decrypt with all keys until succeeding. This is technically a valid, but practically infeasible, construction in the cell probe model.

To circumvent this problem, one could also require that the data structure is a PPT algorithm. However, this only rules out natural usages of encryption and other cryptographic primitives. Data structures may use cryptographic primitives in unnatural manners (like with weaker security parameters) trying to find an encryption scheme that is breakable by the data structure yet is intractable for the adversary. Unfortunately, this phenomenon occurs due to the assumptions of the adversary's and data structure's computational powers (along with the data structure's private state) as opposed to studying the hardness of the FS eRAM problem.

To avoid this problem, the symbolic model rules out unnatural usages of these cryptographic primitives with its grammatical syntax that requires standard usages of fundamental cryptographic primitives.

B Proof of Lemma 3

Proof (Lemma 3). First, consider the sum

$$S' = \frac{1}{d} \sum_{i=1}^d \log(x_i) \cdot x_i.$$

Since $f(x) = \log(x) \cdot x$ is convex, we have by Jensen's inequality that

$$S' \geq \log\left(\frac{\sum_{i=1}^d x_i}{d}\right) \cdot \frac{\sum_{i=1}^d x_i}{d} = \log(m/d) \cdot m/d.$$

Thus,

$$S = \frac{d}{m} \cdot S' = \frac{1}{m} \cdot \sum_{i=1}^d \log(x_i) \cdot x_i \geq \log(m/d).$$

□