Home | JAMA Pediatrics | New Online

JAMA Pediatrics [FREE] **Patient Page**



Long COVID in Young Children, **School-Aged** Children, and **Teens**

Rachel S. Gross, MD, MS¹; Megan Carmilani, Med^{2,3}; Melissa S. Stockwell, MD, MPH 4,5,6


≫ Author Affiliations | Article Information



JAMA Pediatr

Published Online: May 27, 2025

doi: 10.1001/jamapediatrics.2025.1415



Advertisement

Long COVID happens when






months after a SARS-CoV-2 infection.

Some children have COVID-19 symptoms that do not go away, while others might feel better but later develop new symptoms.

Sometimes, symptoms can come and go. Long COVID can affect any child, even if they had mild or no symptoms when they had COVID-19.



Long COVID is common, affecting up to 10% to 20% of children with a his-

Research

Characterizing Long COVID Symptoms During Early Childhood

May 27, 2025

Research

Long COVID Prevalence and Activity Limitation in US Children

February 3, 2025

Research

Respiratory Benefits of Multisetting Air Purification in Children

December 2, 2024

See More About

Pediatrics

Patient Information

JAMA Pediatrics Patient Information



tory of COVID-19. With almost 6 million US children potentially affected, this is higher than the number of children with asthma, the most common chronic health problem in children.

What Symptoms Should I Look for?

Long COVID can impact many body parts, and its symptoms can last for months or years. It can severely affect daily activities and emotional well-being, such as playing or attending school.

Long COVID has many common features but can look different across ages. Infants, toddlers, and preschool-aged children are more likely to have symptoms parents can observe, such as poor appetite, sleepiness, and respiratory symptoms (eg, a cough). School-aged children are more likely to

Coronavirus (COVID-19)

Adolescent Medicine

have neurologic symptoms, eg, trouble focusing, trouble sleeping, or feeling lightheaded. They may also have back or neck pain, headache, stomach pain, or vomiting. Sometimes, they have behavioral changes. Adolescents are more likely to have a change or loss in smell or taste, pain, fatigue-related symptoms, trouble with memory, and lightheadedness. Postexertional malaise (PEM) has been reported in children and adults with long COVID. PEM is a flare of symptoms and/or the appearance of new symptoms even after minimal exertion, including physical activity, mental exertion, and sensory overload. Often presenting 24 hours after the triggering event, PEM is different from just being more tired than normal after an activity or feeling muscle soreness.

How Should Parents Track Their Child's Symptoms?

Parents can track their child's symptoms by noting when symptoms start, how long they last, and their severity. Record if symptoms are constant or come and go and what might improve or worsen them. Recording daily can help identify patterns and support discussions with your child's pediatrician.

How Is Long COVID Diagnosed and Treated?

There are no specific blood tests for long COVID. It is diagnosed based on prolonged symptoms or new or worsening conditions. A past positive COVID-19 test is not needed for diagnosis. Parents can observe and document symptoms to

discuss with their child's pediatrician.

There is no cure for long COVID, but researchers are working hard to find treatment. Health care professionals may recommend medicine to help with some symptoms as well as guidance on how to avoid symptom flares. They can also help collaborate with schools if your child with long COVID needs to change their education plan.

For More Information

https://studies.re-

cover-

covid.org/pdf/RE-

COVER-Pediatric-

LongCOVIDTip-

Sheet-ENG-v2.pdf

https://www.y-

outube.com/watch?

v=oNTXh8QPiEc

https://longcovid-

families.org/pediatric-long-covid/

https://www.unicef.org/parenting/health/long-COVID-children

The JAMA Pediatrics Patient Page is a public service of JAMA Pediatrics. The information and recommendations appearing on this page are appropriate in most instances, but they are not a substitute for medical diagnosis. For specific information concerning your child's medical condition, JAMA Pediatrics suggests that you consult your child's physician. This page may be downloaded or photocopied noncommercially by physicians and other health care professionals to share with patients. To purchase bulk reprints, email reprints@jamanetwork.com.

Article Information

Published Online: May 27, 2025. doi:10.1001/jamape-diatrics.2025.1415

Conflict of Interest Disclo-

sures: Dr Gross reported grants from the National Institutes of Health. Dr Stockwell reported grants from the National Institutes of Health. No other disclosures were reported.

Comment

View Full Text | Download PDF