

<mark>¼</mark> clk <mark>¼</mark> clr


U₀ If


\*\* flags[3:0]

opcode[4:0]


funcode[3:0]

s[19:0] lb clk\_period







	110 ns	1	120 ns		130 ns		140 ns	1 1 1	150 ns	
	100	X 00	10				0000			
	7100		10 /				0000			
					00000	)				
	)111	10	00	10	01	10	10	10	11	1100
00000	1001100	000001001	1000110	000000110	00000000	(000000100	0000000	00000	0000000	00000000
					10000	ps				




	1	70 ns		180 ns		190 ns		200 ns		210
				0000					001	0
00000	0000	)1 X	000	)10	X 000	011	X 00:	100	001	01
1100	011:		01			00	- 4/3	10	000	
	000000010		000001001		5.7.0				000001001	
/(5		/			10000 ps					







	270 ns	1	280 ns		290 ns		300 ns		310 ns	3
_		7		\ <u></u>						
	0101	X 10	10	Х	00	00	X		0010	
	1011	V 01	100	V 10	111			01101		
	0011		.11		00	11	11		11	1101
	0100111			10.0	0101001		000010000111		001100	000010
					10000					





	330 ns	340 ns	350 ns	360 ns		370 ns
0010	Y	0000		1100	X 10	00
0010		0000		1100		
)1101	- 80.07 FG	110	X		01111	
			11	0001	4.0	00
011 0000	1000010000111000	001100 000010	001100	00001000010	0000111000	0011
		10000 ps				
	1	1	t and the second se	1		











	490 ns		500 ns	510 ns		520 ns	530
100				0000			
100				0000			
0011	10100	V 101	01	10110		11000	
.0011	10100	101	01 X	10110		11000	_
1001	1111	X	2000000		0000		_
001 \( 1010	000000000000000000000000000000000000000	0\011000000	- 100		000000000	0000000000	
			1000	) ps			