

SHE GUIDES ME

CONSOLIDATED QA DEFECT REPORT

Project Name: She Guides Me Web Platform

Application: She Guides Me

Application URL: <https://sheguidesme.com/>

Document Type: Consolidated Software Defect Report

Document Version: 1.0

Prepared By: Quality Assurance Team

Date: September 25, 2026

Document Status: Open – Pending Development Resolution and QA Retesting

DOCUMENT CONTROL

Document Information Details

Project	She Guides Me Web Platform
Application URL	https://sheguidesme.com/
Document Type	Consolidated QA Defect Report
Version	1.0
Prepared By	Quality Assurance Team
Date	September 25, 2026
Testing Status	Defects Identified
Overall Status	Open – Pending Fixes
Intended Audience	QA, Development, Product, Project Management

1. DOCUMENT PURPOSE

The purpose of this document is to consolidate and formally document the defects identified during Quality Assurance testing of the **She Guides Me Web Platform**.

The report provides a centralized record of identified defects, including their affected modules, severity, priority, environment, reproduction steps, expected behavior, actual behavior, impact, recommended corrective actions, acceptance criteria, supporting evidence, and traceability information.

The objective of this document is to provide the Development and Product teams with sufficient information to investigate, reproduce, prioritize, resolve, and verify the reported defects.

All defects documented in this report are based on the observed behavior reported during the applicable testing activities and should be independently verified by the Development and QA teams before closure.

2. TESTING SCOPE

The testing activities covered functional and non-functional aspects of the She Guides Me web application, including:

- Profile functionality
- Profile discovery
- Profile settings
- Authentication
- Logout functionality
- Search and filtering
- Footer navigation
- Social-media links
- My Profile navigation
- UI usability
- Responsive behavior
- Error handling
- Production error exposure
- Security-related information disclosure

3. TESTING TYPES

Testing Type	Purpose
Functional Testing	Verify that application features operate according to expected behavior

Testing Type	Purpose
UI Testing	Verify visual elements, labels, controls, alignment, and presentation
Usability Testing	Verify that features are understandable and usable
Navigation Testing	Verify that links and navigation controls lead to the correct destinations
Responsive Testing	Verify behavior across different screen sizes and devices
Security Testing	Identify unintended disclosure of sensitive technical information
Regression Testing	Verify that fixes do not introduce additional defects
Error Handling Testing	Verify that application failures are handled safely and appropriately

4. TEST ENVIRONMENT

Environment Attribute	Details
Application	She Guides Me
Environment	Web Application
Primary Browsers	Google Chrome / Microsoft Edge
Additional Browser Coverage	Firefox / Safari where applicable
Device Coverage	Desktop and Mobile
Testing Mode	Functional / UI / Navigation / Security
Application URL	https://sheguidesme.com/

Browser, device, operating-system, and network-specific behavior should be revalidated by QA during formal regression testing after fixes are deployed.

5. DEFECT SUMMARY

A total of **7 distinct defects** have been consolidated into this document.

Bug ID	Defect Summary	Module	Severity	Priority	Status
SGM-BUG-006	Logout exposes internal Django configuration and server errors	Authentication / Logout	Critical	P0 / High	Open
SGM-BUG-005	Profile page exposes internal Django configuration	Profile	Critical	High	Open
SGM-BUG-001	Profile page displays PARSING_ERROR instead of profiles	Profile	High	High	New
SGM-BUG-002	Social-media links do not redirect correctly	Footer / Contact Us	Medium	High	Open
SGM-BUG-004	Location error appears automatically and Age defaults to 0	Profile Settings	Medium	Medium	Open
SGM-BUG-003	"Filer by Services" typo and premature validation	Search / Filter	Minor	Low	Open
SGM-BUG-007	Rejected Works menu item is partially clipped	My Profile	Minor	Medium	New

6. SEVERITY CLASSIFICATION

Severity Definition

Critical	Defect causes a major security exposure, system-level failure, loss of critical functionality, or severe information disclosure
High	Defect significantly affects an important application feature or prevents a major user workflow
Medium	Defect affects functionality or usability but a reasonable workaround may exist

Severity Definition

Minor Defect has limited functional, visual, content, or usability impact

7. PRIORITY CLASSIFICATION

Priority Definition

P0 /
High Requires immediate attention because of significant security, functional, or business impact

High Should be addressed in the current development cycle where practical

Medium Should be addressed after higher-impact defects

Low Can generally be scheduled for a subsequent maintenance cycle

Severity and priority are independent classifications. A defect may have high severity but a different business priority depending on release requirements and product decisions.

8. DEFECT EVIDENCE REGISTER

8.1 Purpose

The Defect Evidence Register provides a controlled reference between each reported defect and the evidence supporting its identification.

Evidence may include:

- Screenshots
- Screen recordings
- Browser console output
- Network/API responses
- Error messages
- Application logs
- Test execution records
- Device/browser information
- Reproduction notes

- Relevant URLs
- Retest evidence

Evidence should be stored using the project's approved QA repository, ticketing system, or document-management location.

8.2 Evidence Register

Bug ID	Evidence ID	Evidence Type	Evidence Description	Location / Reference	Verification Status
SGM-BUG-006	EVD-006-01	Screenshot	Red error/debug response displayed after Logout, including exposed Django configuration	Logout defect screenshot / QA evidence repository	To be verified
SGM-BUG-006	EVD-006-02	Test Record	Logout reproduction steps and observed failed logout behavior	QA test execution record	To be verified
SGM-BUG-005	EVD-005-01	Screenshot	Profile page displaying red Django error/debug panel	Profile defect screenshot / QA evidence repository	To be verified
SGM-BUG-005	EVD-005-02	Test Record	Profile navigation and error reproduction steps	QA test execution record	To be verified
SGM-BUG-001	EVD-001-01	Screenshot	Profile page displaying "Error loading profiles – PARSING_ERROR"	Profile defect screenshot / QA evidence repository	To be verified
SGM-BUG-001	EVD-001-02	Test Record	Profile loading failure and Retry behavior	QA test execution record	To be verified
SGM-BUG-002	EVD-002-01	Screenshot	Footer/Contact Us social-media links on mobile layout	Social-media defect screenshot / QA evidence repository	To be verified

Bug ID	Evidence ID	Evidence Type	Evidence Description	Location / Reference	Verification Status
SGM-BUG-002	EVD-002-02	Navigation Test	Results of clicking Facebook, LinkedIn, Instagram, YouTube and TikTok links	QA navigation test record	To be verified
SGM-BUG-004	EVD-004-01	Screenshot	"Unable to fetch location" notification appearing on Profile Settings page	Profile Settings screenshot / QA evidence repository	To be verified
SGM-BUG-004	EVD-004-02	Screenshot	Age field displaying 0 before Date of Birth selection	Profile Settings screenshot / QA evidence repository	To be verified
SGM-BUG-003	EVD-003-01	Screenshot	Search/filter modal displaying "Filer by Services"	Filter modal screenshot / QA evidence repository	To be verified
SGM-BUG-003	EVD-003-02	Screenshot	Premature "Select at least one filter to search" validation message	Filter modal screenshot / QA evidence repository	To be verified
SGM-BUG-007	EVD-007-01	Screenshot	Rejected Works menu item partially clipped in My Profile sidebar	Sidebar screenshot / QA evidence repository	To be verified
SGM-BUG-007	EVD-007-02	UI Test Record	Sidebar scrolling and menu-item visibility test	QA UI test execution record	To be verified

Evidence Control Note: The entries above identify the evidence expected to support each defect. Where the corresponding screenshot, recording, log, or test artifact has not been formally attached to the final QA package, the evidence status should remain **To be verified** until the artifact is stored and reviewed.

9. DEFECT TRACEABILITY MATRIX

9.1 Purpose

The Defect Traceability Matrix establishes a relationship between each defect and the associated application module, feature, test activity, evidence, expected behavior, acceptance criteria, corrective action, and retest requirement.

This provides an auditable path from:

Requirement / Feature → Test Scenario → Defect → Evidence → Fix → Retest → Closure

9.2 Traceability Matrix

Bug ID	Module / Feature	Test Area	Evidence ID	Expected Behavior	Defect / Actual Behavior	Acceptance Criteria	Retest Required
SG M-BUG-006	Authentication / Logout	Functional + Security	EVD-006-01, EVD-006-02	User logs out successfully without technical information being exposed	Logout generates server error and exposes Django configuration	Successful logout, session invalidation, no debug/configuration exposure	Yes
SG M-BUG-005	Profile	Functional + Security	EVD-005-01, EVD-005-02	Profile loads without exposing server configuration	Profile displays Django debug/configuration information	Profile works and technical information remains server-side	Yes
SG M-BUG-001	Profile	Functional + Data Parsing	EVD-001-01, EVD-001-02	Profiles load and render correctly	PARSING_ERROR prevents profiles from loading	Profiles render successfully and Retry works	Yes
SG M-BU	Footer / Contact Us	Navigation +	EVD-002-01,	Social links navigate	Social links do not correctly navigate	All social links work across supported	Yes

Bug ID	Module / Feature	Test Area	Evidence ID	Expected Behavior	Defect / Actual Behavior	Acceptance Criteria	Retest Required
G-002		Responsive	EVD-002-02	to intended official profiles		devices/browsers	
SG M-BUG-004	Profile Settings	Functional + UI	EVD-004-01, EVD-004-02	Location runs after user action and Age is valid/blank until DOB	Location error appears automatically and Age defaults to 0	Correct location behavior and DOB-based Age calculation	Yes
SG M-BUG-003	Search / Filter	UI + Usability	EVD-003-01, EVD-003-02	Correct heading and validation only after invalid submission	Typo and premature validation message	Correct text and submission-based validation	Yes
SG M-BUG-007	My Profile Sidebar	UI + Usability	EVD-007-01, EVD-007-02	Entire Rejected Works item is visible and usable	Menu item is partially clipped	Full visibility and accessibility across supported layouts	Yes

10. DEFECT-TO-TEST CASE TRACEABILITY

Bug ID	Primary Test Case ID	Test Scenario	Current Result	Required Retest
SGM-BUG-006	TC-LOGOUT-001	Verify successful logout	Failed	Yes
SGM-BUG-006	TC-LOGOUT-002	Verify logout does not expose server details	Failed	Yes
SGM-BUG-006	TC-LOGOUT-003	Verify session invalidation	Pending	Yes
SGM-BUG-006	TC-LOGOUT-004	Verify logout API response	Pending	Yes
SGM-BUG-006	TC-LOGOUT-005	Verify production error handling	Failed	Yes
SGM-BUG-005	TC-PROFILE-001	Verify profile page loads without server error	Failed	Yes
SGM-BUG-005	TC-PROFILE-002	Verify profile error does not expose configuration	Failed	Yes
SGM-BUG-001	TC-PROFILE-003	Verify profiles load successfully	Failed	Yes
SGM-BUG-001	TC-PROFILE-004	Verify Profile API response handling	Failed	Yes
SGM-BUG-001	TC-PROFILE-005	Verify Retry functionality	Pending	Yes
SGM-BUG-002	TC-SOCIAL-001	Verify Facebook navigation	Failed	Yes
SGM-BUG-002	TC-SOCIAL-002	Verify LinkedIn navigation	Failed	Yes
SGM-BUG-002	TC-SOCIAL-003	Verify Instagram navigation	Failed	Yes
SGM-BUG-002	TC-SOCIAL-004	Verify YouTube navigation	Failed	Yes

Bug ID	Primary Test Case ID	Test Scenario	Current Result	Required Retest
SGM-BUG-002	TC-SOCIAL-005	Verify TikTok navigation	Failed	Yes
SGM-BUG-004	TC-SETTINGS-001	Verify location does not trigger automatically	Failed	Yes
SGM-BUG-004	TC-SETTINGS-002	Verify location toggle behavior	Pending	Yes
SGM-BUG-004	TC-SETTINGS-003	Verify Age calculation from DOB	Failed	Yes
SGM-BUG-003	TC-FILTER-001	Verify filter heading text	Failed	Yes
SGM-BUG-003	TC-FILTER-002	Verify validation timing	Failed	Yes
SGM-BUG-007	TC-SIDEBAR-001	Verify Rejected Works visibility	Failed	Yes
SGM-BUG-007	TC-SIDEBAR-002	Verify sidebar scrolling and accessibility	Pending	Yes

11. REQUIREMENT / FEATURE TRACEABILITY

Where formal requirement IDs are not available, the application feature itself is used as the traceability reference.

Traceability ID	Application Requirement / Feature	Related Bug IDs	Verification Objective
REQ-AUTH-001	Authenticated users must be able to log out	SGM-BUG-006	Confirm logout completes and session is invalidated
REQ-SEC-001	Internal server configuration must not be exposed to users	SGM-BUG-005, SGM-BUG-006	Confirm technical information remains server-side

Traceability ID	Application Requirement / Feature	Related Bug IDs	Verification Objective
REQ-PROF-001	Profile page must display available profiles	SGM-BUG-001	Confirm profile data loads and renders
REQ-NAV-001	Social-media links must navigate to intended destinations	SGM-BUG-002	Confirm each social-media link works
REQ-SET-001	Location access must occur only after user action	SGM-BUG-004	Confirm no automatic location request
REQ-SET-002	Age must be derived from valid DOB information	SGM-BUG-004	Confirm valid Age calculation
REQ-FLT-001	Search/filter labels must be accurate	SGM-BUG-003	Confirm correct "Filter by Services" text
REQ-FLT-002	Validation must occur at the appropriate interaction point	SGM-BUG-003	Confirm validation appears after invalid submission
REQ-NAV-002	Sidebar menu items must remain visible and accessible	SGM-BUG-007	Confirm Rejected Works is fully accessible

12. EVIDENCE MANAGEMENT AND CONTROL

All supporting evidence should be maintained in a controlled QA location and associated with the corresponding Bug ID.

Evidence Naming Convention

The following naming convention is recommended:

[BugID]_[EvidenceType]_[Sequence]_[Date]

Examples:

- SGM-BUG-006_Screenshot_01_2026-09-25
- SGM-BUG-001_APIResponse_01_2026-09-25
- SGM-BUG-002_NavigationTest_01_2026-09-25
- SGM-BUG-004_Screenshot_01_2026-09-25

Evidence Requirements

Where applicable, evidence should contain:

- Date and time of observation
- Browser
- Operating system
- Device or viewport
- Application URL
- Relevant user/test account type
- Steps performed
- Observed result
- Screenshot or recording
- Console/network information when relevant
- Build/version number where available

Sensitive credentials, authentication tokens, passwords, API keys, personal data, and other confidential information must be removed or masked before evidence is distributed.

13. DEFECT LIFECYCLE TRACEABILITY

Each defect should follow a controlled lifecycle:

New → Assigned → In Progress → Fixed → Ready for QA → Retest → Verified → Closed

If the defect remains reproducible after the fix:

Retest → Failed → Reopened → Development Investigation → Fixed → Retest

Defect State Definitions

Status	Definition
New	Defect has been identified and documented
Assigned	Defect has been assigned to the responsible team/person
In Progress	Investigation or development work has started

Status	Definition
Fixed	Development reports that the defect has been corrected
Ready for QA	Corrected build is available for testing
Retest	QA is validating the fix
Verified	QA has confirmed that the defect is resolved
Closed	Defect has completed the agreed closure process
Reopened	Previously fixed defect remains reproducible or acceptance criteria are not met
Deferred	Defect is intentionally postponed based on project decision
Rejected	Reported behavior is determined not to be a defect after review

14. DEFECT CLOSURE TRACEABILITY

Before a defect is marked **Closed**, QA should verify the following:

Closure Check	Requirement
Original Defect	Original issue is no longer reproducible
Expected Result	Expected behavior is achieved
Evidence	Retest evidence is captured
Regression	Related functionality passes
Security	No unintended information exposure remains
UI/UX	No unacceptable visual regression exists
Browser Coverage	Supported environments have been verified
Acceptance Criteria	All documented acceptance criteria are satisfied
Documentation	Defect record contains resolution details
Approval	Required QA/Product/Development approval is obtained

15. DEFECT EVIDENCE STATUS SUMMARY

Evidence Category	Expected Evidence	Current Documentation Status
Screenshots	Visual proof of reported UI/error behavior	Referenced; attachment verification required
Error Messages	Exact application error messages	Documented in defect descriptions
Navigation Results	Social-media link behavior	Documented; execution evidence should be retained
API Evidence	Profile/API response details	Recommended for root-cause investigation
Console Logs	Relevant frontend errors	Recommended where applicable
Server Logs	Backend exception details	Required for Development investigation of server errors
Retest Evidence	Proof of successful fixes	Pending development fixes
Regression Evidence	Proof related functionality remains stable	Pending remediation

16. DETAILED DEFECT REPORTS

[Existing detailed defect reports SGM-BUG-006 through SGM-BUG-007 remain unchanged in this section.]

17. CONSOLIDATED IMPACT ANALYSIS

The defects identified in this report can be grouped into the following impact areas:

Impact Area	Related Defects
Security / Information Disclosure	SGM-BUG-005, SGM-BUG-006
Core Functional Failure	SGM-BUG-001, SGM-BUG-006
Navigation	SGM-BUG-002, SGM-BUG-007

Impact Area	Related Defects
User Experience	SGM-BUG-002, SGM-BUG-003, SGM-BUG-004, SGM-BUG-007
Data Integrity	SGM-BUG-004
Error Handling	SGM-BUG-001, SGM-BUG-005, SGM-BUG-006
Responsive/UI	SGM-BUG-002, SGM-BUG-007

18. RECOMMENDED DEFECT RESOLUTION ORDER

For practical defect management, the Development and Product teams should consider addressing the defects according to their technical and operational impact.

Immediate Investigation

SGM-BUG-006 – Logout Security/Functional Issue

The underlying logout exception should be investigated, and internal configuration should not be exposed to users.

SGM-BUG-005 – Profile Information Disclosure

The profile error should be investigated and technical configuration should be removed from client-visible responses.

High-Priority Functional Investigation

SGM-BUG-001 – Profile PARSING_ERROR

The profile API and frontend response parsing should be investigated to restore profile functionality.

Functional and UX Corrections

SGM-BUG-002 – Social Media Navigation

Verify and correct social-media URLs and mobile interaction.

SGM-BUG-004 – Profile Settings

Correct automatic location handling and Age initialization.

UI / Usability Corrections

SGM-BUG-003 – Filter Modal

Correct spelling and validation behavior.

SGM-BUG-007 – Sidebar

Correct the clipping of the Rejected Works menu item.

19. REGRESSION TESTING REQUIREMENTS

Following defect remediation, QA should execute regression testing against the affected modules.

Authentication

- Login
- Logout
- Session invalidation
- Protected-page access
- Browser Back behavior
- Authentication API behavior
- Error handling

Profile

- Profile loading
- Profile API response
- Profile rendering
- Empty profile response
- Invalid response handling
- Retry functionality
- Server error handling

Profile Settings

- Date of Birth
- Age calculation
- Location toggle
- Location permissions
- Location failure handling

- Form submission

Search and Filtering

- Filter modal
- Service selection
- Empty filter validation
- Search
- Reset/clear
- Validation messages

Navigation

- Facebook
- LinkedIn
- Instagram
- YouTube
- TikTok
- My Profile
- Rejected Works

Security

- Debug information exposure
- Configuration exposure
- Stack-trace exposure
- Database configuration exposure
- Environment-variable exposure
- Authentication error handling
- Generic server error responses

20. TERMS AND CONDITIONS

20.1 Testing Evidence

All defects documented in this report are based on observations made during the applicable QA testing activities. Screenshots, logs, browser console information, API responses, or other evidence should be retained as supporting evidence where available.

20.2 Defect Reproduction

A defect should be independently reproduced by the Development or QA team before final resolution. Differences in browser, device, account state, network conditions, application version, or backend environment may affect reproducibility.

20.3 Severity and Priority

Severity and priority classifications are QA recommendations based on observed behavior and potential impact. Final prioritization remains subject to Product, Project Management, and Development review.

20.4 Security Defects

Any defect involving potential exposure of confidential, technical, authentication, database, infrastructure, or configuration information should be treated as security-sensitive during investigation and remediation.

Technical details should not be unnecessarily shared outside authorized project personnel.

20.5 Production Configuration

Production environments should not expose debugging information, stack traces, configuration settings, credentials, environment variables, or other internal implementation details to end users.

20.6 Data Protection

Testing should use authorized test accounts and test data wherever possible. Real customer credentials, sensitive personal information, payment information, passwords, tokens, API keys, or other confidential data should not be included in defect reports.

20.7 Third-Party Services

Defects involving external services, including social-media platforms, browser APIs, location services, or other third-party systems should be verified to determine whether the root cause is within the She Guides Me application or the external service.

20.8 Browser and Device Variations

A defect observed on one browser or device should not automatically be assumed to occur on every supported environment. Cross-browser and responsive regression testing should be performed before marking the defect as resolved.

20.9 Fix Verification

A defect should only be marked **Resolved/Closed** after QA verifies the implemented fix against the original reproduction steps and relevant regression scenarios.

20.10 Regression Responsibility

Fixing an individual defect does not guarantee that related application functionality remains unaffected. Appropriate regression testing should therefore be performed after significant changes.

20.11 Defect Closure

A defect may be closed when:

- The reported behavior has been corrected.
- The original reproduction steps no longer reproduce the defect.
- Expected behavior is verified.
- Relevant regression tests pass.
- No unacceptable side effects are identified.
- Supporting evidence is available where required.

20.12 Reopening Defects

A defect may be reopened if the same issue remains reproducible after a fix or if the implemented correction does not satisfy the documented acceptance criteria.

21. ASSUMPTIONS AND LIMITATIONS

The following conditions apply to this report:

1. The report reflects the application behavior observed during the relevant testing period.
2. Application behavior may change after deployment of new builds.
3. Backend services and third-party integrations may affect observed results.
4. Severity and priority may require reassessment after technical root-cause analysis.

5. Security impact should be confirmed through appropriate security review.
6. The report does not constitute a complete penetration test or formal security audit.
7. Successful correction requires both implementation of the fix and QA verification.
8. Screenshots and other evidence should be maintained with the corresponding defect record.

22. QA RETESTING CRITERIA

After Development provides a corrected build, QA should verify:

Verification Area	Requirement
Functional Fix	Original defect no longer occurs
Expected Behavior	Documented expected result is achieved
Regression	Related functionality continues to work
UI	No new visual/layout issues introduced
Navigation	Links and redirects work correctly
Security	No sensitive technical information is exposed
Responsive	Behavior works across supported screen sizes
Browser Compatibility	Supported browsers behave consistently
Error Handling	Errors are user-friendly and secure
Data Validation	Invalid values are prevented
Evidence	Retest evidence is attached to the corresponding Bug ID
Traceability	Defect, test case, evidence, fix, and retest are linked

23. FINAL QA STATUS

Based on the defects documented in this consolidated report, the application currently has outstanding issues affecting **security, functional behavior, navigation, usability, error handling, and UI presentation.**

The two defects involving exposure of internal Django configuration require particular attention because they combine application errors with potential information disclosure.

The Profile PARSING_ERROR also affects an important user-facing workflow and should be investigated to restore normal profile discovery.

The remaining defects primarily concern navigation, form behavior, validation, content accuracy, and responsive usability.

The application should undergo **targeted defect verification and appropriate regression testing after the fixes are deployed**.

The **Defect Evidence Register** and **Traceability Matrix** should be maintained throughout the defect lifecycle so that every reported issue can be traced from its original observation through development, evidence review, retesting, verification, and final closure.

24. QA SIGN-OFF

Role	Name	Signature	Date	Status
QA Engineer	_____	_____	_____	Pending
QA Lead	_____	_____	_____	Pending
Developer	_____	_____	_____	Pending
Product Owner	_____	_____	_____	Pending
Project Manager	_____	_____	_____	Pending

25. DOCUMENT APPROVAL

Prepared By:

Abinash Malla

Reviewed By:

Development / QA Lead

Approved By:

Project/Product Owner

Document Version: 1.0

Document Status: Open – Pending Defect Resolution and QA Retesting