

LOAD TESTING REPORT

She Guides Me Platform

Apache JMeter Performance & Load Assessment

Document	She Guides Me — Performance & Load Testing Report
Test Tool	Apache JMeter 5.6.3
System Under Test	https://sheguidesme.com/
Evidence Basis	User-supplied JMeter screenshots and configuration evidence
Report Date	15 September 2026

Overall assessment: Lower-load executions show 0.00% errors. The 8,200-sample stress execution shows 3.22% errors and a 30,812 ms maximum response time.

1. Executive Summary

This report documents the performance evidence supplied for the She Guides Me platform. The source contains Apache JMeter 5.6.3 screenshots covering multiple execution sizes, Summary Reports, a Thread Group configuration, HTTP Request configuration and response inspection.

The lower-load executions recorded 0.00% errors. The strongest response-time result is the 200-sample execution at 425 ms average and 748 ms maximum. At higher execution volume, tail latency increases substantially. The 3,400-sample run reaches 23,537 ms maximum latency, while the 8,200-sample stress run reaches 30,812 ms and records 3.22% errors.

QA conclusion: the supplied evidence supports basic load-handling at the lower tested levels, but high-load/stress readiness requires further investigation before production readiness is confirmed.

2. Test Objective

- Measure response-time behavior as request volume increases.
- Observe request reliability using JMeter error percentage.
- Measure throughput and data transfer.
- Identify latency degradation and high-load risk.

3. Scope and Observed Configuration

The JMeter evidence targets sheguidesme.com using HTTP/HTTPS requests. A visible sampler is configured as **GET /profile/me**. Another visible sampler targets the site root/home page. The visible Thread Group configuration shows 500 threads/users, a 1-second ramp-up and loop count of 3.


Limitation: the source is screenshot - based. Exact duration, server hardware, database configuration, full sampler inventory, exact concurrency for every run and formal acceptance thresholds are not consistently visible. This report does not invent those details.

4. Test Results

Execution	Samples	Average	Min	Max	Std. Dev.	Error	Throughput
Baseline	30	8,604 ms	3,978 ms	15,101 ms	2,656.71 ms	0.00%	1.0/sec
Light Load	200	425 ms	73 ms	748 ms	167.04 ms	0.00%	94.2/sec
500-user Load	500	1,467 ms	28 ms	6,533 ms	1,008.99 ms	0.00%	73.1/sec
3,400-sample Load	3,400	1,650 ms	12 ms	23,537 ms	2,585.70 ms	0.00%	7.4/sec
8,200-sample Stress	8,200	2,109 ms	12 ms	30,812 ms	2,761.52 ms	3.22%	11.3/sec


5. Performance Analysis

5.1 Average Response Time




The 200-sample execution records the best average response time at 425 ms. The baseline screenshot records 8,604 ms average. Because identical test conditions are not documented for every run, the results should be interpreted as observed executions rather than a controlled scaling curve.

5.2 Maximum Response Time



Maximum latency is the clearest high-load warning. It rises to 23,537 ms at 3,400 samples and 30,812 ms at 8,200 samples, indicating significant tail-latency risk.

5.3 Error Rate



All supplied lower-load executions show 0.00% errors. The 8,200-sample stress execution is the only supplied run with a non-zero error rate: 3.22%. Applying the displayed percentage to 8,200 samples corresponds to approximately 264 failed samples; the exact failure causes are not visible in the Summary Report.

6. Detailed Execution Assessment

6.1 Baseline — 30 Samples

8,604 ms average, 3,978 ms minimum, 15,101 ms maximum, 2,656.71 ms standard deviation and 0.00% errors. This is a slow baseline execution; the source does not establish why it is slower.

6.2 Light Load — 200 Samples

425 ms average, 73 ms minimum, 748 ms maximum, 167.04 ms standard deviation and 0.00% errors. This is the strongest response-time result in the supplied evidence.

6.3 500-User Load

1,467 ms average, 28 ms minimum, 6,533 ms maximum, 1,008.99 ms standard deviation, 0.00% errors and 73.1 requests/sec.

6.4 3,400-Sample Load

1,650 ms average, 12 ms minimum, 23,537 ms maximum, 2,585.70 ms standard deviation, 0.00% errors and 7.4 requests/sec.

6.5 8,200-Sample Stress Load

2,109 ms average, 12 ms minimum, 30,812 ms maximum, 2,761.52 ms standard deviation, 3.22% errors and 11.3 requests/sec. This is the main performance risk in the supplied evidence.

7. Findings and Risk Assessment

ID	Finding	Evidence	Risk
LT-01	Non-zero errors under stress	3.22% at 8,200 samples	High
LT-02	Severe maximum latency	30,812 ms at 8,200 samples	High
LT-03	High latency variability	2,761.52 ms standard deviation	Medium-High
LT-04	Large tail latency	23,537 ms max at 3,400 samples	Medium-High
LT-05	Execution variability	Average ranges from 425 to 8,604 ms	Medium

8. Recommended Actions

1. Identify every failed request in the 8,200-sample execution by HTTP status, sampler/endpoint, exception and timestamp.
2. Correlate JMeter failures with application, reverse-proxy and database logs.
3. Repeat the 8,200-sample scenario under the same configuration to confirm reproducibility.
4. Run a stepped profile such as 200 → 500 → 1,000 → 2,000 → 4,000 → 8,000 concurrent users.
5. Capture p50, p90, p95 and p99 latency in addition to average/min/max.
6. Monitor CPU, memory, database connections, worker/thread pools and network utilization.
7. Investigate slow application, API and database operations contributing to 23–31 second tail latency.
8. Define formal performance acceptance criteria with engineering/product.

9. Suggested Acceptance Criteria for Next Cycle

These are recommended targets, not thresholds stated in the supplied source.

Metric	Suggested Target	Purpose
Error rate	≤ 1.00% sustained; 0% preferred for critical flows	Reliability

Metric	Suggested Target	Purpose
p95 response time	$\leq 2,000$ ms	User experience
p99 response time	$\leq 5,000$ ms	Tail latency
Maximum response time	Investigate $> 10,000$ ms	Outlier control
Repeatability	Comparable repeated results	Confidence

10. Final QA Conclusion

PERFORMANCE INVESTIGATION REQUIRED FOR HIGH-LOAD READINESS. The supplied evidence demonstrates 0.00% errors in the lower-load executions, including the visible 500-user run. However, the 8,200-sample stress execution introduces a 3.22% error rate and a 30,812 ms maximum response time. The 3,400-sample run also reaches 23,537 ms maximum latency.

The next test cycle should reproduce the stress result, identify failed requests, measure percentile latency and correlate JMeter results with server-side monitoring before high-concurrency production readiness is confirmed.

11. Test Evidence Appendix

Key screenshots from the supplied source are included below as auditable evidence.

Thread Group

Name: Home-Page

Comments:

Action to be taken after a Sampler error:

☒ Continue ☐ Start Next Thread Loop ☐ Stop Thread ☐ Stop Test ☐ Stop Test Now

Thread Properties

Number of Threads (users): 500

Ramp-up period (seconds): 1

Loop Count: ☐ Infinite 3

☒ Same user on each iteration

☐ Delay Thread creation until needed

☐ Specify Thread lifetime

Duration (seconds):

Startup delay (seconds):

Figure 1 — Thread Group configuration: 500 users/threads, 1-second ramp-up and loop count 3.

HTTP Request

Name: HTTP Request

Comments:

Basic Advanced

Web Server

Protocol (http): https Server Name or IP: sheguidesme.com Port Number:

HTTP Request

GET Path: Content encoding:

☐ Redirect Automatically ☒ Follow Redirects ☒ Use KeepAlive ☐ Use multipart/form-data ☐ Browser-compatible headers

Parameters Body Data Files Upload

Send Parameters With the Request:

Name:	Value	URL Encode?	Content-Type	Include Equals?
-------	-------	-------------	--------------	-----------------

Figure 2 — HTTP Request configuration for the site request.

HTTP Request

Name: HTTP Request

Comments:

Basic Advanced

Web Server

Protocol (http): https Server Name or IP: sheguidesme.com Port Number:

HTTP Request

GET Path: /profile/me Content encoding:

☐ Redirect Automatically ☒ Follow Redirects ☒ Use KeepAlive ☐ Use multipart/form-data ☐ Browser-compatible headers

Parameters Body Data Files Upload

Send Parameters With the Request:

Name:	Value	URL Encode?	Content-Type	Include Equals?
-------	-------	-------------	--------------	-----------------

Figure 3 — HTTP Request configuration showing GET /profile/me.

Summary Report

Name: Summary Report

Comments:

Write results to file / Read from file

Filename: Browse... Log/Display Only: ☐ Errors ☐ Successes

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received K...	Sent KB/sec	Avg. Bytes
HTTP Reque...	30	8604	3978	15101	2656.71	0.00%	1.0/sec	16.31	0.12	16015.4
TOTAL	30	8604	3978	15101	2656.71	0.00%	1.0/sec	16.31	0.12	16015.4

Figure 4 — 30-sample Summary Report.

SheGuidesMe

users

HTTP Request

View Results Tree

Summary Report

View Results in Table

users

HTTP Request

View Results Tree

Summary Report

View Results in Table

Summary Report

Name: Summary Report

Comments:

Write results to file / Read from file

Filename

Browse...

Log/Display Only: ☐ Errors ☐ Successes

Configure

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received K...	Sent KB/sec	Avg. Bytes
HTTP Reque...	200	425	73	748	167.04	0.00%	94.2/sec	1824.31	11.68	19829.8
TOTAL	200	425	73	748	167.04	0.00%	94.2/sec	1824.31	11.68	19829.8

Figure 5 — 200-sample Summary Report.

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received K...	Sent KB/sec	Avg. Bytes
HTTP Reque...	500	1467	28	6533	1008.99	0.00%	73.1/sec	1251.83	8.64	17541.2
TOTAL	500	1467	28	6533	1008.99	0.00%	73.1/sec	1251.83	8.64	17541.2

Figure 6 — 500-sample Summary Report.

SheGuidesMe.jmx (C:\Users\DELL\OneDrive\Desktop\apache-jmeter-5.6.3\bin\SheGuidesMe.jmx) - Apache JMeter (5.6.3)

FileEditSearchRunOptionsToolsHelp

<

Figure 7 — 3,400-sample Summary Report.

SheGuidesMe

Home-Page

HTTP Request

View Results Tree

Summary Report

View Results in Table

users

HTTP Request

View Results Tree

Summary Report

View Results in Table

Summary Report

Name: Summary Report

Comments:

Write results to file / Read from file

Filename

Browse...

Log/Display Only: ☐ Errors ☐ Successes

Configure

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Throughput	Received K...	Sent KB/sec	Avg. Bytes
HTTP Reque...	8200	2109	12	30812	2761.52	3.22%	11.3/sec	173.32	1.30	15703.3
TOTAL	8200	2109	12	30812	2761.52	3.22%	11.3/sec	173.32	1.30	15703.3

Figure 8 — 8,200-sample Summary Report.

SheGuidesMe

users

HTTP Request

View Results Tree

Summary Report

View Results in Table

View Results in Table

Name:View Results in Table

Comments:

Write results to file / Read from file

Filename

Browse...

Log/Display Only:☐Errors☐Successes

Configure

Sample #	Start Time	Thread Name	Label	Sample Time...	Status	Bytes	Sent Bytes	Latency	Connect Tim...
11	16:09:35.578	users 1-3	HTTP Request	6412	✓	16011	117	5540	0
12	16:09:35.892	users 1-2	HTTP Request	9074	✓	16015	117	8689	0
13	16:09:36.713	users 1-4	HTTP Request	8792	✓	16025	117	8417	0
14	16:09:36.878	users 1-5	HTTP Request	9135	✓	16011	117	8116	0
15	16:09:37.650	users 1-10	HTTP Request	9682	✓	16011	117	9445	0
16	16:09:37.703	users 1-8	HTTP Request	10343	✓	16017	117	10091	0
17	16:09:38.163	users 1-9	HTTP Request	10197	✓	16006	117	9940	0
18	16:09:38.446	users 1-1	HTTP Request	10513	✓	16016	117	10008	0
19	16:09:39.625	users 1-6	HTTP Request	10403	✓	16015	117	9101	0
20	16:09:41.991	users 1-3	HTTP Request	9208	✓	16027	117	8942	0
21	16:09:46.015	users 1-5	HTTP Request	6910	✓	16005	117	6644	0
22	16:09:39.373	users 1-7	HTTP Request	15101	✓	16015	117	9023	0
23	16:09:50.029	users 1-6	HTTP Request	6275	✓	16013	117	5880	0
24	16:09:44.967	users 1-2	HTTP Request	12596	✓	16019	117	7422	0
25	16:09:45.506	users 1-4	HTTP Request	12331	✓	16011	117	6960	0
26	16:09:54.475	users 1-7	HTTP Request	3978	✓	16007	117	3472	0
27	16:09:47.334	users 1-10	HTTP Request	11438	✓	16021	117	7716	0
28	16:09:48.048	users 1-8	HTTP Request	10949	✓	16021	117	7286	0
29	16:09:48.361	users 1-9	HTTP Request	11045	✓	16019	117	7140	0
30	16:09:48.960	users 1-1	HTTP Request	10644	✓	16025	117	6584	0

12. Source Note

Source: user-supplied “Load_Testing_for_sheGuidesme.docx”. Numerical values were transcribed from the visible JMeter screenshots. Where the source did not support a conclusion, this report identifies the limitation rather than assuming missing information.