

BASIC CALCULATOR

```
from tkinter import *

def calculate():
    a = float(num1.get())
    b = float(num2.get())

    add = a + b
    sub = a - b
    mul = a * b
    div = a / b if b != 0 else "Cannot divide by zero"

    result.config(text=f"Addition: {add}\nSubtraction: {sub}\n"
                    f"Multiplication: {mul}\nDivision: {div}")

root = Tk()
root.title("Basic Calculator")
root.geometry("350x300")

Label(root, text="Number 1").pack()
num1 = Entry(root)
num1.pack()

Label(root, text="Number 2").pack()
num2 = Entry(root)
num2.pack()

Button(root, text="Calculate", command=calculate).pack(pady=10)

result = Label(root, text="")
result.pack()

root.mainloop()
```

```
def calculate():  
    a = float(num1.get())  
    b = float(num2.get())  
    add = a + b  
    sub = a - b  
    mul = a * b  
    div = a / b if b != 0 else "Cannot divide by zero"  
    result.config(text=f"Addition: {add}\nSubtraction: {sub}\n"  
                   f"Multiplication: {mul}\nDivision: {div}")  
  
root = Tk()  
root.title("Basic Calculator")  
root.geometry("350x300")  
Label(root, text="Number 1").pack()  
num1 = Entry(root)  
num1.pack()  
Label(root, text="Number 2").pack()  
num2 = Entry(root)  
num2.pack()  
Button(root, text="Calculate", command=calculate).pack(pady=10)  
result = Label(root, text="")  
result.pack()  
root.mainloop()  
loop()
```

PERCENTAGE CALCULATOR

```
from tkinter import *

def percentage():
    number = float(num.get())
    percent = float(per.get())
    answer = number * percent / 100
    result.config(text="Percentage = " + str(answer))

root = Tk()
root.title("Percentage Calculator")
root.geometry("300x250")
Label(root, text="Enter Number").pack()
num = Entry(root)
num.pack()
Label(root, text="Enter Percentage").pack()
per = Entry(root)
per.pack()
Button(root, text="Calculate", command=percentage).pack(pady=10)
result = Label(root, text="Percentage = ")
result.pack()
root.mainloop()
```

SIMPLE CALCULATOR USING BUTTONS

```
from tkinter import *

def add():
    a = float(first.get())
    b = float(second.get())
    result.config(text="Answer = " + str(a + b))

def subtract():
    a = float(first.get())
    b = float(second.get())
    result.config(text="Answer = " + str(a - b))

def multiply():
    a = float(first.get())
    b = float(second.get())
    result.config(text="Answer = " + str(a * b))

def divide():
    a = float(first.get())
    b = float(second.get())
    if b == 0:
        result.config(text="Cannot divide by zero")
    else:
        result.config(text="Answer = " + str(a / b))

root = Tk()

root.title("Button Calculator")

root.geometry("350x350")
```

```
Label(root, text="First Number").pack()

first = Entry(root)

first.pack()

Label(root, text="Second Number").pack()

second = Entry(root)

second.pack()

Button(root, text="ADD", command=add).pack(pady=5)

Button(root, text="SUBTRACT", command=subtract).pack(pady=5)

Button(root, text="MULTIPLY", command=multiply).pack(pady=5)

Button(root, text="DIVIDE", command=divide).pack(pady=5)

result = Label(root, text="Answer = ")

result.pack(pady=10)

root.mainloop()
```

CALCULATOR WITH CLEAR BUTTON

```
from tkinter import *

def calculate():

    a = float(num1.get())
    b = float(num2.get())
    op = operation.get()

    if op == "+":
        ans = a + b
    elif op == "-":
        ans = a - b
    elif op == "*":
        ans = a * b
    elif op == "/":
        if b == 0:
            result.config(text="Cannot divide by zero")
            return
        ans = a / b

    result.config(text="Result = " + str(ans))

def clear():

    num1.delete(0, END)
    num2.delete(0, END)
    result.config(text="Result = ")

root = Tk()
root.title("Calculator")
```

```
root.geometry("350x350")
Label(root, text="First Number").pack()
num1 = Entry(root)
num1.pack()
Label(root, text="Second Number").pack()
num2 = Entry(root)
num2.pack()
operation = Entry(root)
operation.insert(0, "+")
operation.pack()
Button(root, text="Calculate", command=calculate).pack(pady=10)
Button(root, text="Clear", command=clear).pack()
result = Label(root, text="Result = ")
result.pack(pady=10)
root.mainloop()
```