

Week 7: SQL Query Implementation for Medical Shop Management

Abinaya.R (E25AI102)

Objective

The objective of this project is to implement SQL queries for Medical Shop Management to efficiently store, retrieve, and manage information about medicines, suppliers, customers, sales, and stock details. It aims to use SQL commands to filter and sort records, perform calculations using aggregate functions, monitor medicine availability, analyze sales transactions, and identify medicines that require restocking, thereby supporting effective daily operations and better decision-making in the medical shop.

Perform Basic SQL Queries

SQL SELECT command is used to retrieve data from database tables.

1. Display all customer details.

```
SQL> SELECT * FROM CUSTOMER;
```

CUSTO	CUSTOMER_NAME	EMAIL	PHONE

ADDRESS			

REGISTRAT			

C006	Anu Tambaram , Tamilnadu 12-MAY-26	anu09@gmail.com	9637460873
C004	Vijay Mannivakam , Tamilnadu 22-APR-26	vijay07@gmail.com	9635677873
CUSTO	CUSTOMER_NAME	EMAIL	PHONE

ADDRESS			

REGISTRAT			

C007	Sindhu Irumbuliyur , Tamilnadu 30-JUN-26	Sindhu04@gmail.com	9645923090
C003	Ajay Guindy , Tamilnadu	Ajay05@gmail.com	9435635450
CUSTO	CUSTOMER_NAME	EMAIL	PHONE

ADDRESS			

REGISTRAT			

16-APR-26			
C002	Radhi	Radhi07@gmail.com	9389635450

2. Display all available products.

```
SQL> SELECT * FROM PRODUCT;
```

```
PRODUCT
```

```
-----  
PRODUCT_NAME
```

```
-----  
CATEGOR      PRICE  STOCK_QUANTITY
```

```
-----  
P101
```

```
Paracetamol
```

```
C001
```

```
25
```

```
100
```

```
P102
```

```
Amoxicillin
```

```
C002
```

```
80
```

```
50
```

```
PRODUCT
```

```
-----  
PRODUCT_NAME
```

```
-----  
CATEGOR      PRICE  STOCK_QUANTITY
```

```
-----  
P103
```

```
Cetirizine
```

```
C003
```

```
35
```

```
75
```

```
P104
```

```
Omeprazole
```

```
PRODUCT
```

```
-----  
PRODUCT_NAME
```

```
-----  
CATEGOR      PRICE  STOCK_QUANTITY
```

```
-----  
C004
```

```
45
```

```
80
```

```
P105
```

```
Vitamin C
```

```
C005
```

```
150
```

```
60
```

3. Retrieve product names and prices only.

```
SQL> SELECT PRODUCT_NAME,PRICE FROM PRODUCT;
```

```
PRODUCT_NAME
```

```
PRICE
```

```
Paracetamol  
25
```

```
Amoxicillin  
80
```

```
Cetirizine  
35
```

```
PRODUCT_NAME
```

```
PRICE
```

```
Omeprazole  
45
```

```
Vitamin C  
150
```

```
Cough Syrup  
95
```

```
PRODUCT_NAME
```

```
PRICE
```

```
Antiseptic Cream  
70
```

```
Bandage  
30
```

```
Metformin
```

4. Display all orders placed by customers.

```
SQL> SELECT c.CUSTOMER_NAME,  
2         o.ORDER_ID,  
3         o.TOTAL_AMOUNT,  
4         o.ORDER_STATUS  
5 FROM CUSTOMER c  
6 JOIN ORDERS o  
7 ON c.CUSTOMER_ID = o.CUSTOMER_ID;
```

CUSTOMER_NAME	ORDER_I	TOTAL_AMOUNT	ORDER_STATUS
Devi	0101	1500	Pending
Radhi	0102	2500	Shipped
Ajay	0103	1800	Delivered
Vijay	0104	3200	Pending
Abi	0105	2750	Shipped
Anu	0106	1200	Delivered
Sindhu	0107	4500	Pending
Sanjay	0108	2100	Shipped
Devi	0109	3500	Delivered
Radhi	0110	1900	Pending

10 rows selected.

5. Retrieve payment details.

```
SQL> SELECT c.CUSTOMER_NAME,  
2         o.ORDER_ID,  
3         o.TOTAL_AMOUNT,  
4         o.ORDER_STATUS  
5 FROM CUSTOMER c  
6 JOIN ORDERS o  
7 ON c.CUSTOMER_ID = o.CUSTOMER_ID;
```

CUSTOMER_NAME	ORDER_I	TOTAL_AMOUNT	ORDER_STATUS
Devi	0101	1500	Pending
Radhi	0102	2500	Shipped
Ajay	0103	1800	Delivered
Vijay	0104	3200	Pending
Abi	0105	2750	Shipped
Anu	0106	1200	Delivered
Sindhu	0107	4500	Pending
Sanjay	0108	2100	Shipped
Devi	0109	3500	Delivered
Radhi	0110	1900	Pending

10 rows selected.

2. Apply Filtering Conditions Using WHERE

1. Find products with price greater than ₹5000.

```
SQL> SELECT * FROM PAYMENT;
```

PAYMENT_ID	ORDER_I	PAYMENT_D	PAYMENT_MODE	PAYMENT_STATUS
------------	---------	-----------	--------------	----------------

TRANSACTION_AMOUNT

1	0101	20-SEP-26	UPI	Success
	2500			

2	0102	21-SEP-26	Card	Success
	1800			

3	0103	22-SEP-26	Cash	Pending
	3200			

PAYMENT_ID	ORDER_I	PAYMENT_D	PAYMENT_MODE	PAYMENT_STATUS
------------	---------	-----------	--------------	----------------

TRANSACTION_AMOUNT

4	0104	23-SEP-26	UPI	Success
	1500			

5	0105	24-SEP-26	Card	Success
	2750			

2. Display products available in stock.

```
SQL> SELECT * FROM INVENTORY WHERE STOCK_STATUS ='Available';
```

INVENTO	PRODUCT	SELLER_	STOCK_QUANTITY	STOCK_STATU	LAST_UPDA
---------	---------	---------	----------------	-------------	-----------

Inv109	P109	S101	40	Available	17-SEP-26
Inv101	P101	S101	100	Available	13-SEP-26
Inv102	P102	S101	50	Available	13-SEP-26
Inv103	P103	S101	75	Available	14-SEP-26
Inv104	P104	S101	80	Available	14-SEP-26
Inv105	P105	S101	60	Available	15-SEP-26
Inv106	P106	S101	45	Available	15-SEP-26
Inv107	P107	S101	55	Available	16-SEP-26
Inv108	P108	S101	100	Available	16-SEP-26
Inv110	P110	S101	70	Available	17-SEP-26
Inv111	P101	S102	3	Available	19-SEP-26

INVENTO	PRODUCT	SELLER_	STOCK_QUANTITY	STOCK_STATU	LAST_UPDA
---------	---------	---------	----------------	-------------	-----------

Inv112	P102	S103	3	Available	19-SEP-26
Inv113	P103	S104	4	Available	19-SEP-26
Inv114	P104	S105	3	Available	19-SEP-26

14 rows selected.

3. Display completed orders.

```
SQL> SELECT * FROM ORDERS WHERE ORDER_STATUS = 'Delivered';
```

ORDER_I	CUSTOME	ORDER_DAT	TOTAL_AMOUNT	ORDER_STATUS
0103	C003	03-SEP-26	1800	Delivered
0106	C006	06-SEP-26	1200	Delivered
0109	C001	09-SEP-26	3500	Delivered

4. Find products with rating above 4.

```
SQL> SELECT
2   P.PRODUCT_NAME,
3   ROUND(AVG(R.RATING), 2) AS AVERAGE_RATING
4 FROM PRODUCT P
5 JOIN REVIEW R
6   ON P.PRODUCT_ID = R.PRODUCTID
7 GROUP BY P.PRODUCT_ID, P.PRODUCT_NAME
8 HAVING AVG(R.RATING) > 4
9 ORDER BY AVERAGE_RATING DESC;
```

PRODUCT_NAME	AVERAGE_RATING
Antiseptic Cream	5
Paracetamol	5
Vitamin C	5
Cetirizine	5
Metformin	5

3. Sort Data Using ORDER BY

1. Display products from lowest to highest price.

```
SQL> SELECT * FROM PRODUCT ORDER BY PRICE;
```

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

P101

Paracetamol

C001

25

100

P108

Bandage

C008

30

100

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

P103

Cetirizine

C003

35

75

P104

Omeprazole

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

C004

45

80

P109

2. Display customers alphabetically.

```
SQL> SELECT * FROM CUSTOMER ORDER BY CUSTOMER_NAME;
```

CUSTO	CUSTOMER_NAME	EMAIL	PHONE

ADDRESS			

REGISTRAT			

C005	Abi Sanitorium , Tamilnadu 26-AUG-26	Abi08@gmail.com	9370980800
C003	Ajay Guindy , Tamilnadu 16-APR-26	Ajay05@gmail.com	9435635450
CUSTO	CUSTOMER_NAME	EMAIL	PHONE

ADDRESS			

REGISTRAT			

C006	Anu Tambaram , Tamilnadu 12-MAY-26	anu09@gmail.com	9637460873
C001	Devi Guindy , Tamilnadu	devi05@gmail.com	9435635450
CUSTO	CUSTOMER_NAME	EMAIL	PHONE

ADDRESS			

REGISTRAT			

16-APR-26			
C002	Radhi	Radhi07@gmail.com	9389635450

3. Find top expensive products.

```
SQL> SELECT * FROM PRODUCT ORDER BY PRICE DESC;
```

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

P105

Vitamin C

C005 150 60

P106

Cough Syrup

C006 95 45

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

P110

Hand Sanitizer

C010 90 70

P102

Amoxicillin

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

C002 80 50

P107

Antiseptic Cream

4. Display latest orders first.

```
SQL> SELECT * FROM ORDERS ORDER BY ORDER_DATE DESC;
```

ORDER_I CUSTOME ORDER_DAT TOTAL_AMOUNT ORDER_STATUS

0110 C002 10-SEP-26 1900 Pending

0109 C001 09-SEP-26 3500 Delivered

0108 C009 08-SEP-26 2100 Shipped

0107 C007 07-SEP-26 4500 Pending

0106 C006 06-SEP-26 1200 Delivered

0105 C005 05-SEP-26 2750 Shipped

0104 C004 04-SEP-26 3200 Pending

0103 C003 03-SEP-26 1800 Delivered

0102 C002 02-SEP-26 2500 Shipped

0101 C001 01-SEP-26 1500 Pending

4. Retrieve Unique Values Using DISTINCT

1. Display unique product categories.

```
SQL> SELECT CATEGORY_NAME AS CATEGORY  
2 FROM CATEGORY  
3 ORDER BY CATEGORY_NAME;
```

CATEGORY

Allergy Medicine
Antibiotics
Cough and Cold
Diabetes Care
Digestive Care
First Aid
Pain Relief
Personal Care
Skin Care
Vitamins

10 rows selected.

2. Find different payment methods used by customers.

```
SQL> SELECT DISTINCT PAYMENT_MODE AS PAYMENT_MODE  
2 FROM PAYMENT;
```

PAYMENT_MODE

Card
Cash
UPI

5. Search Products Based on Conditions

1. Find products within a specific price range. (Product Between 20 to 50)

```
SQL> SELECT * FROM PRODUCT WHERE PRICE BETWEEN 20 AND 50;
```

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

P101

Paracetamol

C001

25

100

P103

Cetirizine

C003

35

75

2. Display products belonging to a particular category.

```
SQL> SELECT * FROM PRODUCT WHERE CATEGORY_ID = 'C009';
```

PRODUCT

PRODUCT_NAME

CATEGOR PRICE STOCK_QUANTITY

P109

Metformin

C009

60

40

3. Find products currently available in inventory.

```
SQL> SELECT * FROM INVENTORY WHERE STOCK_STATUS = 'Available';
```

INVENTO	PRODUCT	SELLER_	STOCK_QUANTITY	STOCK_STATU	LAST_UPDA
Inv109	P109	S101	40	Available	17-SEP-26
Inv101	P101	S101	100	Available	13-SEP-26
Inv102	P102	S101	50	Available	13-SEP-26
Inv103	P103	S101	75	Available	14-SEP-26
Inv104	P104	S101	80	Available	14-SEP-26
Inv105	P105	S101	60	Available	15-SEP-26
Inv106	P106	S101	45	Available	15-SEP-26
Inv107	P107	S101	55	Available	16-SEP-26
Inv108	P108	S101	100	Available	16-SEP-26
Inv110	P110	S101	70	Available	17-SEP-26
Inv111	P101	S102	3	Available	19-SEP-26

INVENTO	PRODUCT	SELLER_	STOCK_QUANTITY	STOCK_STATU	LAST_UPDA
Inv112	P102	S103	3	Available	19-SEP-26
Inv113	P103	S104	4	Available	19-SEP-26
Inv114	P104	S105	3	Available	19-SEP-26

14 rows selected.

4. Search products using product name.

```
SQL> SELECT * FROM PRODUCT WHERE PRODUCT_NAME = 'Hand Sanitizer';
```

PRODUCT	PRODUCT_NAME	CATEGOR	PRICE	STOCK_QUANTITY
P110	Hand Sanitizer	C010	90	70

5. Find low-stock products.

```
SQL> SELECT * FROM Inventory WHERE Stock_Quantity < 30;
```

INVENTO	PRODUCT	SELLER_	STOCK_QUANTITY	STOCK_STATU	LAST_UPDA
INV0001	P000001	SEL0001	25	Available	15-JAN-26
INV0013	P000013	SEL0009	20	Available	10-JUN-26

6. Retrieve Customer and Product Information

1. Display customer details with their orders.

```
SQL> SELECT
  2     C.CUSTOMER_ID,
  3     C.CUSTOMER_NAME,
  4     C.EMAIL,
  5     C.PHONE,
  6     O.ORDER_ID,
  7     O.ORDER_DATE,
  8     O.TOTAL_AMOUNT,
  9     O.ORDER_STATUS
10 FROM CUSTOMER C
11 JOIN ORDERS O
12     ON C.CUSTOMER_ID = O.CUSTOMER_ID
13 ORDER BY C.CUSTOMER_ID, O.ORDER_DATE;
```

CUSTO	CUSTOMER_NAME	EMAIL	PHONE
ORDER_I	ORDER_DAT	TOTAL_AMOUNT	ORDER_STATUS
C001	Devi	devi05@gmail.com	9435635450
0101	01-SEP-26	1500 Pending	
C001	Devi	devi05@gmail.com	9435635450
0109	09-SEP-26	3500 Delivered	
C002	Radhi	Radhi07@gmail.com	9389635450
0102	02-SEP-26	2500 Shipped	

CUSTO	CUSTOMER_NAME	EMAIL	PHONE
ORDER_I	ORDER_DAT	TOTAL_AMOUNT	ORDER_STATUS
C002	Radhi	Radhi07@gmail.com	9389635450
0110	10-SEP-26	1900 Pending	
C003	Ajay	Ajay05@gmail.com	9435635450
0103	03-SEP-26	1800 Delivered	
C004	Vijay	vijay07@gmail.com	9635677873

2. Display product details with category information.

```

SQL> SELECT
  2     P.PRODUCT_ID,
  3     P.PRODUCT_NAME,
  4     P.PRICE,
  5     P.STOCK_QUANTITY,
  6     C.CATEGORY_ID,
  7     C.CATEGORY_NAME,
  8     C.DESCRPTION
  9 FROM PRODUCT P
 10 JOIN CATEGORY C
 11     ON P.CATEGORY_ID = C.CATEGORY_ID
 12 ORDER BY C.CATEGORY_NAME, P.PRODUCT_NAME;

```

PRODUCT

PRODUCT_NAME

PRICE STOCK_QUANTITY CATEGOR

CATEGORY_NAME

DESCRIPTION

P103

Cetirizine

35

75 C003

PRODUCT

PRODUCT_NAME

PRICE STOCK_QUANTITY CATEGOR

CATEGORY_NAME

DESCRIPTION

Allergy Medicine

Medicines for allergies

3. Find customers who purchased a specific product.

```

SQL> SELECT DISTINCT
  2     C.CUSTOMER_ID,
  3     C.CUSTOMER_NAME,
  4     C.EMAIL,
  5     C.PHONE
  6 FROM CUSTOMER C
  7 JOIN ORDERS O
  8     ON C.CUSTOMER_ID = O.CUSTOMER_ID
  9 JOIN ORDER_DETAILS OD
 10     ON O.ORDER_ID = OD.ORDER_ID
 11 JOIN PRODUCT P
 12     ON OD.PRODUCT_ID = P.PRODUCT_ID
 13 WHERE P.PRODUCT_ID = 'P109';

```

CUSTO CUSTOMER_NAME

EMAIL

PHONE

C001 Devi

devi05@gmail.com

9435635450

4. Display products purchased by each customer.

```
SQL> SELECT
  2     C.CUSTOMER_ID,
  3     C.CUSTOMER_NAME,
  4     O.ORDER_ID,
  5     P.PRODUCT_NAME,
  6     OD.QUANTITY,
  7     OD.PRICE,
  8     OD.QUANTITY * OD.PRICE AS LINE_AMOUNT
  9 FROM CUSTOMER C
10 JOIN ORDERS O
11     ON C.CUSTOMER_ID = O.CUSTOMER_ID
12 JOIN ORDER_DETAILS OD
13     ON O.ORDER_ID = OD.ORDER_ID
14 JOIN PRODUCT P
15     ON OD.PRODUCT_ID = P.PRODUCT_ID
16 ORDER BY
17     C.CUSTOMER_ID,
18     O.ORDER_DATE,
19     P.PRODUCT_NAME;
```

CUSTO	CUSTOMER_NAME	ORDER_I
-------	---------------	---------

PRODUCT_NAME

QUANTITY	PRICE	LINE_AMOUNT
----------	-------	-------------

C001	Devi	0101
------	------	------

Paracetamol

2	750	1500
---	-----	------

C001	Devi	0109
------	------	------

Metformin

5	700	3500
---	-----	------

CUSTO	CUSTOMER_NAME	ORDER_I
-------	---------------	---------

PRODUCT_NAME

QUANTITY	PRICE	LINE_AMOUNT
----------	-------	-------------

7. Apply Multiple Filtering Conditions

1. Find electronics products costing more than ₹10000.

```
SQL> SELECT
2     C.CUSTOMER_ID,
3     C.CUSTOMER_NAME,
4     O.ORDER_ID,
5     P.PRODUCT_NAME,
6     OD.QUANTITY,
7     OD.PRICE,
8     OD.QUANTITY * OD.PRICE AS LINE_AMOUNT
9 FROM CUSTOMER C
10 JOIN ORDERS O
11     ON C.CUSTOMER_ID = O.CUSTOMER_ID
12 JOIN ORDER_DETAILS OD
13     ON O.ORDER_ID = OD.ORDER_ID
14 JOIN PRODUCT P
15     ON OD.PRODUCT_ID = P.PRODUCT_ID
16 ORDER BY
17     C.CUSTOMER_ID,
18     O.ORDER_DATE,
19     P.PRODUCT_NAME;
```

CUSTO	CUSTOMER_NAME	ORDER_I
PRODUCT_NAME		
QUANTITY	PRICE	LINE_AMOUNT
C001	Devi	0101
Paracetamol	2	750 1500
C001	Devi	0109
Metformin	5	700 3500

CUSTO	CUSTOMER_NAME	ORDER_I
PRODUCT_NAME		
QUANTITY	PRICE	LINE_AMOUNT

2. Search products containing the word "Oinment"

```
SQL> SELECT
2     PRODUCT_ID,
3     PRODUCT_NAME,
4     PRICE,
5     STOCK_QUANTITY
6 FROM PRODUCT
7 WHERE UPPER(PRODUCT_NAME) LIKE '%oinment%';

no rows selected
```

3. Find orders placed within a specific date range

```
SQL> SELECT ORDER_ID, CUSTOMER_ID, ORDER_DATE, TOTAL_AMOUNT, ORDER_STATUS FROM ORDERS WHERE ORDER_DATE BETWEEN DATE '2026-09-01' AND DATE '2026-09-10' ORDER
BY ORDER_DATE;
```

ORDER_I	CUSTOME	ORDER_DAT	TOTAL_AMOUNT	ORDER_STATUS
0101	C001	01-SEP-26	1500	Pending
0102	C002	02-SEP-26	2500	Shipped
0103	C003	03-SEP-26	1800	Delivered
0104	C004	04-SEP-26	3200	Pending
0105	C005	05-SEP-26	2750	Shipped
0106	C006	06-SEP-26	1200	Delivered
0107	C007	07-SEP-26	4500	Pending
0108	C009	08-SEP-26	2100	Shipped
0109	C001	09-SEP-26	3500	Delivered
0110	C002	10-SEP-26	1900	Pending

10 rows selected.

8. Generate Basic Business Reports

Report 1: Product Availability Report

Display:

Product name

Price

Stock quantity

Availability status

```
SQL> SELECT PRODUCT_NAME, PRICE, STOCK_QUANTITY, CASE WHEN STOCK_QUANTITY > 0 THEN 'Available' ELSE 'Out of Stock' END AS AVAILABILITY_STATUS FROM PRODUCT ORDER BY PRODUCT_NAME;
```

PRODUCT_NAME	PRICE	STOCK_QUANTITY	AVAILABILITY
Amoxicillin	80	50	Available
Antiseptic Cream	70	55	Available
Bandage	30	100	Available
Cetirizine	35	75	Available

Report 2: Customer Report

Total number of customers

```
SQL> select count(*) AS TOTAL_CUSTOMERS FROM CUSTOMER;
```

TOTAL_CUSTOMERS
8

New customer registrations

```
SQL> SELECT CUSTOMER_ID, CUSTOMER_NAME, EMAIL, REGISTRATION_DATE FROM CUSTOMER WHERE REGISTRATION_DATE >= DATE '2026-01-01' AND REGISTRATION_DATE < DATE '2027-01-01' ORDER BY REGISTRATION_DATE DESC;
```

CUSTO	CUSTOMER_NAME	EMAIL	REGISTRAT
C009	Sanjay	san88@gmail.com	24-OCT-26
C005	Abi	Abi98@gmail.com	26-AUG-26
C002	Radhi	Radhi07@gmail.com	31-JUL-26
C007	Sindhu	Sindhu04@gmail.com	30-JUN-26
C006	Anu	anu09@gmail.com	12-MAY-26
C004	Vijay	vijay07@gmail.com	22-APR-26
C001	Devi	devi05@gmail.com	16-APR-26
C003	Ajay	Ajay05@gmail.com	16-APR-26

Report 3: Order Report

Total orders

```
SQL> SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS;
```

TOTAL_ORDERS
10

Completed orders

```
SQL> SELECT COUNT(*) AS COMPLETED_ORDERS FROM ORDERS WHERE ORDER_STATUS = 'Delivered';  
COMPLETED_ORDERS  
-----  
3
```

Pending orders

```
SQL> SELECT COUNT(*) AS PENDING_ORDERS FROM ORDERS WHERE ORDER_STATUS IN('Shipped');  
PENDING_ORDERS  
-----  
3
```

Cancelled orders

```
SQL> SELECT COUNT(*) AS CANCELLED_ORDERS FROM ORDERS WHERE ORDER_STATUS = 'Cancelled';  
CANCELLED_ORDERS  
-----  
0
```

Report 4: Product Performance Report

Highest-priced products

```
SQL> SELECT PRODUCT_ID,PRODUCT_NAME,PRICE FROM PRODUCT ORDER BY PRICE DESC;  
  
PRODUCT  
-----  
PRODUCT_NAME  
-----  
PRICE  
-----  
P105  
Vitamin C  
150  
  
P106  
Cough Syrup  
95  
  
PRODUCT  
-----  
PRODUCT_NAME  
-----  
PRICE  
-----  
P110  
Hand Sanitizer  
90  
  
P102  
Amoxicillin  
  
PRODUCT  
-----  
PRODUCT_NAME  
-----  
PRICE  
-----  
80  
  
P107
```

Most reviewed products

```
SQL> SELECT P.PRODUCT_ID,  
2      P.PRODUCT_NAME,  
3      COUNT(R.REVIEWID) AS REVIEW_COUNT  
4  FROM PRODUCT P  
5  JOIN REVIEW R  
6  ON P.PRODUCT_ID = R.PRODUCTID  
7  GROUP BY P.PRODUCT_ID, P.PRODUCT_NAME  
8  ORDER BY REVIEW_COUNT DESC;
```

PRODUCT

PRODUCT_NAME

REVIEW_COUNT

P107

Antiseptic Cream

1

P101

Paracetamol

1

PRODUCT

PRODUCT_NAME

REVIEW_COUNT

P104

Omeprazole

1

P109

Metformin

Available products

```
SQL> SELECT
  2     PRODUCT_ID,
  3     PRODUCT_NAME,
  4     PRICE,
  5     STOCK_QUANTITY
  6 FROM PRODUCT
  7 WHERE STOCK_QUANTITY > 0
  8 ORDER BY STOCK_QUANTITY DESC;
```

PRODUCT

PRODUCT_NAME

	PRICE	STOCK_QUANTITY
--	-------	----------------

P101

Paracetamol

25	100
----	-----

P108

Bandage

30	100
----	-----

PRODUCT

PRODUCT_NAME

	PRICE	STOCK_QUANTITY
--	-------	----------------

P104

Omeprazole

45	80
----	----

P103

Cetirizine