


## ASSIGNMENT-1


### CONNECT AND DISCONNECT WITH LOGIN ACCESS




- I try to login by using non-existent user name but it didnt logged in show that sorry that didnt work. Pleace try again

## ASSIGNMENT-2


### PASSWORD CHANGING



- I changed my password into **ineuROn#42** no error came




- I tried to change my password again into **1234** but it saying that password need to be longer and it dosent allow me to change. So i used my old password again




- I didnt used words and i hit enter directly it shows that mix uppercase and lowercase and try to use a number or two

### ASSIGNMENT-3


### WORKING WITH DIRECTORIES




- I used command **cd /** and **ls**. I am in home directory and ls command shows that list of files in home directory




- Home directory is a place where we can store all our personal information ( e.g – files, scripts..etc )



- **cd ..** this command is used to move to parent directory of current directory. It use to shift one directory up from current directory.




- Sir i have no ides about this nd and i also googleit i didnt understand properly



- **cd /root** shows the installation program **anaconda**

## ASSIGNMENT-4


### WORKING WITH FILE LISTING




- **cd /etc** and after **ls** its shows config files in root directory used to control operation of a program



- we found installation program in previous screenshot by using **cd /root**. And in this screenshot we found config files in root directory by using **cd /etc** and **ls** command.




- ls -al** it showing list of files and directories in the current directory and it also shows hidden files which name starting with dots




- ls -i** it list files with inode index numbers

## ASSIGNMENT-5

### KNOW WHERE YOU ARE AND WHERE YOU WORKING




- Command **pwd** its shows where i am



- **cd /var** and **ls** it shifts to **var** subdirectory of the root directory

## ASSIGNMENT-6

### FULL SCREEN



### DEPENDENCIES FOR MAKING FULL SCREEN

- `yum install dnf packages`
- `sudo yum -y install gcc`
- `sudo yum install make perl`
- `sudo yum install kernal-devel-$(uname -r)`
- `sudo dnf install gcc make perl kernel-devel kernel-headers bzip2 dkms`

And i used **`sudo dnf install epel-released`** to install unmatched packages.