



Importer & Distributor
Premium Automobile Products

ROWE®

PRODUCT CATALOG



HIGHTEC MADE IN GERMANY

Imported & Marketed By :

SAFETY IMPEXIN PRIVATE LIMITED

115-6, Kandhampalayam Pirivu, Bhavani Main Road, Perundurai, Erode - 638 052. Tamil Nadu, INDIA

✉ info@safetyimpe Xin.com Ⓛ www.safetyimpe Xin.com

✆ 95665 38599 | 95665 98599

About ROWE

Business With a Future :

ROWE has represented innovative, high-quality lubricants as "Made in Germany" products since 1995. ROWE has stood for high-quality lubricants since 1995 and now provides a full range of products which is available in more than 80 countries. The company itself is just as versatile as our product portfolio.


ROWE offers a full range of products with a high vertical production range, always manufactured in audited sustainable processes. The focus is placed on engine oils and winter chemicals for the automotive industry, although we also offer lubricants for a wide range of other applications. ROWE products are available in more than 80 countries worldwide today and impress more people every day with their outstanding properties.

ONE OF THE MOST MODERN LUBRICANT FACTORIES

The ROWE main factory, which is located in Worms and was opened in 2014, was designed and erected with sustainability in mind from day one. This can be seen, among other things, in the more than 65 km of pipework on site. The so-called "dedicated Lines" at ROWE are each utilised exclusively for one specific product, which thereby saves the environment countless flushing operations for the pipes which would otherwise be necessary.



Consumables	4
Brake Cleaner	
Brake Fluids	
Additives	5
Radiator Additives	
Coolants	5
Engine Oils	6 -7



Brake Cleaner



HIGHTEC BRAKE CLEANER

Non-residue, volatile, universal cleaning agent with strong dissolving power for oils, greases, waxes etc.

Advantages :

- ❖ Reliable cleaning and degreasing of surfaces
- ❖ The good creep properties ensure reliable cleaning even in hard-to-reach places
- ❖ It dries without leaving residues and guarantees optimal friction coefficients for clutch and brake parts
- ❖ Good compatibility with metals, non-ferrous metals and plastics

Part No : 21164 - 0005 - 99 / 500 ml

Brake Fluids

HIGHTEC BRAKE FLUID DOT 4 LV

Fully synthetic, low viscosity brake fluid for modern ESP and ABS control systems in compliance with DOT 4 and ISO Class 6.

Approvals :

FMVSS 116 DOT 4, SAE J 1703/1704, ISO 4925 Class 3/4/6, JIS K2233 Class 3/4/6, Ford WSS-M6C65-A2, VW 501 14.

Part No : 25114 - 0010 - 99 / 1 lit



Brake Fluids

HIGHTEC DOT 4

Fully synthetic brake fluid based on glycols, with oxidation and corrosion inhibitors for hydraulic brake and clutch systems.

Recommendations :

FMVSS 116 DOT 3/DOT 4. SAE J 1703/1704, ISO 4925 Class 4, JIS K2233 Class 3/4

Part No : 25109 - 0010 - 99 / 1 lit



Radiator Additives

**HIGHTEC RADIATOR CLEANER**

Coolant system cleaner for all water-cooled engines. Provides superb cleaning for the entire coolant circuit. Effective in approx. 30 minutes.

Advantages :

- ❖ Suitable for all common coolants & cleans the entire coolant circuit
- ❖ Removes limescale and sludge deposits
- ❖ Free of aggressive acids and alkalis
- ❖ Compatible with seals and system components
- ❖ Can increase the cooling capacity of the system

Part No : 22016 - 0002 - 99 / 250 ml

Radiator Coolant

HIGHTEC ANTIFREEZE COOLANT AN-SF 12+ READY-MIX -25°C

Modern long service life ready-to-use coolant mixture based on monoethylene glycol with high corrosion protection and frost protection. Nitrite-free, amine-free, phosphate-free and silicate - free. HIGHTEC ANTIFREEZE COOLANT AN-SF 12+ READY-MIX -25 °C is 2-ethylhexanoic acid free.

Color: **Pink**



Recommendations : ASTM D3306, AFNOR NF R 15-601, BS 6580, SAE J1034, Ford WSS-M 97B44-D, GM 6277M/Opel B040 1065, MAN 324 SNF, MB 326.3, MTU MTL 5048, VW TL-774 D/F (G12/G12+), JIS K 2234, Deutz DQC CB-14, Jaguar Land Rover STJLR.651.5003, Mitsubishi Super Long Life Coolant (MZ313950).

Part No : 21048 - 0015 - 99 / 1.5 lit

Radiator Coolant

**HIGHTEC ANTIFREEZE COOLANT READY-MIX-25°C**

High-quality radiator antifreeze on a monoethylene glycol basis with excellent corrosion protection properties.

Nitrite, amine and phosphate-free.

Use without any dilution.

Color: **Blue**

Recommendations : ASTM D3306/D4985, SAE J1034, JIS K 2234 , VW TL 774-C (G11).

Part No : 21041-0015-99 / 1.5 lit

Advance Fully Synthetic Motor Oils



HIGHTEC ADVANCE FULLY SYNTHETIC SAE 10W-40

Fully synthesis-based, high-quality, multi-grade engine oil. Specially developed for heavy-duty two-wheeler engines. Suitable for oil bath clutches.

Suitable for **Yamaha, Kawasaki & others.**

Approvals : API SN/SM/SL/SJ/SH/SG - JASO MA2

Advantages :

- ✧ Outstanding protection against wear and corrosion of the engine and gears
- ✧ Stable lubricating film, even with hot oil and under high loads
- ✧ Extremely stable to shear stress - 'Stay-in-grade'
- ✧ Excellent clutch performance; meets the stringent JASO MA2 requirements
- ✧ Good cold viscosity ensures fast lubrication and low 'cold wear'
- ✧ High level of oxidation protection by means of selected fully synthetic oils and special additives

Part No : 20049 - 0010 - 99G / 1 lit

Advance Fully Synthetic Motor Oils

HIGHTEC ADVANCE FULLY SYNTHETIC SAE 10W-50

Fully synthesis-based, high-quality, multi-grade engine oil. Specially developed for heavy-duty two-wheeler engines. Suitable for oil bath clutches.

Suitable for **KTM, Ducati & others.**

Approvals : API SN/SM/SL/SJ/SH/SG - JASO MA2

Advantages :

- ✧ Outstanding protection against wear and corrosion of the engine and gears
- ✧ Stable lubricating film, even with hot oil and under high loads
- ✧ Extremely stable to shear stress - 'Stay-in-grade'
- ✧ Excellent clutch performance; meets the stringent JASO MA2 requirements
- ✧ Good cold viscosity ensures fast lubrication and low 'cold wear'
- ✧ High level of oxidation protection by means of selected fully synthetic oils and special additives



Part No : 20209 - 0010 - 99G / 1 lit

Advance Fully Synthetic Motor Oils

**HIGHTEC FORMULA ADVANCE FULLY SYNTHETIC GT SAE 15W50 S-Z**

Fully synthetic, high-performance engine oil for use in sports motorbikes with high-revolution 4-stroke engines and a common oil circuit of gearbox and wet oil bath clutch.

Suitable for **Royal Enfield & others.**

Approvals: API SN/SM/SL/SJ/SH/SG JASO MA2

Advantages:

- ✧ Guarantees additional safety under extreme conditions
- ✧ Stable lubricating film, even with very hot oil and under very high loads
- ✧ High level of protection against wear & corrosion of the engine & gears

Part No : 20203 - 0010 - 99G / 1 lit

Advance Fully Synthetic Motor Oils

HIGHTEC FORMULA ADVANCE FULLY SYNTHETIC SAE 20W-50 Z

Mineral oil-based, high-quality, multi-grade engine oil with HC synthesis components. Specially developed for heavy-duty two-wheeler engines. Suitable for oil bath clutches.

Suitable for **Bajaj, Royal Enfield & others.**

Approvals: API SN/SM/SL/SJ/SH/SG JASO MA2

Advantages:

- ✧ Outstanding protection against wear & corrosion of the engine & gears
- ✧ Stable lubricating film, even with hot oil and under high loads
- ✧ Extremely stable to shear stress - 'Stay-in-grade'



Part No : 20050 - 0010 - 99G / 1 lit

Advance Fully Synthetic Motor Oils

HIGHTEC FORMULA ADVANCE FULLY SYNTHETIC SAE 20W-50 Z-TWIN

High performance engine oil of SAE class 20W-50. Specially designed for use in air-cooled 2 - cylinder, 4 - stroke motorcycles with wet oil bath clutches.

Suitable for **Harley Davidson & others.**

Approvals: API SN/SM/SL/SJ/SH/SG - JASO MA2

Advantages:

- ✧ Excellent wear and corrosion protection for the engine and gears
- ✧ Stable lubricating film, even with hot oil and under high loads
- ✧ Good cold viscosity ensures fast lubrication and low 'cold wear'



Part No : 20165 - 0010 - 99G / 1 lit

ROWE®

Find the right motor oil
with your smartphone :



Imported & Marketed By :

SAFETY IMPEXIN PRIVATE LIMITED

115-6, Kandhampalayam Pirivu, Bhavani Main Road, Perundurai, Erode - 638 052. Tamil Nadu, INDIA

✉ info@safetyimpexin.com www.safetyimpexin.com

✆ 95665 38599 | 95665 98599