

```
My Pc@Lenovo MINGW32 ~
$ git config --global user.name "A.R.Abirami"

My Pc@Lenovo MINGW32 ~
$ git config--global user.email "abiramirajagurunathan@gmail.com"
git: 'config--global' is not a git command. See 'git --help'.

My Pc@Lenovo MINGW32 ~
$ git config --global user.email "abiramirajagurunathan@gmal.com"

My Pc@Lenovo MINGW32 ~
$ git config list
error: key does not contain a section: list

My Pc@Lenovo MINGW32 ~
$ git config --list
pack.packsizelimit=2g
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files (x86)/Git/mingw32/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=A. R. Abirami
user.email=abiramirajagurunathan@gmail.com

My Pc@Lenovo MINGW32 ~
$ clone https://github.com/abirami317/cognizance/edit/main/README.md
bash: clone: command not found

My Pc@Lenovo MINGW32 ~
$ clone https://github.com/abirami317/cognizance/blob/main/task%201
bash: clone: command not found

My Pc@Lenovo MINGW32 ~
$ clone https://github.com/abirami317/cognizance
bash: clone: command not found

My Pc@Lenovo MINGW32 ~
$ clone https://github.com/FlexKriss/Cognizance
bash: clone: command not found
```



MINGW32:/c/Users/My Pc

—  

^

10


```

ntuser.ini
test2.java


My Pc@Lenovo MINGW32 ~ (master)
$ git add *.java

My Pc@Lenovo MINGW32 ~ (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   myfile_2.txt
    new file:   myfile_3.txt
    new file:   test.java
    new file:   test2.java

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    -1.14-windows.xml
    .gitconfig
    .lessht
    AppData/
    Cognizance/
    Contacts/
    Desktop/
    Documents/
    Downloads/
    Favorites/
    IntelGraphicsProfiles/
    Links/
    Music/
    NTUSER.DAT
    NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.blf
    NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer00000000000000000001.regtrans-ms
    NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer00000000000000000002.regtrans-ms
    NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.blf
    NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer00000000000000000001.regtrans-ms
    NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer00000000000000000002.regtrans-ms
    Pictures/
    Saved Games/
    Searches/
    Videos/
    ntuser.dat.LOG1
    ntuser.dat.LOG2
    ntuser.ini
  
```



```
MINGW32:/c/Users/My Pc

On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   file.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    -1.14-windows.xml
    .gitconfig
    .lessht
    AppData/
    Cognizance/
    Contacts/
    Desktop/
    Documents/
    Downloads/
    Favorites/
    IntelGraphicsProfiles/
    Links/
    Music/
    NTUSER.DAT
    NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.blf
    NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer00000000000000000001.regtrans-ms
    NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer00000000000000000002.regtrans-ms
    NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.blf
    NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer00000000000000000001.regtrans-ms
    NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer00000000000000000002.regtrans-ms
    Pictures/
    Saved Games/
    Searches/
    Videos/
    ntuser.dat.LOG1
    ntuser.dat.LOG2
    ntuser.ini

My Pc@Lenovo MINGW32 ~ (master)
$ git commit -m "first commit"
[master c694014] first commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file.txt

My Pc@Lenovo MINGW32 ~ (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    -1.14-windows.xml
    .gitconfig
    .lessht
```

My Pc@Lenovo MINGW32 ~ (master)

\$ git status

On branch master

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: file.txt
modified: test.java
modified: test2.java

Untracked files:

(use "git add <file>..." to include in what will be committed)

-1.14-windows.xml
.gitconfig
.lessht
AppData/
Cognizance/
Contacts/
Desktop/
Documents/
Downloads/
Favorites/
IntelGraphicsProfiles/
Links/
Music/
NTUSER.DAT
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.b1f
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer00000000000000000001.regtrans-ms
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer00000000000000000002.regtrans-ms
NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.b1f
NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer00000000000000000001.regtrans-ms
NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer00000000000000000002.regtrans-ms
Pictures/
Saved Games/
Searches/
Videos/
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini

no changes added to commit (use "git add" and/or "git commit -a")

My Pc@Lenovo MINGW32 ~ (master)

\$ git commit -m "after changes"

On branch master

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: file.txt



My Pc@Lenovo MINGW32 ~ (stage)

```
$ git clone https://github.com/abirami317/cognizance.git
```

Fatal: destination path 'cognizance' already exists and is not an empty directory.

My Pc@Lenovo MINGW32 ~ (stage)

```
$ ls
```

-1.14-windows.xml	Downloads/	NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.b1f	Pictures/	myfile_3.txt
AppData/	Favorites/	NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000001.regtrans-ms	'Saved Games'/	ntuser.dat.LOG1
Cognizance/	IntelGraphicsProfiles/	NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000002.regtrans-ms	Searches/	ntuser.dat.LOG2
Contacts/	Links/	NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.b1f	Videos/	ntuser.ini
Desktop/	Music/	NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000001.regtrans-ms	file.txt	test.java
Documents/	NTUSER.DAT	NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000002.regtrans-ms	myfile_2.txt	test2.java

My Pc@Lenovo MINGW32 ~ (stage)

```
$ git status
```

On branch stage

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

```
modified:   file.txt
modified:   myfile_2.txt
modified:   test.java
modified:   test2.java
```

Untracked files:

(use "git add <file>..." to include in what will be committed)

```
-1.14-windows.xml
.gitconfig
.lesshst
AppData/
Cognizance/
Contacts/
Desktop/
Documents/
Downloads/
Favorites/
IntelGraphicsProfiles/
Links/
Music/
NTUSER.DAT
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.b1f
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000001.regtrans-ms
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000002.regtrans-ms
NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.b1f
NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000001.regtrans-ms
NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000002.regtrans-ms
Pictures/
Saved Games/
Searches/
```

My Pc@Lenovo MINGW32 ~ (stage)

\$ git clone https://github.com/abirami317/cognizance.git

fatal: destination path 'cognizance' already exists and is not an empty directory.

My Pc@Lenovo MINGW32 ~ (stage)

\$ ls

-1.14-windows.xml	Downloads/	NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.b1f	Pictures/	myfile_3.txt
AppData/	Favorites/	NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000001.regtrans-ms	'Saved Games'/	ntuser.dat.LOG1
Cognizance/	IntelGraphicsProfiles/	NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000002.regtrans-ms	Searches/	ntuser.dat.LOG2
Contacts/	Links/	NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.b1f	Videos/	ntuser.ini
Desktop/	Music/	NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000001.regtrans-ms	file.txt	test.java
Documents/	NTUSER.DAT	NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000002.regtrans-ms	myfile_2.txt	test2.java

My Pc@Lenovo MINGW32 ~ (stage)

\$ git status

On branch stage

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

```

modified:   file.txt
modified:   myfile_2.txt
modified:   test.java
modified:   test2.java

```

Untracked files:

(use "git add <file>..." to include in what will be committed)

```

-1.14-windows.xml
.gitconfig
.lesshst
AppData/
Cognizance/
Contacts/
Desktop/
Documents/
Downloads/
Favorites/
IntelGraphicsProfiles/
Links/
Music/
NTUSER.DAT
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.b1f
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000001.regtrans-ms
NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000002.regtrans-ms
NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.b1f
NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000001.regtrans-ms
NTUSER.DAT{bbbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000002.regtrans-ms
Pictures/
Saved Games/
Searches/

```



```
MINGW32:/c/Users/My Pc

Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
        modified:   file.txt
        modified:   myfile_2.txt
        modified:   test.java
        modified:   test2.java

Untracked files:
(use "git add <file>..." to include in what will be committed)
        ~1.14-windows.xml
        .gitconfig
        .lessht
        AppData/
        Cognizance/
        Contacts/
        Desktop/
        Documents/
        Downloads/
        Favorites/
        IntelGraphicsProfiles/
        Links/
        Music/
        NTUSER.DAT
        NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TM.blf
        NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000001.regtrans-ms
        NTUSER.DAT{8cce0362-2f0f-11ec-8262-38b1dbd7da08}.TMContainer000000000000000002.regtrans-ms
        NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TM.blf
        NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000001.regtrans-ms
        NTUSER.DAT{bbed3e3b-0b41-11e3-8249-d6927d06400b}.TMContainer000000000000000002.regtrans-ms
        Pictures/
        Saved Games/
        Searches/
        Videos/
        ntuser.dat.LOG1
        ntuser.dat.LOG2
        ntuser.ini

no changes added to commit (use "git add" and/or "git commit -a")

My Pc@Lenovo MINGW32 ~ (stage)
$ git push
fatal: The current branch stage has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin stage

My Pc@Lenovo MINGW32 ~ (stage)
$ |
```