Started on	Thursday, 8 October 2026, 1:29 PM
State	Finished
Completed on	Thursday, 8 October 2026, 1:38 PM
Time taken	8 mins 13 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1	a	g	**g**	**t**	**a**	**b**
s2	**g**	x	**t**	**x**	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```
#include <stdio.h>
#include <string.h>
int main()
{
    char a[1000],b[1000];
    scanf("%s",a);
    scanf("%s",b);
    int n=strlen(a);
    int m=strlen(b);
    int dp[n+1][m+1];
    for(int i=0;i<=n;i++){
        for(int j=0;j<=m;j++){
            if(i==0 || j==0)
            dp[i][j]=0;
            else if(a[i-1]==b[j-1])
            dp[i][j]=dp[i-1][j-1]+1;
            else{
                if(dp[i-1][j]>dp[i][j-1])
                dp[i][j]=dp[i][j-1];
                else
                dp[i][j]=dp[i][j-1];
            }
        }
    }
    printf("%d",dp[n][m]);
    return 0;
}
```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.