

Search results for 'IA'

[Services \(57\)](#)[Features \(70\)](#)[Blogs \(7,832\)](#)[Documentation \(593\)](#)[Knowledge Articles \(9\)](#)[Tutorials \(66\)](#)[Events \(194\)](#)[Marketplace \(26\)](#)

Services

[See all 57 results ►](#)**IAM** ☆

Manage access to AWS resources

**MediaStore** ☆

Store and deliver video assets for live or on-demand media workflows

**MediaLive** ☆

Convert video inputs into live outputs for broadcast and streaming delivery

**MediaConvert** ☆

Convert file-based content for broadcast and multiscreen delivery

Features

[See all 70 results ►](#)**Compliance**

Systems Manager feature

Credential report

IAM feature

Search results for 'IA'

[Services \(57\)](#)[Features \(70\)](#)[Blogs \(7,832\)](#)[Documentation \(593\)](#)[Knowledge Articles \(9\)](#)[Tutorials \(66\)](#)[Events \(194\)](#)[Marketplace \(26\)](#)

Services

[See all 57 results ►](#)**IAM** ☆

Manage access to AWS resources

**MediaStore** ☆

Store and deliver video assets for live or on-demand media workflows

**MediaLive** ☆

Convert video inputs into live outputs for broadcast and streaming delivery

**MediaConvert** ☆

Convert file-based content for broadcast and multiscreen delivery

Features

[See all 70 results ►](#)**Compliance**

Systems Manager feature

Credential report

IAM feature



Search IAM

Dashboard

Access management

User groups

Users

Roles

Policies

Identity providers

Account settings

Access reports

Access analyzer

Archive rules

Analyzers

Settings

Credential report

Organization activity

Service control policies (SCPs)

IAM dashboard

Security recommendations 1



Add MFA for root user

Add MFA for root user - Enable multi-factor authentication (MFA) for the root user to improve security for this account.

Add MFA



Root user has no active access keys

Using access keys attached to an IAM user instead of the root user improves security.

IAM resources



User groups

0

Users

0

Roles

2

Policies

0

Identity providers

0

What's new

Updates for features in IAM

[View all](#)

- [IAM Access Analyzer findings now support Amazon SNS topics and five other AWS resource types to help you identify public and cross-account access.](#) 1 week ago
- [IAM Access Analyzer now reviews your AWS CloudTrail history to identify actions used across 140 AWS services and generates fine-grained policies.](#) 4 weeks ago
- [IAM Access Analyzer makes it easier to author and validate role trust policies.](#) 4 weeks ago
- [AWS Lambda announces support for a new IAM condition key, `lambda:SourceFunctionArn`.](#) 3 months ago

more

Identity and Access Management (IAM)



Dashboard

Access management

User groups

Users

Roles

Policies

Identity providers

Account settings

Introducing the new Users list experience

We've redesigned the Users list experience to make it easier to use. [Let us know what you think.](#)



IAM > Users

Users (0) [Info](#)

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.



Delete

Add users

< 1 >

<input type="checkbox"/>	User name	Groups	Last activity	MFA	Password age	Active key age
--------------------------	-----------	--------	---------------	-----	--------------	----------------

No resources to display

Add user

1

2

3

4

5

Set user details

You can add multiple users at once with the same access type and permissions. [Learn more](#)

User name*

abi

[+ Add another user](#)

Select AWS access type

Select how these users will primarily access AWS. If you choose only programmatic access, it does NOT prevent users from accessing the console using an assumed role. Access keys and autogenerated passwords are provided in the last step. [Learn more](#)

Select AWS credential type*

☐

Access key - Programmatic access

Enables an **access key ID** and **secret access key** for the AWS API, CLI, SDK, and other development tools.

☒

Password - AWS Management Console access

Enables a **password** that allows users to sign-in to the AWS Management Console.

Console password*

☐

Autogenerated password

☒

Custom password

.....

☐

Show password

Require password reset

☐

User must create a new password at next sign-in

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

* Required

[Cancel](#)

[Next: Permissions](#)

Add user

1

2

3

4

5

Set user details

You can add multiple users at once with the same access type and permissions. [Learn more](#)

User name*

abi

[+ Add another user](#)

Select AWS access type

Select how these users will primarily access AWS. If you choose only programmatic access, it does NOT prevent users from accessing the console using an assumed role. Access keys and autogenerated passwords are provided in the last step. [Learn more](#)

Select AWS credential type*

☐

Access key - Programmatic access

Enables an **access key ID** and **secret access key** for the AWS API, CLI, SDK, and other development tools.

☒

Password - AWS Management Console access

Enables a **password** that allows users to sign-in to the AWS Management Console.

Console password*

☐

Autogenerated password

☒

Custom password

.....

☐

Show password

Require password reset

☐

User must create a new password at next sign-in

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

* Required

[Cancel](#)

[Next: Permissions](#)

Add user

1

2

3

4

5

Set user details

You can add multiple users at once with the same access type and permissions. [Learn more](#)

User name*

abi

[+ Add another user](#)

Select AWS access type

Select how these users will primarily access AWS. If you choose only programmatic access, it does NOT prevent users from accessing the console using an assumed role. Access keys and autogenerated passwords are provided in the last step. [Learn more](#)

Select AWS credential type*

☐

Access key - Programmatic access

Enables an **access key ID** and **secret access key** for the AWS API, CLI, SDK, and other development tools.

☒

Password - AWS Management Console access

Enables a **password** that allows users to sign-in to the AWS Management Console.

Console password*

☐

Autogenerated password

☒

Custom password

.....

☐

Show password

Require password reset

☐

User must create a new password at next sign-in

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

* Required

[Cancel](#)

[Next: Permissions](#)

Add user

1

2

3

4

5

Set user details

You can add multiple users at once with the same access type and permissions. [Learn more](#)

User name*

abi

[+ Add another user](#)

Select AWS access type

Select how these users will primarily access AWS. If you choose only programmatic access, it does NOT prevent users from accessing the console using an assumed role. Access keys and autogenerated passwords are provided in the last step. [Learn more](#)

Select AWS credential type*

☐

Access key - Programmatic access

Enables an **access key ID** and **secret access key** for the AWS API, CLI, SDK, and other development tools.

☒

Password - AWS Management Console access

Enables a **password** that allows users to sign-in to the AWS Management Console.

Console password*

☐

Autogenerated password

☒

Custom password

.....

☐

Show password

Require password reset

☐

User must create a new password at next sign-in

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

* Required

[Cancel](#)

[Next: Permissions](#)

Add user

1

2

3

4

5

Set user details

You can add multiple users at once with the same access type and permissions. [Learn more](#)

User name*

abi

[+ Add another user](#)

Select AWS access type

Select how these users will primarily access AWS. If you choose only programmatic access, it does NOT prevent users from accessing the console using an assumed role. Access keys and autogenerated passwords are provided in the last step. [Learn more](#)

Select AWS credential type*

☐

Access key - Programmatic access

Enables an **access key ID** and **secret access key** for the AWS API, CLI, SDK, and other development tools.

☒

Password - AWS Management Console access

Enables a **password** that allows users to sign-in to the AWS Management Console.

Console password*

☐

Autogenerated password

☒

Custom password

.....

☐

Show password

Require password reset

☐

User must create a new password at next sign-in

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

* Required

[Cancel](#)

[Next: Permissions](#)

Add user

1

2

3

4

5

▼ Set permissions



Add user to group



Copy permissions from
existing user



Attach existing policies
directly



Get started with groups

You haven't created any groups yet. Using groups is a best-practice way to manage users' permissions by job functions, AWS service access, or your custom permissions. Get started by creating a group. [Learn more](#)

Create group

► Set permissions boundary

Cancel

Previous

Next: Tags

Add user

1

2

3

4

5

▼ Set permissions



Add user to group



Copy permissions from
existing user



Attach existing policies
directly

Create policy



Filter policies ▼

Search

Showing 777 results

	Policy name ▼	Type	Used as
<input checked="" type="checkbox"/>	AdministratorAccess	Job function	None
<input type="checkbox"/>	AdministratorAccess-Amplify	AWS managed	None
<input type="checkbox"/>	AdministratorAccess-AWSElasticBeanstalk	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessDeviceSetup	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessFullAccess	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessGatewayExecution	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessLifesizeDelegatedAccessPolicy	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessPolyDelegatedAccessPolicy	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessReadOnlyAccess	AWS managed	None
<input type="checkbox"/>	AmazonAPIGatewayAdministrator	AWS managed	None
<input type="checkbox"/>	AmazonAPIGatewayInvokeFullAccess	AWS managed	None

Cancel

Previous

Next: Tags

Add user

1

2

3

4

5

▼ Set permissions



Add user to group



Copy permissions from
existing user



Attach existing policies
directly

Create policy



Filter policies ▼

Search

Showing 777 results

	Policy name ▼	Type	Used as
<input checked="" type="checkbox"/>	AdministratorAccess	Job function	None
<input type="checkbox"/>	AdministratorAccess-Amplify	AWS managed	None
<input type="checkbox"/>	AdministratorAccess-AWSElasticBeanstalk	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessDeviceSetup	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessFullAccess	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessGatewayExecution	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessLifesizeDelegatedAccessPolicy	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessPolyDelegatedAccessPolicy	AWS managed	None
<input type="checkbox"/>	AlexaForBusinessReadOnlyAccess	AWS managed	None
<input type="checkbox"/>	AmazonAPIGatewayAdministrator	AWS managed	None
<input type="checkbox"/>	AmazonAPIGatewayInvokeFullAccess	AWS managed	None

Cancel

Previous

Next: Tags

Add user

1

2

3

4

5

Add tags (optional)

IAM tags are key-value pairs you can add to your user. Tags can include user information, such as an email address, or can be descriptive, such as a job title. You can use the tags to organize, track, or control access for this user. [Learn more](#)

Key	Value (optional)	Remove
<input type="text" value="Add new key"/>	<input type="text"/>	

You can add 50 more tags.

Cancel

Previous

Next: Review

Add user

1

2

3

4

5

Review

Review your choices. After you create the user, you can view and download the autogenerated password and access key.

User details

User name	abi
AWS access type	AWS Management Console access - with a password
Console password type	Custom
Require password reset	No
Permissions boundary	Permissions boundary is not set

Permissions summary

The following policies will be attached to the user shown above.

Type	Name
Managed policy	AdministratorAccess

Tags

No tags were added.

Cancel

Previous

Create user

Add user

1

2

3

4

5

Review

Review your choices. After you create the user, you can view and download the autogenerated password and access key.

User details

User name	abi
AWS access type	AWS Management Console access - with a password
Console password type	Custom
Require password reset	No
Permissions boundary	Permissions boundary is not set

Permissions summary

The following policies will be attached to the user shown above.

Type	Name
Managed policy	AdministratorAccess

Tags

No tags were added.

Cancel

Previous

Create user

Add user

1

2

3

4

5



Success

You successfully created the users shown below. You can view and download user security credentials. You can also email users instructions for signing in to the AWS Management Console. This is the last time these credentials will be available to download. However, you can create new credentials at any time.

Users with AWS Management Console access can sign-in at: <https://554648072519.signin.aws.amazon.com/console>



Download .csv

		User	Email login instructions
▶	✓	abi	Send email 

Close

Search IAM

- Dashboard
- Access management
 - User groups
 - Users
 - Roles
 - Policies
 - Identity providers
 - Account settings
- Access reports
 - Access analyzer
 - Archive rules
 - Analyzers
 - Settings
 - Credential report
 - Organization activity
 - Service control policies (SCPs)

Introducing the new Users list experience
We've redesigned the Users list experience to make it easier to use. [Let us know what you think.](#)

The user `abi` have been created.

IAM > Users

Users (1) Info

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Find users by username or access key

Delete

Add users

< 1 >

	User name	Groups	Last activity	MFA	Password age	Active key age
<input type="checkbox"/>	abi	None	Never	None	Now	-

☐ abi

- Dashboard
- ▼ Access management
- User groups
- Users
- Roles
- Policies
- Identity providers
- Account settings
- ▼ Access reports
- Access analyzer
- Archive rules
- Analyzers
- Settings
- Credential report
- Organization activity
- Service control policies (SCPs)

Introducing the new Users list experience
We've redesigned the Users list experience to make it easier to use. [Let us know what you think.](#)

The user `abi` have been created.

IAM > Users

Users (1) [Info](#)

< 1 >

<input type="checkbox"/>	User name	Groups	Last activity	MFA	Password age	Active key age
<input type="checkbox"/>	abi	None	Never	None	Now	-

